

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –  
Part 6-10: Application layer protocol specification – Type 10 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 6-10: Spécification de protocole de couche d'application – Éléments  
de type 10**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –  
Part 6-10: Application layer protocol specification – Type 10 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 6-10: Spécification de protocole de couche d'application – Eléments  
de type 10**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-9740-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	37
INTRODUCTION.....	39
1 Scope.....	41
1.1 General.....	41
1.2 Specifications .....	41
1.3 Conformance .....	41
2 Normative references .....	42
3 Terms, definitions, abbreviated terms, symbols and conventions .....	45
3.1 Referenced terms and definitions.....	45
3.1.1 ISO/IEC 7498-1 terms.....	45
3.1.2 ISO/IEC 8822 terms.....	45
3.1.3 ISO/IEC 8824-1 terms.....	45
3.1.4 ISO/IEC 9545 terms.....	45
3.2 Terms and definitions for decentralized periphery .....	46
3.3 Abbreviated terms and symbols .....	54
3.3.1 Abbreviated terms and symbols for media redundancy .....	54
3.3.2 Abbreviated terms and symbols for decentralized periphery.....	54
3.3.3 Abbreviated terms and symbols for services.....	58
3.3.4 Abbreviated terms and symbols for IEEE 802.1Q.....	58
3.3.5 Abbreviated terms and symbols for IETF RFC 2474.....	58
3.3.6 Abbreviated terms and symbols for IETF RFC 4291.....	58
3.4 Conventions.....	58
3.4.1 General concept.....	58
3.4.2 Conventions for decentralized periphery.....	58
3.4.3 Conventions used in state machines.....	67
4 Application layer protocol specification for common protocols.....	72
4.1 FAL syntax description.....	72
4.1.1 DLPDU abstract syntax reference .....	72
4.1.2 Data types .....	74
4.2 Transfer syntax.....	75
4.2.1 Coding of basic data types .....	75
4.2.2 Coding section related to common basic fields .....	83
4.3 Discovery and basic configuration.....	94
4.3.1 DCP syntax description .....	94
4.3.2 DCP protocol state machines.....	122
4.3.3 DLL Mapping Protocol Machines.....	139
4.4 Precision working time control .....	140
4.4.1 FAL syntax description .....	140
4.4.2 AP-Context state machine .....	151
4.4.3 FAL Service Protocol Machines .....	151
4.4.4 Application Relationship Protocol Machines.....	152
4.4.5 DLL Mapping Protocol Machines.....	215
4.5 Time synchronization .....	215
4.5.1 General .....	215
4.5.2 GlobalTime .....	216
4.5.3 WorkingClock .....	216
4.6 Media redundancy .....	217

4.6.1	Media redundancy and loop prevention.....	217
4.6.2	Seamless media redundancy .....	220
4.7	Real time cyclic.....	220
4.7.1	FAL syntax description .....	220
4.7.2	FAL transfer syntax .....	221
4.7.3	FAL Service Protocol Machines .....	231
4.7.4	Application Relationship Protocol Machines.....	231
4.7.5	DLL Mapping Protocol Machines.....	249
4.8	Real time acyclic.....	249
4.8.1	RTA syntax description .....	249
4.8.2	RTA transfer syntax.....	250
4.8.3	FAL Service Protocol Machines .....	254
4.8.4	Application Relationship Protocol Machines.....	254
4.8.5	DLL Mapping Protocol Machines.....	269
4.9	Fragmentation.....	269
4.9.1	General .....	269
4.9.2	FRAG syntax description .....	272
4.9.3	FRAG transfer syntax .....	273
4.9.4	FAL Service Protocol Machines .....	275
4.9.5	Application Relationship Protocol Machines.....	275
4.9.6	DLL Mapping Protocol Machines.....	275
4.10	Remote procedure call .....	286
4.10.1	General .....	286
4.10.2	RPC syntax description .....	286
4.10.3	RPC Transfer syntax .....	288
4.10.4	FAL Service Protocol Machines.....	304
4.10.5	Application Relationship Protocol Machines.....	304
4.10.6	DLL Mapping Protocol Machines.....	305
4.11	Link layer discovery .....	305
4.11.1	General .....	305
4.11.2	FAL common syntax description .....	305
4.11.3	LLDP transfer syntax .....	307
4.11.4	FAL Service Protocol Machines .....	317
4.11.5	Application Relation Protocol Machines .....	317
4.11.6	DLL Mapping Protocol Machines.....	317
4.12	Bridges and End Stations.....	317
4.12.1	General .....	317
4.12.2	Model .....	318
4.12.3	Traffic Shaping .....	333
4.12.4	Bridge extensions .....	334
4.12.5	QueueHandler .....	335
4.12.6	FAL Service Protocol Machines .....	335
4.12.7	Application Relation Protocol Machines .....	335
4.12.8	DLL Mapping Protocol Machines.....	335
4.13	IP suite .....	374
4.13.1	Overview .....	374
4.13.2	IP/UDP syntax description .....	374
4.13.3	IP/UDP transfer syntax .....	375
4.13.4	ARP.....	378

4.14	Domain name system.....	380
4.14.1	General .....	380
4.14.2	Primitive definitions .....	380
4.14.3	DNS state transition diagram .....	381
4.14.4	State machine description .....	381
4.14.5	DNS state table .....	381
4.14.6	Functions, Macros, Timers and Variables .....	381
4.15	Dynamic host configuration .....	381
4.15.1	General .....	381
4.15.2	Primitive definitions .....	382
4.15.3	DHCP state transition diagram.....	382
4.15.4	State machine description .....	382
4.15.5	DHCP state table .....	382
4.15.6	Functions, Macros, Timers and Variables .....	382
4.16	Simple network management .....	383
4.16.1	Overview .....	383
4.16.2	IETF RFC 1213-MIB .....	383
4.16.3	Enterprise number for PNIO MIB .....	383
4.16.4	MIB cross reference .....	384
4.16.5	Behavior in case of modular built bridges .....	384
4.16.6	LLDP EXT MIB .....	384
4.17	Common DLL Mapping Protocol Machines.....	384
4.17.1	Overview .....	384
4.17.2	Data Link Layer Mapping Protocol Machine .....	385
4.18	Additional definitions.....	390
5	Application layer protocol specification for decentralized periphery.....	390
5.1	FAL syntax description.....	390
5.1.1	DLPDU abstract syntax reference .....	390
5.1.2	APDU abstract syntax.....	390
5.2	Transfer syntax.....	409
5.2.1	Coding section related to BlockHeader specific fields .....	409
5.2.2	Coding section related to RTA-SDU specific fields.....	424
5.2.3	Coding section related to common address fields .....	429
5.2.4	Coding section related to AL services .....	445
5.2.5	Coding section related to ARVendorBlock.....	479
5.2.6	Coding section related to PNIOStatus.....	481
5.2.7	Coding section related to I&M Records .....	498
5.2.8	Coding section related to Alarm and Diagnosis PDUs .....	505
5.2.9	Coding section related to upload and retrieval .....	527
5.2.10	Coding section related to iParameter .....	527
5.2.11	Coding section related to Physical Device Interface Data .....	528
5.2.12	Coding section related to Physical Device Port Data.....	528
5.2.13	Coding section related to Physical Device IR Data.....	531
5.2.14	Coding section related to Physical Sync Data .....	554
5.2.15	Coding section related to Isochrone Mode Data .....	559
5.2.16	Coding section related to Physical Time Data .....	561
5.2.17	Coding section related to Media Redundancy .....	564
5.2.18	Coding section related to fiber optics .....	575
5.2.19	Coding section related to network components .....	577

ITD STANDARD PREVIEW

(standards.iteh.ai)

IEC 61158-6-10:2019

<https://standards.iteh.ai/catalog/standards/sist/60d75a62-a5f8-4b60-ab4b-44827905c00c/iec-61158-6-10-2019>

5.2.20	Coding section related port statistic .....	578
5.2.21	Coding section related to fast startup.....	581
5.2.22	Coding section related to DFP .....	583
5.2.23	Coding section related to MRPD .....	587
5.2.24	Coding section related to auto configuration .....	588
5.2.25	Coding section related to controller to controller communication.....	591
5.2.26	Coding section related to system redundancy .....	592
5.2.27	Coding section related to energy saving .....	595
5.2.28	Coding section related to asset management.....	595
5.2.29	Coding section related to reporting system .....	600
5.2.30	Coding section related to Logbook.....	606
5.2.31	Coding section related to Time .....	607
5.2.32	Coding section related to Channel Related Process Alarm Reason.....	607
5.2.33	PDU checking rules .....	610
5.3	FAL protocol state machines.....	643
5.3.1	Overall structure .....	643
5.4	AP-Context state machine.....	645
5.5	FAL Service Protocol Machines .....	645
5.5.1	Overview .....	645
5.5.2	FAL Service Protocol Machine Device .....	645
5.5.3	FAL Service Protocol Machine Controller .....	654
5.6	Application Relationship Protocol Machines .....	665
5.6.1	Alarm Protocol Machine Initiator .....	665
5.6.2	Alarm Protocol Machine Responder .....	669
5.6.3	Device .....	673
5.6.4	Controller .....	756
5.7	DLL Mapping Protocol Machines.....	818
Annex A	(normative) Unified establishing of an AR for all RT classes .....	819
A.1	General.....	819
A.2	AR establishing.....	820
A.3	Startup of Alarm transmitter and receiver .....	825
Annex B	(normative) Compatible establishing of an AR.....	828
Annex C	(informative) Establishing of a device access AR.....	831
Annex D	(informative) Establishing of an AR (accelerated procedure).....	832
Annex E	(informative) Establishing of an AR (fast startup procedure).....	835
Annex F	(informative) Example of the upload, storage and retrieval procedure .....	837
Annex G	(informative) OSI reference model layers.....	839
Annex H	(informative) Overview of the IO controller and the IO device state machines .....	840
Annex I	(informative) Priority regeneration .....	842
Annex J	(informative) Overview of the PTCIP synchronization master hierarchy .....	843
Annex K	(informative) Optimization of bandwidth usage.....	845
Annex L	(informative) Time constraints for bandwidth allocation .....	847
Annex M	(informative) Time constraints for the forwarding of a frame .....	849
M.1	Principle .....	849
M.2	Forwarding.....	849
Annex N	(informative) Principle of dynamic frame packing .....	851
Annex O	(informative) Principle of Fragmentation .....	855

Annex P (informative) MRPD – Principle of seamless media redundancy ..... 858

Annex Q (normative) Principle of a RED\_RELAY without forwarding information in PDIRFrameData ..... 860

Annex R (informative) Optimization for fast startup without autonegotiation ..... 863

Annex S (informative) Example of a PrmBegin, PrmEnd and ApplRdy sequence ..... 866

Annex T (informative) List of supported MIBs ..... 867

Annex U (informative) Structure and content of BLOB ..... 868

Annex V (normative) LLDP EXT MIB ..... 869

Annex W (normative) Cross reference to the IEC 62439-2 ..... 887

    W.1 Cross reference to the IEC 62439-2 ..... 887

        W.1.1 General ..... 887

        W.1.2 Ring ..... 887

        W.1.3 Interconnection ..... 888

Annex X (normative) Maintaining statistic counters for Ethernet ..... 890

    X.1 General ..... 890

    X.2 Counting model ..... 890

    X.3 Explanation of the IETF RFC defined statistic counters ..... 892

    X.4 Value range of the IETF RFC defined statistic counters ..... 893

Bibliography ..... 894

**iTeh STANDARD PREVIEW**

Figure 1 – Common structure of specific fields for octet 1 (high) ..... 60

Figure 2 – Common structure of specific fields for octet 2 ..... 60

Figure 3 – Common structure of specific fields for octet 3 ..... 60

Figure 4 – Common structure of specific fields for octet 4 ..... 61

Figure 5 – Common structure of specific fields for octet 5 ..... 61

Figure 6 – Common structure of specific fields for octet 6 ..... 61

Figure 7 – Common structure of specific fields for octet 7 ..... 62

Figure 8 – Common structure of specific fields for octet 8 ..... 62

Figure 9 – Common structure of specific fields for octet 9 ..... 62

Figure 10 – Common structure of specific fields for octet 10 ..... 63

Figure 11 – Common structure of specific fields for octet 11 ..... 63

Figure 12 – Common structure of specific fields for octet 12 ..... 63

Figure 13 – Common structure of specific fields for octet 13 ..... 64

Figure 14 – Common structure of specific fields for octet 14 ..... 64

Figure 15 – Common structure of specific fields for octet 15 ..... 64

Figure 16 – Common structure of specific fields for octet 16 (low) ..... 65

Figure 17 – Coding of the data type BinaryDate ..... 77

Figure 18 – Encoding of TimeOfDay with date indication value ..... 77

Figure 19 – Encoding of TimeOfDay without date indication value ..... 78

Figure 20 – Encoding of TimeDifference with date indication value ..... 78

Figure 21 – Encoding of TimeDifference without date indication value ..... 78

Figure 22 – Encoding of a NetworkTime value ..... 79

Figure 23 – Encoding of NetworkTimeDifference value ..... 79

Figure 24 – Encoding of TimeStamp value ..... 80



Figure 25 – Encoding of TimeStampDifference value .....	81
Figure 26 – Encoding of TimeStampDifferenceShort value.....	82
Figure 27 – FastForwardingMulticastMACAdd.....	88
Figure 28 – State transition diagram of DCPUCS .....	123
Figure 29 – State transition diagram of DCPUCR.....	127
Figure 30 – State transition diagram of DCPMCS.....	131
Figure 31 – State transition diagram of DCPMCR .....	134
Figure 32 – State transition diagram of DCPHMCS .....	137
Figure 33 – State transition diagram of DCPHMCR.....	139
Figure 34 – PTCP_SequenceID value range .....	144
Figure 35 – Timescale correspondence between PTCP_Time and CycleCounter .....	147
Figure 36 – Message timestamp point.....	152
Figure 37 – Timer model.....	152
Figure 38 – Four message timestamps .....	153
Figure 39 – Line delay protocol with follow up.....	154
Figure 40 – Line delay protocol without follow up.....	154
Figure 41 – Line delay measurement .....	156
Figure 42 – Model parameter for GSDML usage.....	158
Figure 43 – Bridge delay measurement.....	159
Figure 44 – Delay accumulation.....	160
Figure 45 – Worst case accumulated time deviation of synchronization .....	161
Figure 46 – Signal generation for measurement of deviation.....	161
Figure 47 – Measurement of deviation.....	162
Figure 48 – PTCP master sending Sync-Frame without Follow Up-Frame .....	163
Figure 49 – PTCP master sending Sync-Frame with FollowUp-Frame.....	163
Figure 50 – !FU Sync Slave Forwarding Sync-Frame .....	164
Figure 51 – FU Sync Slave Forwarding Sync- and FollowUp-Frame.....	165
Figure 52 – FU Sync Slave Forwarding Sync- and Generating FollowUp-Frame.....	166
Figure 53 – Principle of the monitoring of the line delay measurement.....	167
Figure 54 – State transition diagram of DELAY_REQ.....	169
Figure 55 – State transition diagram of DELAY_RSP .....	177
Figure 56 – Overview of PTCP.....	181
Figure 57 – State transition diagram of SYN_BMA.....	184
Figure 58 – State transition diagram of SYN_MPSM .....	193
Figure 59 – State transition diagram of SYN_SPSM.....	199
Figure 60 – State transition diagram of SYNC_RELAY.....	206
Figure 61 – State transition diagram of SCHEDULER .....	212
Figure 62 – GlobalTime timer model .....	216
Figure 63 – WorkingClock timer model.....	217
Figure 64 – Media redundancy – Ring.....	217
Figure 65 – Media redundancy – Interconnection.....	219
Figure 66 – CycleCounter value range .....	222
Figure 67 – Structure of the CycleCounter .....	223

Figure 68 – Optimized CycleCounter setting .....	224
Figure 69 – SFCRC16 generation rule .....	228
Figure 70 – SFCycleCounter value range.....	229
Figure 71 – Basic structure of a PPM with frame structure .....	232
Figure 72 – Basic structure of a PPM with subframe structure.....	233
Figure 73 – State transition diagram of PPM.....	235
Figure 74 – Basic structure of a CPM.....	239
Figure 75 – State transition diagram of CPM.....	241
Figure 76 – Addressing scheme of RTA.....	251
Figure 77 – Structure of the APM.....	255
Figure 78 – Structure of the APMS.....	256
Figure 79 – State transition diagram of APMS.....	258
Figure 80 – Structure of the APMR .....	263
Figure 81 – State transition diagram of APMR .....	265
Figure 82 – State transition diagram of FRAG_D .....	276
Figure 83 – State transition diagram of FRAG_S.....	280
Figure 84 – State transition diagram of DEFRAG .....	283
Figure 85 – DLL Mapping Protocol Machines (DMPM).....	317
Figure 86 – Principle traffic flow model of a bridge.....	322
Figure 87 – Principle resource model of a bridge.....	323
Figure 88 – End station – on port bridge – transmit.....	328
Figure 89 – End station – on port bridge – receive.....	329
Figure 90 – Bridge with End Station.....	330
Figure 91 – Transmit – one port of a bridge .....	330
Figure 92 – Forwarding process – bridge .....	331
Figure 93 – Receive – on port of a bridge .....	331
Figure 94 – Transmit – Management port.....	332
Figure 95 – Receive – Management port.....	333
Figure 96 – State transition diagram of RTC3PSM .....	339
Figure 97 – State transition diagram for generating events .....	343
Figure 98 – State transition diagram of RED_RELAY .....	345
Figure 99 – Scheme of the DFP_RELAY .....	349
Figure 100 – Scheme of the DFP_RELAY_INBOUND and DFP_RELAY_IN_STORAGE .....	349
Figure 101 – Scheme of the DFP_RELAY_OUTBOUND.....	350
Figure 102 – State transition diagram of DFP_RELAY .....	351
Figure 103 – State transition diagram of DFP_RELAY_INBOUND .....	354
Figure 104 – State transition diagram of DFP_RELAY_IN_STORAGE.....	358
Figure 105 – State transition diagram of DFP_RELAY_OUTBOUND .....	362
Figure 106 – State transition diagram of MUX.....	366
Figure 107 – State transition diagram of DEMUX .....	371
Figure 108 – State transition diagram of ACCM .....	379
Figure 109 – Structuring of the protocol machines within the DMPM (bridge).....	385
Figure 110 – State transition diagram of LMPM.....	388



  
 (standards.iteh.ai)
   
<https://standards.iteh.ai/catalog/standards/sist/60d75a62-a5f8-4b60-ab4b-4d627903cc04/iec-61158-6-10-2019>

Figure 111 – AlarmSpecifier.SequenceNumber value range .....	427
Figure 112 – FrameSendOffset vs. duration of a cycle .....	472
Figure 113 – Severity classification of fault, maintenance and normal .....	526
Figure 114 – Calculation principle for a cycle .....	548
Figure 115 – Calculation principle for the minimum YellowTime .....	549
Figure 116 – Definition of the reserved interval .....	556
Figure 117 – Toplevel view to the PLL window .....	559
Figure 118 – Definition of PLL window .....	559
Figure 119 – Toplevel view to the time PLL window .....	562
Figure 120 – Definition of time PLL window .....	563
Figure 121 – Detection of dropped frames – appear .....	578
Figure 122 – Detection of dropped frames – disappear .....	578
Figure 123 – Detection of DFP late error – appear and disappear .....	586
Figure 124 – MediaRedundancyWatchDog expired – appear and disappear .....	588
Figure 125 – EndPoint1 and Endpoint2 scheme – above and below .....	593
Figure 126 – EndPoint1 and Endpoint2 scheme – left and right .....	593
Figure 127 – Relationship among Protocol Machines .....	643
Figure 128 – State transition diagram of ALPMI .....	666
Figure 129 – State transition diagram of ALPMR .....	670
Figure 130 – Scheme of the IO device CM .....	674
Figure 131 – State transition diagram of the IO device CM .....	676
Figure 132 – State transition diagram of CMDEV .....	680
Figure 133 – Scheme of the IO device CM – device access .....	685
Figure 134 – State transition diagram of CMDEV_DA .....	687
Figure 135 – State transition diagram of CMSU .....	691
Figure 136 – State transition diagram of CMIO .....	696
Figure 137 – State transition diagram of CMRS .....	699
Figure 138 – State transition diagram of CMWRR .....	702
Figure 139 – State transition diagram of CMRDR .....	707
Figure 140 – State transition diagram of CMSM .....	709
Figure 141 – State transition diagram of CMPBE .....	713
Figure 142 – State transition diagram of CMDMC .....	718
Figure 143 – State transition diagram of CMINA .....	723
Figure 144 – State transition diagram of CMRPC .....	734
Figure 145 – Intersection and residual amount using different ARUUID.ConfigIDs .....	740
Figure 146 – Intersection and removed amount using different ARUUID.ConfigIDs .....	741
Figure 147 – State transition diagram of CMSRL .....	742
Figure 148 – Single Input and single Output buffer of CMSRL .....	748
Figure 149 – Dynamic reconfiguration with CMSRL .....	749
Figure 150 – Alarm queue management of CMSRL .....	750
Figure 151 – Reporting System management of CMSRL .....	751
Figure 152 – Primary: Switchover time between two ARs of an ARset .....	751
Figure 153 – Backup: Switchover time between two ARs of an ARset .....	752

Figure 154 – State transition diagram of CMSRL_AL .....	754
Figure 155 – Scheme of the IO controller CM .....	757
Figure 156 – State transition diagram of the IO controller CM .....	758
Figure 157 – State transition diagram of CMCTL.....	762
Figure 158 – State transition diagram of CTLSM.....	769
Figure 159 – State transition diagram of CTLIO .....	771
Figure 160 – State transition diagram of CTRLDI .....	775
Figure 161 – State transition diagram of CTRLDR.....	778
Figure 162 – State transition diagram of CTRLPC.....	782
Figure 163 – State transition diagram of CTLSU .....	787
Figure 164 – State transition diagram of CTLWRI .....	792
Figure 165 – State transition diagram of CTLWRR.....	796
Figure 166 – State transition diagram of CTLPBE .....	799
Figure 167 – State transition diagram of CTLDINA.....	805
Figure 168 – Automatic NameOfStation assignment.....	810
Figure 169 – State transition diagram of CTLSRL .....	812
Figure 170 – Input and Output buffer of CTLSRL .....	816
Figure 171 – Input and Output buffer with dynamic reconfiguration .....	816
Figure 172 – Alarm queue management of CTLSRL.....	817
Figure 173 – Alarm queue management with dynamic reconfiguration .....	818
Figure A.1 – Establishing of an AR using RT_CLASS_1, RT_CLASS_2 or RT_CLASS_3 (Initial connection monitoring w/o RT).....	820
Figure A.2 – Establishing of an AR using RT_CLASS_1, RT_CLASS_2 or RT_CLASS_3 (Connection monitoring with RT).....	821
Figure A.3 – Principle of the data evaluation during startup (delayed RED channel establishment) .....	822
Figure A.4 – Principle of the data evaluation during startup (immediate RED channel establishment) .....	823
Figure A.5 – Principle of the data evaluation during startup (Special case: Isochronous mode application) .....	824
Figure A.6 – Startup of Alarm transmitter and receiver without System Redundancy.....	825
Figure A.7 – Startup of Alarm transmitter and receiver with System Redundancy.....	826
Figure A.8 – Startup of Alarm transmitter and receiver during a PrmBegin / PrmEnd / ApplRdy sequence.....	827
Figure B.1 – Establishing of an AR using RT_CLASS_3 AR with startup mode “Legacy”.....	829
Figure B.2 – Establishing of an AR using RT_CLASS_1, 2 or UDP AR with startup mode “Legacy” .....	830
Figure C.1 – Establishing of a device access AR .....	831
Figure D.1 – Accelerated establishing of an IOAR without error .....	833
Figure D.2 – Accelerated establishing of an IOAR with “late” error .....	834
Figure E.1 – Establishing of an IOAR using fast startup .....	836
Figure F.1 – Example of upload with storage .....	837
Figure F.2 – Example of retrieval with storage .....	838
Figure G.1 – Assignment of the OSI reference model layers .....	839
Figure H.1 – Overview of the IO controller state machines.....	840

Figure H.2 – Overview of the IO device state machines .....	840
Figure H.3 – Overview of the common state machines .....	841
Figure J.1 – Level model for synchronization master hierarchy .....	843
Figure J.2 – Two level variant of the synchronization master hierarchy .....	844
Figure K.1 – Devices build up in a linear structure .....	845
Figure K.2 – Propagation of frames in linear transmit direction .....	845
Figure K.3 – Propagation of a frames in receive direction .....	846
Figure L.1 – Overview of time constraints for bandwidth allocation.....	847
Figure L.2 – Calculation of the length of a RED period.....	847
Figure L.3 – Calculation of the length of a GREEN period.....	848
Figure M.1 – IEEE 802.3 definition.....	849
Figure M.2 – Minimization of bridge delay .....	849
Figure N.1 – Dynamic frame packing .....	851
Figure N.2 – Dynamic frame packing – truncation of outputs.....	852
Figure N.3 – Dynamic frame packing – concatenation of inputs.....	852
Figure N.4 – End node mode .....	853
Figure N.5 – DFPFeed definition.....	853
Figure O.1 – Principle of fragmentation.....	855
Figure O.2 – Protocol elements of fragments .....	855
Figure O.3 – Bandwidth allocation using fragmentation.....	856
Figure O.4 – Guardian for a fragmentation domain.....	856
Figure P.1 – Principle of seamless media redundancy – I/OCR.....	858
Figure P.2 – Principle of seamless media redundancy – MCR.....	859
Figure P.3 – Principle of seamless media redundancy – Line.....	859
Figure Q.1 – Generating the FrameSendOffset for a RED_RELAY without forwarding information in PDIRFrameData .....	860
Figure R.1 – Scheme of a 2-port switch .....	863
Figure R.2 – Scheme of 2-ports .....	863
Figure S.1 – PrmBegin, PrmEnd and ApplRdy procedure .....	866
Figure X.1 – IEEE 802 structure used for statistic counters.....	891
Figure X.2 – IEEE 802 summary for statistic counters.....	892
Table 1 – One octet .....	65
Table 2 – Two subsequent octets.....	66
Table 3 – Four subsequent octets .....	66
Table 4 – Eight subsequent octets .....	67
Table 5 – Sixteen subsequent octets .....	67
Table 6 – State machine description elements .....	68
Table 7 – Description of state machine elements .....	68
Table 8 – Conventions used in state machines .....	69
Table 9 – Conventions for services used in state machines .....	70
Table 10 – IEEE 802.3 DLPDU syntax .....	72
Table 11 – IEEE 802.11 DLPDU syntax .....	73

Table 12 – IEEE 802.15.1 DLPDU syntax .....	74
Table 13 – Status .....	79
Table 14 – Time source .....	81
Table 15 – SourceAddress.....	83
Table 16 – Single port device.....	83
Table 17 – DCP_MulticastMACAdd for Identify .....	84
Table 18 – DCP_MulticastMACAdd for Hello.....	84
Table 19 – DCP_MulticastMACAdd.....	84
Table 20 – MulticastMACAdd range 1 .....	84
Table 21 – MulticastMACAdd range 2 .....	84
Table 22 – MulticastMACAdd range 3 .....	85
Table 23 – PTCP_MulticastMACAdd range 2 .....	85
Table 24 – PTCP_MulticastMACAdd range 3 .....	85
Table 25 – PTCP_MulticastMACAdd range 4 .....	85
Table 26 – PTCP_MulticastMACAdd range 5 .....	86
Table 27 – PTCP_MulticastMACAdd range 6 .....	86
Table 28 – PTCP_MulticastMACAdd range 7 .....	86
Table 29 – MulticastMACAdd range 8 .....	86
Table 30 – MulticastMACAdd range 9 .....	86
Table 31 – MulticastMACAdd range 10 .....	87
Table 32 – MulticastMACAdd range 11 .....	87
Table 33 – RT_CLASS_3 destination multicast address .....	88
Table 34 – RT_CLASS_3 invalid frame multicast address .....	89
Table 35 – LT (Length/Type).....	89
Table 36 – TagControllInformation.VID .....	89
Table 37 – TagControllInformation.DEI .....	90
Table 38 – TagControllInformation.PCP.....	90
Table 39 – FrameID range 1 .....	90
Table 40 – FrameID range 2 .....	91
Table 41 – FrameID range 3 .....	91
Table 42 – FrameID range 4 .....	91
Table 43 – FrameID range 5 .....	91
Table 44 – FrameID range 6 .....	92
Table 45 – FrameID range 7 .....	92
Table 46 – FrameID range 8 .....	92
Table 47 – FrameID range 9 .....	93
Table 48 – FrameID range 10 .....	93
Table 49 – FrameID range 11 .....	93
Table 50 – FrameID range 12 .....	93
Table 51 – FrameID range 13 .....	93
Table 52 – FragmentationFrameID.FragSequence .....	94
Table 53 – FragmentationFrameID.Constant.....	94
Table 54 – DCP APDU syntax.....	94

ITC STANDARD PREVIEW  
 (standards.iteh.ai)  
 IEC 61158-6-10:2019  
<https://standards.iteh.ai/catalog/standards/sist/60d75a62-a5f8-4b60-ab4b-a4607903009a/iec-61158-6-10-2019>

Table 55 – DCP substitutions .....	95
Table 56 – ServiceID .....	98
Table 57 – ServiceType.Selection .....	98
Table 58 – ServiceType.Reserved .....	98
Table 59 – ServiceType.Selection .....	99
Table 60 – ServiceType.Reserved_1 .....	99
Table 61 – ServiceType.Response .....	99
Table 62 – ServiceType.Reserved_2 .....	99
Table 63 – ResponseDelayFactor .....	100
Table 64 – List of options .....	101
Table 65 – List of suboptions for option IPOption .....	102
Table 66 – List of suboptions for option DevicePropertiesOption .....	102
Table 67 – List of suboptions for option DHCPOption .....	102
Table 68 – List of suboptions for option ControlOption .....	103
Table 69 – List of suboptions for option DeviceInitiativeOption .....	103
Table 70 – List of suboptions for option AllSelectorOption .....	103
Table 71 – List of suboptions for option ManufacturerSpecificOption .....	103
Table 72 – SuboptionDHCP .....	105
Table 73 – Coding of DCPBlockLength in conjunction with SuboptionStart .....	106
Table 74 – Coding of DCPBlockLength in conjunction with SuboptionStop .....	106
Table 75 – Coding of DCPBlockLength in conjunction with SuboptionSignal .....	106
Table 76 – Coding of DCPBlockLength in conjunction with SuboptionFactoryReset .....	107
Table 77 – Alignment between FactoryReset and ResetToFactory .....	107
Table 78 – Coding of DCPBlockLength in conjunction with SuboptionResetToFactory .....	107
Table 79 – Meaning of the different ResetToFactory modes .....	108
Table 80 – Coding of DCPBlockLength in conjunction with SuboptionDeviceInitiative .....	108
Table 81 – Coding of DCPBlockLength .....	109
Table 82 – BlockQualifier with options IPOption, DevicePropertiesOption, DHCPOption and ManufacturerSpecificOption .....	109
Table 83 – BlockQualifier with option ControlOption and suboption SuboptionResetToFactory .....	110
Table 84 – BlockQualifier with option ControlOption and NOT suboption SuboptionResetToFactory .....	111
Table 85 – BlockError .....	111
Table 86 – BlockInfo for SuboptionIPParameter .....	111
Table 87 – Bit 1 and Bit 0 of BlockInfo for SuboptionIPParameter .....	112
Table 88 – Bit 7 of BlockInfo for SuboptionIPParameter .....	112
Table 89 – BlockInfo for all other suboptions .....	112
Table 90 – DeviceInitiativeValue .....	112
Table 91 – SignalValue .....	113
Table 92 – DeviceRoleDetails .....	115
Table 93 – IPAddress .....	115
Table 94 – Subnetmask .....	117
Table 95 – StandardGateway .....	118