

Edition 3.0 2018-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Household and similar electrical appliances —Safety — EW Part 2-86: Particular requirements for electric fishing machines (Standards. Iteh. a)

Appareils électrodomestiques et analogues – Sécurité – Partie 2-86: Exigences particulières pour les équipements électriques de pêche

47cfla7fecc7/jec-60335-2-86-2018





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

## About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

## IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online 6 and 5 - 2 once a month by email. https://standards.iteh.ai/catalog/standards.iteh.

IEC Customer Service Centre - webstore.iec.ch/csccc7/icc-6/lf you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000, terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

67,000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

## A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

## Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

## Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

#### Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



Edition 3.0 2018-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Household and similar electrical appliances - Safety-IEW Part 2-86: Particular requirements for electric fishing machines

Appareils électrodomestiques et analogues — Sécurité —
Partie 2-86: Exigences particulières pour les équipements électriques de pêche

47cfl a7fecc7/iec-60335-2-86-2018

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 65.150 ISBN 978-2-8322-6492-8

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

## CONTENTS

FOF	REWORD	3
INT	RODUCTION	6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	General requirement	9
5	General conditions for the tests	9
6	Classification	10
7	Marking and instructions	10
8	Protection against access to live parts	11
9	Starting of motor-operated appliances	12
10	Power input and current	12
11	Heating	12
12	Void	12
13	Leakage current and electric strength at operating temperature	12
14	Transient overvoltages	12
15	Moisture resistance	13
16	Leakage current and electric strength ards.iteh.ai)	13
17	Overload protection of transformers and associated circuits	13
18	Endurance	13
19	Abnormal operation	13
20	Stability and mechanical hazards	13
21	Mechanical strength	13
22	Construction	13
23	Internal wiring	16
24	Components	16
25	Supply connection and external flexible cords	16
26	Terminals for external conductors	16
27	Provision for earthing	17
28	Screws and connections	17
29	Clearances, creepage distances and solid insulation	17
30	Resistance to heat and fire	17
31	Resistance to rusting	17
32	Radiation, toxicity and similar hazards	18
Ann	exes	19
Ann	ex A (informative) Routine tests	19
	ex S (normative) Battery-operated appliances powered by batteries that are non- nargeable or not recharged in the appliance	20
Ann	ex AA (normative) Boat mounted electric fishing machines	23
Bibl	iography	25

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

## Part 2-86: Particular requirements for electric fishing machines

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicy Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible (in 3 their 8 national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- the latter.

  47cfla7fecc7/iec-60335-2-86-2018

  5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61H: Safety of electrically-operated farm appliances, of IEC technical committee 61: Safety of household and similar electrical appliances.

This bilingual version (2019-02) corresponds to the monolingual English version, published in 2018-04.

This third edition cancels and replaces the second edition published in 2002, its Amendment 1 (2005) and its Amendment 2 (2012). This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- aligns the text with IEC 60335-1, Ed 5, and its Amendments 1 and 2;
- some notes have been converted to normative text (22.102, 22.113, 26.106);

requirements for battery-operated electric fishing machines have been moved to Annex S.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61H/363/FDIS	61H/365/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety,* can be found on the IEC website.

This Part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the AEC standard. Safety requirements for electric fishing machines.

(standards.iteh.ai)

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard3states; "addition", "modification" or "replacement", the relevant text in Part/1 is to be adapted accordingly 0c058a9-07B-4c32-9a86-

47cfla7fecc7/iec-60335-2-86-2018

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type
- test specifications: in italic type
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60335-2-86:2018</u> https://standards.iteh.ai/catalog/standards/sist/b0e058a9-07f3-4c32-9a86-47cf1a7fecc7/iec-60335-2-86-2018

### INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

NOTE 1 Throughout this publication, when "Part 1" is mentioned, it refers to IEC 60335-1.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies TANDARD PREVIEW

NOTE 2 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 3 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

## Part 2-86: Particular requirements for electric fishing machines

## 1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of **electric fishing machines** by means of which water may be electrified for the purpose of catching fish or for providing barriers to all animals living in water.

The **rated voltage** of **electric fishing machines** is not more than 250 V for single phase machines and 480 V for other machines, except that the **rated voltage** of **electric fishing machines** for permanent connection to fixed wiring is not more than 1 000 V.

Electric fishing machines are appliances for scientific and commercial use.

Additional requirements for boat mounted electric fishing machines are given in Annex AA.

NOTE 101 Examples of electric fishing machines coming within the scope of this standard are:

- mains-operated electric fishing machines which include those supplied from portable or stationary generator sets;

  IEC 60335-2-86:2018
- battery-operated electric fishing machines by standards/sist/b0e058a9-07f3-4c32-9a86-

NOTE 102 Attention is drawn to the fact that a fecc 7/iec-60335-2-86-2018

- for appliances intended to be used on board ships or boats, additional requirements can be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 103 This standard does not apply to

- electric fence energizers (IEC 60335-2-76);
- electric animal stunning equipment (IEC 60335-2-87);
- shark deterrent devices that are carried by the user.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

This clause of Part 1 is applicable except as follows.

#### Addition:

IEC 60068-2-52, Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)

IEC 61558-2-4, Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers

#### 3 Terms and definitions

This clause of Part 1 is applicable except as follows.

#### 3.1 Definitions relating to physical characteristics

#### 3.1.1 Addition:

Note 101 to entry: The rated voltage is the rated input voltage.

#### 3.1.6 Addition:

Note 102 to entry: The rated current is the rated input current.

#### 3.1.9 Replacement:

#### normal operation

operation of the appliance under the following conditions:

The **electric fishing machine** is operated as in normal use when connected to the supply with an adjustable non-inductive resistor connected between its output terminals. The resistor is adjusted so as to give an **output current** just sufficient not to cause any **protective device** to operate

#### 3.1.101

### output voltage

iTeh STANDARD PREVIEW

voltage between the electrodes (standards.iteh.ai)

#### 3.1.102

#### output current

IEC 60335-2-86:2018

current in the **output circuit** that the **electric fishing machine** is designed to supply

## 3.1.103

#### pulsed voltage

voltage impulse of any form and any duration

## 3.1.104

#### impulse

that part of the pulsed voltage output that exceeds 12 V

#### 3.5 Definitions relating to types of appliances

#### 3.5.101

#### electric fishing machine

appliance, comprising **electrodes** and an **energizer**, that is designed or used for the control, taking, killing of any species of fish or invertebrate living in water or for the production of electronarcosis, by means of electric current

Note 1 to entry: An **electric fishing machine** may be used to provide a barrier effective for all animals living in water.

Note 2 to entry: A given electric fishing machine may only perform some of the functions specified.

#### 3.5.102

## mains-operated electric fishing machine

**electric fishing machine** designed for direct connection to a supply other than a battery supply at a voltage greater than **safety extra-low voltage** 

Note 1 to entry: It may also be supplied from a generator set.

#### 3.5.103

#### battery-operated electric fishing machine

**electric fishing machine** deriving its energy solely from non-rechargeable batteries, rechargeable batteries or other sources of energy, with a voltage meeting the requirements for **safety extra-low voltage** 

#### 3.6 Definitions relating to parts of an appliance

#### 3.6.3 Addition:

Note 101 to entry: It also includes terminals for the connection of the battery and other metal parts in a battery compartment that become accessible when batteries are replaced, even with the aid of a **tool**.

#### 3.6.4 Replacement:

#### live part

conductive part that may cause an electric shock

#### 3.6.101

#### electrode

that part of an electric fishing machine that transfers the electric power into the water

Note 1 to entry: The catching **electrode** is the **electrode** used by the fisherman, the return **electrode** is the **electrode** trailed in the water.

Note 2 to entry: The catching electrode is usually the anode and the return electrode is usually the cathode.

Note 3 to entry: This does not preclude the return electrode being held by the user.

#### 3.6.102

#### energizer

that part of an electric fishing machine that transfers the electric power into the electrodes

47cfla7fecc7/iec-60335-2-86-2018

(stangards.iten.ai)

#### 3.6.103

#### output circuit

all conductive parts or components within an **electric fishing machine** that are connected or intended to be connected galvanically to the **electrode** terminals

### 3.7 Definitions relating to safety components

Addition:

## 3.7.101

#### biased-off switch

switch which automatically returns to the off position when its actuating member is released

## 4 General requirement

This clause of Part 1 is applicable.

#### 5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

**5.101** If there is no indication as to which of the output terminals is to be connected to the return **electrode**, the terminal that gives the most unfavourable result is connected to the return **electrode**.

## 5.102 Electric fishing machines are tested as motor-operated appliances.

#### 6 Classification

This clause of Part 1 is applicable except as follows.

#### **6.1** Replacement:

Electric fishing machines that are intended to be permanently connected to fixed wiring shall be class I or class II with respect to protection against electric shock. Other electric fishing machines shall be class II or class III.

Accessories intended to be supplied with **portable electric fishing machines** shall be **class III**.

Compliance is checked by inspection and by the relevant tests.

#### **6.2** Addition:

**Electric fishing machines** intended for permanent connection to fixed wiring shall be at least IPX4. Other **electric fishing machines** shall be at least IPX5.

Hand-held parts of electric fishing machines shall be IPX7.

## 7 Marking and instructions TANDARD PREVIEW

This clause of Part 1 is applicable except as follows.

7.1 Addition:

IEC 60335-2-86:2018

https://standards.iteh.ai/catalog/standards/sist/b0e058a9-07f3-4c32-9a86-

Electric fishing machines shall be marked with

- the words "Pulsed voltage machine", "Direct current machine", "Alternating current machine" as appropriate;
- the output current;
- the output voltage;
- "Read the instructions" or with symbol ISO 7000-0790 (2004-01);
- the catching electrode and return electrode terminals of alternating current machines and pulsed voltage machines using AC shall be identified by symbols IEC 60417-5036 (2002-10) and IEC 60417-5017 (2006-08) as appropriate. If the return electrode is not grounded it need not be marked.
- the catching electrode and return electrode terminals of direct current machines and pulsed voltage machines using DC shall be identified by symbols IEC 60417-5005 (2002-10) and IEC 60417-5006 (2002-10) as appropriate.

## 7.6 Addition:

[symbol IEC 60417-5017 earth (ground) (2006-08)]

#### 7.12 Addition:

The instructions shall give details of the construction of the net that can be used with the appliance, in particular they shall indicate that net handles shall

- be constructed of non-conductive material,
- be of sufficient length to avoid hand contact with the water,
- not be wrapped or covered metallic handles,
- not have a metallic weighting chain extending beyond the bottom edge of the net proper.

If symbol IEC 60417-5017 (2006-08), symbol IEC 60417-5036 (2002-10) or symbol ISO 7000-0790 (2004-01) are marked on the appliance, their meaning shall be explained.

#### **7.12.1** Addition:

For **electric fishing machines** supplied by an isolating transformer, the instructions shall include details concerning the fixing and location of the transformer to prevent it from falling into the water and from being otherwise impaired by water.

The instructions for **electric fishing machines** that are supplied from a motor-generator set with an accessible neutral or incorporate a motor-generator set or generator with an accessible neutral shall contain the substance of the following warning.

WARNING: Ensure the generator neutral is not connected to the enclosure of the motor-generator set or electric fishing machine.

#### 7.12.9 Not applicable.

IEC 60335-2-86:2018

https://standards.iteh.ai/catalog/standards/sist/b0e058a9-07f3-4c32-9a86-

#### 7.14 Addition:

47cfla7fecc7/iec-60335-2-86-2018

Markings required by the addition to 7.1 shall have a height not less than:

- 5 mm for headlines:
- 3 mm for other lettering.

Symbol IEC 60417-5017 (2006-08), symbol IEC 60417-5036 (2002-10) and symbol ISO 7000-0790 (2004-01) shall have a height of at least 25 mm.

## 8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

## **8.1.4** Addition:

The means for the connection of the **electrodes** is not a **live part**.

**8.101** For **battery-operated electric fishing machines**, the parts in a battery compartment that become accessible when batteries are being replaced, even with the aid of a **tool**, shall not be live.

Compliance is checked by inspection and by the test specified for determining if a part is a live part.

## 9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

## 10 Power input and current

This clause of Part 1 is applicable except as follows.

**10.101** The measured **output voltage** shall not deviate from the **output voltage** marked on the machine by more than 10 %.

Compliance is checked by measurement, the **electric fishing machine** being operated under conditions of **normal operation** and supplied at **rated voltage**.

## 11 Heating

This clause of Part 1 is applicable except as follows.

#### 11.5 Replacement:

Electric fishing machines are operated under normal operation, supplied with the most unfavourable supply voltage between 0,85 and 1,1 times rated voltage.

## 11.7 Replacement: (standards.iteh.ai)

The electric fishing machine is operated until-steady conditions are established.

https://standards.iteh.ai/catalog/standards/sist/b0e058a9-07f3-4c32-9a86-47cf1a7fecc7/iec-60335-2-86-2018

### 12 Void

## 13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable except as follows.

## **13.1** Modification:

Instead of all **electric fishing machines** being subjected to the tests of 13.2 and 13.3, the following applies.

Compliance is checked by the tests of 13.2 and 13.3 for mains-operated electric fishing machines.

#### **13.2** *Modification:*

The following leakage current value is applicable:

 for class II electric fishing machines
 0,1 mA per 100 V of output voltage with a maximum of 0.7 mA.

## 14 Transient overvoltages

This clause of Part 1 is applicable.

#### 15 Moisture resistance

This clause of Part 1 is applicable.

## 16 Leakage current and electric strength

This clause of Part 1 is applicable except as follows.

#### **16.1** *Modification:*

For **mains-operated electric fishing machines**, compliance is checked by the tests of 16.2, 16.3 and 16.101.

**16.101** Immediately after the test of 16.3, the output characteristics are measured as specified in 22.101.

The values measured shall not deviate in an unfavourable way by more than 10 % from the values measured as specified in 22.101.

## 17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable ANDARD PREVIEW

18 Endurance (standards.iteh.ai)

This clause of Part 1 is not applicable. IEC 60335-2-86:2018 https://standards.tich.ai/catalog/standards/sist/b0e058a9-07f3-4c32-9a86-47cfl a7fecc7/iec-60335-2-86-2018

## 19 Abnormal operation

This clause of Part 1 is applicable.

## 20 Stability and mechanical hazards

This clause of Part 1 is applicable.

## 21 Mechanical strength

This clause of Part 1 is applicable.

#### 22 Construction

This clause of Part 1 is applicable except as follows.

### **22.12** Addition:

The requirement is not applicable to the **electric fishing machine** output terminal assembly including the terminal knobs and washers.

**22.101** Under the conditions for **normal operation**, with the **electric fishing machine** supplied at **rated voltage**, the output characteristics shall not exceed the values given in Table 101.