



Edition 5.0 2020-01 REDLINE VERSION

INTERNATIONAL STANDARD



Electrical installations in ships –

Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications

Document Preview

IEC 60092-350:2020

https://standards.iteh.ai/catalog/standards/iec/6ee1155f-706c-4883-b324-faeaf3fe4f22/iec-60092-350-2020





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC 60092-350:2020

https://standards.iteh.ai/catalog/standards/iec/6ee1155f-706c-4883-b324-faeaf3fe4f22/iec-60092-350-2020





Edition 5.0 2020-01 REDLINE VERSION

INTERNATIONAL STANDARD



Electrical installations in ships – Standard S

Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications

Document Preview

IEC 60092-350:2020

https://standards.iteh.ai/catalog/standards/iec/6ee1155f-706c-4883-h324-faeaf3fe4f22/iec-60092-350-2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.20; 47.020.60 ISBN 978-2-8322-7819-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	OREWO	RD	7
1	Scop	e	9
2	Norm	ative references	9
3		s and definitions	
	3.31	tests	
4		tructional requirements	
7	4.1	General requirements	
	4.1.1	General	
	4.1.1		
	4.1.3		
	4.1.4		
	4.1.5		
	4.2	Conductors	
	4.2.1	Material	
	4.2.2		_
	4.2.3		
	4.2.4		
	4.3	Insulation system	
	4.3.1	Material	
	4.3.2		
	4.3.3		
	4.4	Screens	
	4.4.1	Conductor and insulation screens for high-voltage cables	
	4.4.2	· · · · · · · · · · · · · · · · · · ·	
	4.5	Cabling	
	4.5.1	Multi-core cables	
	4.5.2	Multi-unit cables	21
	4.6	Inner coverings, fillers and binders	21
	4.7	Inner sheath	21
	4.7.1	Material	21
	4.7.2	Application	21
	4.7.3	Thickness of inner sheath	22
	4.8	Metal braid armour	22
	4.8.1	Material	22
	4.8.2	Application	22
	4.9	Outer sheath	23
	4.9.1	Material	23
	4.9.2	Application	23
	4.9.3		
	4.9.4	Calculation of lower and upper limits for the outer dimensions of cables	23
5	Test	methods	23
	5.1	Test conditions	23
	5.1.1	Ambient temperature	23
	5.1.2	Frequency, waveform and magnitude of power-frequency test voltages	23
	5.2	Routine tests	23
	5.2.1	General	23

	5.2.2	Measurement of the electrical resistance of the conductors	24
	5.2.3	Voltage test	24
	5.2.4	Partial discharge test	26
6	Samp	ole tests	26
	6.1	General	26
	6.2	Frequency of sample tests	
	6.3	Repetition of tests	
	6.4	Conductor examination	
	6.5	Measurement of thickness of insulation	
	6.5.1	General	
	6.5.2	Procedure	
	6.5.3	Requirements	
	6.6	Measurements of thickness of non-metallic sheaths	
	6.6.1	General	
	6.6.2	Procedure	_
	6.6.3	Requirements	
	6.7	Measurement of external diameter	
	6.8	Hot-set test for insulations and sheaths	
	6.8.1	General procedure	
	6.8.2	·	
	6.9	i'lah Standarda	
7		Insulation resistance test (volume resistivity determination)	
,	• •	tests, electrical	
	7.1		
	7.2	Insulation resistance measurement	
	7.2.1	Measurement at ambient temperature	
	7.2.2	Measurement at maximum rated temperature	
	7.3	Increase in AC capacitance after immersion in water	
		s.itel General g/standards/iec/6ee1.155f-706c-4883-b324-faeaf3.fe4f22/iec-60f	
	7.3.2	Preparation of test specimens	
	7.3.3	Apparatus	
	7.3.4	Procedure	
	7.3.5	Requirements	
	7.4	High-voltage test for 4 h for cables rated up to 1,8/3 kV	
	7.4.1	General	
	7.4.2	Requirement	
	7.5	Mutual capacitance (control and instrumentation cables only)	
	7.6	Inductance to resistance ratio (control and instrumentation cables only) \dots	31
	7.7	High voltage sequence test (cables having a voltage rating higher than 3,6/6 (7,2) kV)	32
	7.7.1	General	32
	7.7.2	Special provisions	32
	7.7.3	Partial discharge test	
	7.7.4	Bending test	32
	7.7.5	Tan δ measurement as a function of the voltage	
	7.7.6	Tan δ measurement as a function of the temperature	
	7.7.7	Heating cycle test plus partial discharge test	
	7.7.8	Impulse withstand test, followed by a power-frequency voltage test	
	7.7.9	High-voltage test for 4 h	
8		tests (non-electrical)	

8.2 Measurement of thickness of insulation	4
coverings)	
after ageing	4
8.4.1 Sampling	4
8.4.2 Ageing treatments	•
	4
8.4.3 Conditioning and mechanical tests34	4
8.4.4 Requirements	5
8.5 Tests for determining the mechanical properties of sheaths before and after ageing39	5
8.5.1 Sampling	5
8.5.2 Ageing treatments39	5
8.5.3 Conditioning and mechanical tests39	5
8.5.4 Requirements	5
8.6 Additional ageing test on pieces of completed cables (compatibility test)39	5
8.6.1 General	5
8.6.2 Sampling	5
8.6.3 Ageing treatment39	5
8.6.4 Mechanical tests	5
8.6.5 Requirements 36	6
8.7 Loss of mass test on PVC ST 2 sheath	
8.7.1 Procedure 36	6
8.7.2 Requirements	6
8.8 Test for the behaviour of PVC ST 2 and halogen-free SHF 1 sheaths at high temperature (hot pressure test)36	6
8.8.1 Procedure	
ttps://sta8.8.2 s.itel Requirements.lands/iec/Kea.l.1.556.706c-4883k324-fieaf3.fe4f22/iec-60092-35.36	6 .02
8.9 Test for the behaviour of PVC sheath ST 2 and halogen-free SHF 1 and SHF 2 sheaths at low temperature	6
8.9.1 Procedure	6
8.9.2 Requirements	6
8.10 Special test for low temperature behaviour (when required)	6
8.11 Test of the metal coating of copper wires	6
8.12 Galvanizing test	7
8.13 Test for resistance of PVC ST 2 and halogen-free SHF 1 sheaths to cracking (heat shock test)	7
8.13.1 Procedure	
8.13.2 Requirements	7
8.14 Ozone resistance test for insulation and for sheaths	
8.14.1 Procedure	7
8.14.2 Requirements	7
8.15 Hot oil immersion test and enhanced hot oil immersion test for sheaths	7
8.15.1 Hot oil immersion test	7
8.15.2 Enhanced hot oil immersion test (when required)	
8.15.2 Enhanced hot oil immersion test (when required)	7
8.15.2 Enhanced hot oil immersion test (when required)	7 7

8.17	.3 Smoke emission test	38
8.17	.4 Acid gas emission test	38
8.17	.5 pH and conductivity test	38
8.17	.6 Fluorine content test	38
8.17	.7 Fire-resistance test (test for circuit integrity cables)	39
8.18	Determination of hardness for HEPR	
8.19	Determination of elastic modulus for HEPR	
8.20	Durability of print	
	(normative) Fictitious calculation method for determination of dimensions of	
	coverings	40
А.1	Overview	
A.2	General	
A.2 A.3	Method	
-		
A.3.		
A.3.2		
A.3.3	•	
A.3.4	3	
A.3.5	5 Sheath	44
A.3.6		45
	(informative) Recommended minimum spark test voltage levels g to IEC 62230)	46
B.1	General	
B.2	Test voltages	
B.2.1		
B.2.2		46
B.2.3		
	(normative) Rounding of numbers	
	Rounding of numbers for the purpose of the fictitious calculation method	
C.1.		
C.1.2		_
	Rounding of numbers for other purposes	48
Annex D dimension	(normative) Calculation of the lower and upper limits for the outer ns of cables with circular copper conductors	49
D.1	General	49
D.2	Lower limit for the outer diameter	_
D.3	Upper limit for the outer diameter	
D.4	Thickness of the mandatory or optional coverings other than the insulation and the sheath(s)	
Annoy E	(normative) Cold bend test and impact test for low temperature behaviour	
E.1	Cold bend test at any specified low temperature	
E.1.		
E.1.2		
E.1.3	·	
E.2	Impact test at any specified low temperature	
E.2.	1 Apparatus	53
E.2.2	2 Procedures	53
E.2.3	Requirements	53
Bibliogra	phy	54

Table 1 – Minimum size of conductors	18
Table 2 – Routine test voltage	25
Table 3 – Number of samples according to cable length	27
Table 4 – Tan δ versus voltage	33
Table 5 – Tan δ versus temperature	33
Table 6 – Impulse withstand voltages	34
Table 7 – Test methods and requirements for halogen-free components	39
Table A.1 – Fictitious diameter of conductor	41
Table A.2 – Increase of diameter for concentric conductors and metallic screens made of tape or wire	41
Table A.3 – Assembly coefficient k for laid-up	43
Table A.4 – Coefficient c_{f}	44
Table B.1 – Recommended minimum spark-test voltages for cables having rated voltage (U_0) between 150 V and 1 800 V	46
Table D.1 – Lower and upper limits of circular copper conductors for cables for fixed installations	51
Table E.1 – Details of low temperature bending test	52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INSTALLATIONS IN SHIPS –

Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

- 8 -

International Standard IEC 60092-350 has been prepared by subcommittee 18A: Electric cables for ships and mobile and fixed offshore units, of IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units.

This fifth edition cancels and replaces the fourth edition published in 2014 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) more detailed description of the test procedures in 7.7.6 and 7.7.7;
- b) description of the relationship between Annex A and Annex D.

The text of this International Standard is based on the following documents:

CDV	Report on voting
18A/420/FDIS	18A/423/RVC

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60092 series, under the general title *Electrical installations in ships*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- */standards.itch.ai/catalog/standards/iec/6ee1155f-706c-4883-b324-faeaf3fe4f22/iec-60092-350-2020
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ELECTRICAL INSTALLATIONS IN SHIPS -

Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications

1 Scope

This part of IEC 60092 provides the general constructional requirements and test methods for use in the manufacture of electric power, control and instrumentation cables with copper conductors intended for fixed electrical systems at voltages up to and including 18/30(36) kV on board ships and offshore (mobile and fixed) units.

The reference to fixed systems includes those that are subjected to vibration (due to the movement of the ship or installation) or movement (due to motion of the ship or installation) and not to those that are intended for frequent flexing. Cables suitable for frequent or continual flexing use are detailed in other IEC standards, for example IEC 60227 (all parts) and IEC 60245 (all parts), and their uses are restricted to those situations which do not directly involve exposure to a marine environment, for example, portable tools and domestic appliances.

The following types of cables are not included:

- optical fibre;
- sub-sea and umbilical cables;
- data and communication cables; I ment Preview
- coaxial cables.

2 Normative references

(available at www.electropedia.org)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition

cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-461, International Electrotechnical Vocabulary – Part 461: Electric cables

IEC 60092-353, Electrical installations in ships – Part 353: Power cables for rated voltages 1 kV and 3 kV

IEC 60092-360:2014, Electrical installations in ships – Part 360: Insulating and sheathing materials for shipboard and offshore units, power, control, instrumentation, and telecommunication and data cables

IEC 60228, Conductors of insulated cables

IEC 60230, Impulse tests on cables and their accessories

IEC 60331-1, Tests for electric cables under fire conditions — Circuit integrity — Part 1: Test method for fire with shock at a temperature of at least 830 °C for cables of rated voltage up to and including 0,6/1,0 kV and with an overall diameter exceeding 20 mm

IEC 60331-2, Tests for electric cables under fire conditions — Circuit integrity — Part 2: Test method for fire with shock at a temperature of at least 830 °C for cables of rated voltage up to and including 0,6/1,0 kV and with an overall diameter not exceeding 20 mm

IEC 60331-11, Tests for electric cables under fire conditions – Circuit integrity – Part 11: Apparatus – Fire alone at a flame temperature of at least 750 °C

IEC 60331-21, Tests for electric cables under fire conditions – Circuit integrity – Part 21: Procedures and requirements – Cables of rated voltage up to and including 0,6/1,0 kV

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW premixed flame

IEC 60332-3-22, Tests on electric and optical fibre cables under fire conditions – Part 3-22: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category A

IEC 60684-2, Flexible insulating sleeving – Part 2: Methods of test

IEC 60754-1, Test on gases evolved during combustion of materials from cables – Part 1: Determination of the halogen acid gas content

IEC 60754-2, Test on gases evolved during combustion of materials from cables – Part 2: Determination of acidity (by pH measurement) and conductivity

IEC 60811-201, Electric and optical fibre cables – Test methods for non-metallic materials – Part 201: General tests – Measurement of insulation thickness

IEC 60811-202, Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath

IEC 60811-203, Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions

IEC 60811-401, Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven

IEC 60811-403, Electric and optical fibre cables – Test methods for non-metallic materials – Part 403: Miscellaneous tests – Ozone resistance test on cross-linked compounds

IEC 60811-404, Electric and optical fibre cables – Test methods for non-metallic materials – Part 404: Miscellaneous tests – Mineral oil immersion tests for sheaths

IEC 60811-409, Electric and optical fibre cables – Test methods for non-metallic materials – Part 409: Miscellaneous tests – Loss of mass test for thermoplastic insulations and sheaths

IEC 60811-501, Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds

IEC 60811-504, Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Bending tests at low temperature for insulations and sheaths

IEC 60811-505, Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Elongation at low temperature for insulations and sheaths

IEC 60811-506, Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Impact test at low temperature for insulations and sheaths

IEC 60811-507, Electric and optical fibre cables – Test methods for non-metallic materials – Part 507: Mechanical tests – Hot set test for cross-linked materials

IEC 60811-508, Electric and optical fibre cables – Test methods for non-metallic materials – Part 508: Mechanical tests – Pressure test at high temperature for insulation and sheaths

IEC 60811-509, Electric and optical fibre cables – Test methods for non-metallic materials – Part 509: Mechanical tests – Test for resistance of insulations and sheaths to cracking (heat shock test)

IEC 60885-2, Electrical test methods for electric cables. Part 2: partial discharge tests

IEC 60885-3, Electrical test methods for electric cables – Part 3: Test methods for partial discharge measurements on lengths of extruded power cables

IEC 61034-1, Measurement of smoke density of cables burning under defined conditions – Part 1: Test apparatus

IEC 61034-2, Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements

ISO 7989-2:2007, Steel wire and wire products – Non-ferrous metallic coatings on steel wire – Part 2: Zinc or zinc-alloy coating

3 Terms and definitions Ocument Preview

For the purposes of this document, the terms and definitions given in IEC 60050-461 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

approximate value

value which is neither guaranteed nor checked

Note 1 to entry: It is used, for example, for the calculation of other dimensional values.

3.2

braid

covering formed from braided metallic or non-metallic material

[SOURCE: IEC 60050-461:2008, 461-05-10, modified ("plaited" replaced by "braided")]

3.3

braid armour

covering formed from braided metal wires used to protect a cable from external mechanical effects

Note 1 to entry: Where the rules of the applicable national, regulatory or approval body permit the practice, it is also possible to use the braid armour as an earth conductor.

Note 2 to entry: Copper-wire braid armour may also provide a limited function of an electrostatic collective screen, provided it is effectively earthed.

3.4

compatibility test

test intended to check that the insulation and sheath are not liable to deteriorate in operation due to contact either with each other or with other components in the cable

3.5

conductor

<of a cable> part of a cable which has the specific function of carrying current

[SOURCE: IEC 60050-461:2008, 461-01-01]

3.6

conductor screen

non-metallic conducting layer applied between the conductor and insulation to equalise the electrical stress between these components

Note 1 to entry: It may also provide smooth surfaces at the boundaries of the insulation and assist in the elimination of spaces at these boundaries

3.7

core-insulated conductor, US

assembly comprising a conductor and its own insulation (and screens, if any)

Note 1 to entry: In North American usage, the core of a cable has been defined as the assembly of components of a cable lying under a common covering such as the sheath (jacket).

3.8

drain wire

un-insulated wire laid in contact with an electrical screen or an electrical shield which has the specific function of earthing an electrostatic screen by ensuring a low resistive path throughout the length of the cable IEC 60092-3502020

https://standards.iteh.ai/catalog/standards/iec/6ee1155f-706c-4883-b324-faeaf3fe4f22/iec-60092-350-2020

[SOURCE: IEC 60050-461:2008, 461-03-07, modified (addition of text from "... which has ...")]

3.9

electrostatic screen

electrostatic shield, US

earthed metallic layer surrounding a cable which confines the electric field generated by the cable within the cable cores, pair(s), triples(s) or quad(s), and/or protects the core(s), pair(s), triple(s) or quad(s) from external influence

Note 1 to entry: Metallic sheaths, foils, braids, armours and earthed concentric conductors may also serve as an electrostatic screen, provided they are effectively grounded or earthed.

3.10

fictitious value

value calculated according to the "fictitious method" described in Annex A

[SOURCE: IEC 60502-2:2005, definition 3.1.4]

3.11

filler

material used to fill the interstices between the cores of a multi-conductor cable

[SOURCE: IEC 60050-461:2008, 461-04-05]