This document is not an ASTM standard and is intended only to provide the user of an ASTM standard an indication of what changes have been made to the previous version. Because it may not be technically possible to adequately depict all changes accurately, ASTM recommends that users consult prior editions as appropriate. In all cases only the current version of the standard as published by ASTM is to be considered the official document.



Designation: E2495 - 13 E2495 - 18

Standard Practice for Prioritizing Asset Resources in Acquisition, Utilization, and Disposition¹

This standard is issued under the fixed designation E2495; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

INTRODUCTION

Identifying assets that are most critical to a mission or practice is challenging for most business entities. The ability of a business an entity to minimize the gap between its asset portfolio and ever-changing organizational missions often determines its success or failure in achieving designedits objectives. The goal of this practice is to provide managers with a disciplined, quantitative approach to an inherently subjective decision-making process: determining which assets are critical to an entity's designated mission and are therefore deserving of priority attention or funding.

1. Scope

1.1 The asset priority index (API) establishes aquantitativee a quantitative process for prioritizing asset resources in acquisition, utilization, and disposition to provide entities with a proven methodology to prioritize asset resources.disposition.

1.2 The API is a metric used to communicate the relative importance of equipment in terms of mission criticality, security, or other measures important to the business entity. It offers a method for ranking assets based on judgment/importance factors defined by the organization, creating information to justify compelling arguments for investment, security strategies, and disposition plans.

1.3 The API also provides a quantitative basis for determining and documenting operational relationships between an asset portfolio and business objectives capital investment strategies, maintenance approaches, security design and analyses, continuity of business/risk analyses, and disposition decisions.

1.4 The API enables management to identify critical assets and allocate resources appropriately.

1.5 The API model is designed to be applicable and appropriate for entities holding equipment with a material impact on the entity's mission.

1.2 In addition to the applicability of moveable and durable assets as defined in this practice, this methodology is similarly used in the analysis of investments in buildings and building systems (see Practice E1765).

1.3 This practice offers instructions for performing one or more specific operations. This document cannot replace education or experience and should be used in conjunction with professional judgment. Not all aspects of this practice may be applicable in all circumstances. This ASTM standard is neither intended to represent ornor replace the standard of care by which the adequacy of a given professional service must be judged, nor should this document be applied without consideration of a project's many unique aspects. The word "Standard" in the title means only that the document has been approved through the ASTM International consensus process.

<u>1.4 This international standard was developed in accordance with internationally recognized principles on standardization</u> established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Referenced Documents

2.1 ASTM Standards:²

¹ This practice is under the jurisdiction of ASTM Committee E53 on Asset Management and is the direct responsibility of Subcommittee E53.01 on Process Management. Current edition approved Jan. 1, 2013July 1, 2018. Published February 2013August 2018. Originally approved in 2006. Last previous edition approved in 20072013 as E2495 – 07.E2495 – 13. DOI: 10.1520/E2495-13.10.1520/E2495-18.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For Annual Book of ASTM Standards volume information, refer to the standard's Document Summary page on the ASTM website.



E1765 Practice for Applying Analytical Hierarchy Process (AHP) to Multiattribute Decision Analysis of Investments Related to Projects, Products, and Processes

E2135 Terminology for Property and Asset Management E2811 Practice for Management of Low Risk Property (LRP)

3. Terminology

3.1 *Definitions*:

3.1.1 asset portfolio, n-assets that are within the scope of the asset management system.

3.1.2 asset priority index (API), n-numerical value assigned to an asset reflecting its value to an entity's mission or other critical assignments as defined by the criteria set forth by management.

3.1 Definitions of Terms Specific to This Standard: Definitions:

<u>3.1.1 asset priority index (API), n—numerical value assigned to an asset reflecting its value to an entity's mission or other critical assignments as defined by the criteria set forth by management.</u>

3.1.2 *analytical hierarchy process (AHP), n*—decision-making model that reduces complex decisions to one on one one-on-one comparisons resulting in the ranking of a list of objectives or alternatives. Satty, 1994³

3.1.3 *inconsistency measure, n*—inconsistent scoring within a square matrix (the same number of columns and rows, see the example in Appendix X1, Table X1.3) using a predefined interval scale, for example, rating all comparisons high thus disturbing the logic of the matrix.

3.1.4 *interval scale*, *n*—standard survey rating scale, based on real numbers, in which distances between data points are meaningful.

3.1.4.1 Discussion-

Interval scales have no true zero point so it is not possible to make statements about how many times higher one score is than another.

3.2 Acronyms: Definitions of Terms Specific to This Standard:

- AHP = Analytical Hierarchy Process
- API = Asset Priority Index Document Previ
- *ECM* = Equipment Control Matrix
- *LRP* = Low Risk Property *SME* = Subject Matter Expert

ASTM E2495-18

3.2.1 asset portfolio, n-assets that are within the scope of the asset management system. 762d748af/astm-c2495-18

4. Summary of Practice

4.1 Asset prioritizingprioritization relies on the analytical hierarchy process (AHP), a proven decision-making aid, (AHP) that provides managers with the quantitative information needed to select the best alternative or to rank/prioritize a set of alternatives. 4.1.1 AHP uses pair-wise comparison matrices (see the example in Appendix X1, Table X1.3) with judgment measurements

from a predefined survey scale to derive weights for the management-defined criteria used to evaluate assets. 4.1.2 AHP pair-wise comparison matrices provide the criteria used in the asset prioritization methodology for ranking assets.

(This practice can be used, for example, used to categorize assets according to Practices<u>Terminology</u> E2135 and <u>Practice</u>E2811.)

4.2 The asset prioritizing methodology follows six discrete steps:

4.2.1 Step 1: Develop a set of critical criteria that answer the prioritizing question (whether it is mission alignment, security requirements, and so forth). The criteria shall<u>must</u> be mutually exclusive and collectively exhaustive, that is, the criteria shall<u>must</u> address the most important decision-making factors without overlap.

4.2.2 Step 2: Create an interval survey scale by which the criteria can be scored.to score the criteria.

4.2.3 Step 3: Assign weights to the criteria based on a predefined scale of judgment or ratio measurements using the AHP.

4.2.4 Step 4: Create scoring guidelines for subject matter experts (SME)s (preferably based on an interval scale with sufficient definition to support a wide gradation) so that the scorers can evaluate assets per-according to the management-defined criteria.

4.2.5 Step 5: Evaluate each asset according to each critical criterion based on scoring guidelines.

4.2.6 Step 6: Calculate an API based on the criteria weights and scoring guidelines.

4.3 Should the practitioner wish to apply this method to <u>If this method is to be applied to</u> an entire asset portfolio, a pilot study shall<u>must</u> be conducted on a representative sample of assets to determine if enhancements are needed to interval scales and scoring guidelines. The entire asset portfolio should only be scored after a prioritizing framework is established.

³ Satty, T.L., T. L., Fundamentals of Decision Making and Priority Theory, Pittsburgh, PA: RWS Publications, 1994.



4.4 The API is a metric used to communicate the relative importance of equipment in terms of mission criticality, security, or other measures important to the business entity. It establishes a basis for evaluating prioritization of asset resources.

5. Significance and Use

5.1 The API is a metric used to communicate the relative importance of equipmentassets in terms of mission criticality, security, or other measures important to the business entity. It offersestablishes a method for ranking assets based on judgment/importance factors defined by the organization, creating information to justify compelling arguments for investment, security strategies, and disposition plans.basis for evaluating prioritization of asset resources.

5.2 API offers a method for ranking assets based on judgment/importance factors defined by the entity, creating information to prioritize investments, security strategies, and disposition plans.

5.3 The API also provides a quantitative basis for determining and documenting operational relationships between an asset portfolio and business objectives entity capital investment strategies, maintenance approaches, security design and analyses, continuity of business/risk analyses, and disposition decisions.

5.4 It-<u>The API</u> enables management<u>entities</u> to identify critical assets and allocate resources appropriately and should therefore be an integral process in equipment management.appropriately.

5.5 The API model is designed to be applicable and appropriate for entities holding assets with a material impact on the entity's mission.

6. Applicability

6.1 This practice may be applied to the entire asset portfolio of an entity or any subset in which identifying best alternatives or prioritizing a set of alternatives is imperative.

6.2 <u>The This</u> practice may be applied to a variety of scenarios because the criteria used to evaluate assets are selected by the <u>organizationentity</u> and are dependent on mission and the situational study.

6.3 The API for a portfolio can in turn be plotted against condition or security assessments to arrive at an investment, disposition, or other business strategy.

7. Procedure

7.1 The API criteria an organizationentity selects shallmust reflect the overall mission goals that the assets are to support. Criteria selection is usually a management function but shallmust (1) enjoy a consensus; (2) be well defined to facilitate scoring; (3) be mutually exclusive (definitions shallmust not overlap); and (4) be collectively exhaustive, that is, effectively cover those criteria that will allow the assets to support the entity's mission goals. Examples of API criteria include mission support, interchangeability, interruptability, reliability, exclusivity, and asset potential future need.

7.2 Because the importance of each criterion element is usually not equal, weights <u>Weights</u> must be assigned to each element according to the input of management.based on importance.

7.2.1 Weights are generated by requiring managers to evaluate evaluating the criteria on a predetermined interval scale that reflects the importance of the eriteria.asset to the mission.

7.2.2 Results of the evaluation are placed in a square matrix (the same number of columns and rows) to calculate criteria weights (see the example in Appendix X1, Table X1.3).

7.3 To score assets against each criterion, a detailed interval scale shallmust be developed. Normally, organizationalentity SMEs are well positioned to create an asset scoring guide to ensure a valid and reliable method. This scoring guide shallmust define each criterion, including its weight, and provide a clear explanation of each interval of the scale, for example, very important through very unimportant for each criterion. Management may provide scorers with specific Specific asset examples from the organization's entity's asset portfolio may be used to aid in this process.

7.4 Once the API criteria, weights, and scoring guidance are developed, it is prudent to pilot the framework on a representative sample of assets if the intent is to use the methodology on the organization'sentity's entire asset portfolio. Additions to criteria or refinement of the interval scale may be required based on feedback received from participants and observations made during the scoring session pilots because many factors affecting the analysis can arise such as geographic or security considerations.

7.5 Management shall<u>must</u> decide on the correct population to designate as scorers. In some instances, only SMEs are an appropriate choice. In other instances, other stakeholders may be assigned as scorers. Once the API criteria framework (criteria, weights, and scoring guidance) has been finalized, SMEs or other stakeholders score the entity's assets and determine their API. The preferred method is to have all scorers physically present and to score assets one by one against each API criteria.criterion. This method typically returns lower inconsistency measures and tends to receive higher credibility throughout the entity.

7.6 For simple studies with a small number of comparisons, the example in Appendix X1 will suffice assist in understanding how to calculate AHP. For larger more sophisticated studies, there are many AHP heuristic software packages available to assist with the calculations. The mathematical variations on this technique are endless and numerous.

E2495 – 18

8. Analytical Measures

8.1 <u>Management creates Create</u> a definitive list of criteria to evaluate assets against a project or <u>organizationalentity</u> mission (see Table X1.3).

8.2 The practitioner devises <u>Devise</u> an interval scale for weighing the criteria giving the management team <u>providing</u> a definitive range that indicates a degree of difference between the intervals (such as "absolutely important" through "unimportant") (see Table X1.5).

8.3 Weights Calculate weights for each eriterion are calculated by management's pair-wise comparisonspair-wise comparison using the AHP (see Table X1.3).

8.4 The practitioner devises criterion unique Devise criterion-unique interval scales to give those provide SMEs/stakeholders who are scoring assets a definitive range that indicates indicate a degree of difference between the intervals (such as "very high" through "very low") (see Table X1.7, Table X1.9, and Table X1.10).

8.5 <u>SMEs or other stakeholders evaluate Evaluate each asset against each criterion using the interval scale and criterion-unique interval scales (see Table X1.5, Table X1.7, Table X1.9, and Table X1.10).</u>

8.6 API for each asset is calculated and equals the sum of the products of the criteria weights and the asset item rank per criterion (see Table X1.10).

8.7 The resulting rank provides management with quantitative information to use in business process decision making.

9. Keywords

9.1 AHP; analytical hierarchy process; API; asset management; asset portfolio; asset priority; assets; equipment; equipment management; property; tangible assets

APPENDIXES

(Nonmandatory Information)

X1. EXAMPLE 1: IDENTIFYING CAPITAL ASSETS THAT SUPPORT THE CORE/PRIORITY MISSIONS OF A BUSINESS AN ENTITY

X1.1 Evaluation—Laboratory Assets 1, 2, and 3 are to be evaluated for alignment with the business entity's mission. In this example, management has established the following considerations have been established for evaluation: (1) the ability of the equipment item asset to support advanced technology research, (2) the exclusivity of the item, asset, and (3) its ability to meet future needs. Scoring was completed by using the interval scale of importance.

X1.2 Simplified Steps: The following steps can be followed in evaluating the asset alternatives:

X1.2.1 Step 1: Choose the Evaluation Criteria—See Table X1.1.

X1.2.2 *Step 2: Design an Evaluation Scale*—The scale shown in Table X1.2 displays the interval scale designed to determine how important each criterion is to the evaluation of an asset.

X1.2.3 Step 3: Apply the Analytical Hierarchy Process (AHP) Method to Determine Criteria Weights:

X1.2.3.1 <u>Management converted Convert</u> the criteria considerations into pair-wise comparisons as shown in Table X1.1, that considers advanced technology versus exclusivity, advanced technology versus future needs, and exclusivity versus future needs (Table X1.3). (You can assume (Assume that the scores given are the average of all scorers polled). Notice the nature of pair-wise comparisons in this example. When advanced technology compared to exclusivity is scored 4, then by default the opposite

TABLE X1.1 Criteria for Evaluating Laboratory Equipment with Respect to Mission

_	•
	Criteria
	Criteria
-	Advanced Technology
	Exclusivity
	Future Needs



TABLE X1.2 Interval Scale for Scoring Management-Defined Criteria in Table X1.1

Intervals and Descriptions
In a reciprocal matrix, unity or 1 = of equal importance 2 = of very weak importance 3 = of weak importance 4 = of importance 5 = of strong importance 6 = of very strong importance 7 = absolute importance

TABLE X1.3 Computing Relative Weights for Asset Evaluation
Criteria

	Advanced Technology	Exclusivity	Future Needs	Geometric Mean	Normalized Weights, %
Advanced	+	4	7	3.037	70.5
technology					
Advanced	1	4	7	3.037	70.5
technology	_	_	_		
Exclusivity	1/4	1	3	0.909	21.1
Future needs	1/7	1/3	1	0.362	8.4
Sum				4.308	100

comparison, that is, exclusivity compared to advanced technology equals ¹/₄. —The logic is that if the <u>SME scores</u> advanced technology <u>scores</u> high with respect to exclusivity, then conversely, when the same <u>SMEscorer</u> scores exclusivity versus advanced technology, the result will be the reciprocal or a low score).⁴ (Note that each criterion scored against itself equals one.) The AHP uses pair-wise comparisons to generate a weight for each alternative so that the alternatives can be ranked. Scoring shows that management-the entity is very concerned about the ability of the laboratory equipment items to support advanced technology research (advanced technology versus exclusivity versus future needs equals seven (shaded)) and is less concerned about the exclusivity of the item (exclusivity versus future needs. (Note that when the future needs criterion is compared against advanced technology or exclusivity, the pair-wise comparisons is less than one.)

X1.2.3.2 Mathematical Calculations Required to Arrive at Normalized Criteria Weights:

Advanced technology
$$= \sqrt[3]{1 \times 4 \times 7}$$

https://standards.itch.ai/catalog/standards/sist/8458dee7 = $3.037/4.308$ = 0.705×100 = 70.5% .
Exclusivity $= \sqrt[3]{1/4 \times 1 \times 3}$ = $9.09/4.308$ (X1.2)
 $= 0.211 \times 100$ = 21.1% .
Future needs $= \sqrt[3]{1/7 \times 1/3 \times 1}$ = $0.362/4.308$ (X1.3)
 $= 0.084 \times 100$ = 8.4% .

X1.2.4 *Step 4: Design the Scoring Scales for Each Evaluation Criterion Defined in Step 1*—After management has defined the importance or weight of each <u>eriteriacriterion</u> in the decision-making process, the subject matter experts (SMEs) consider each asset with respect to each criterion by using a predetermined scale such as demonstrated in Table X1.4. (You can assume (Assume the scores given are the average of all <u>SMEsscores</u> polled.)

X1.2.5 Step 5: Rank Each Asset (to be Accomplished by <u>SME)—Scorer)—</u>Use the scoring scales for each evaluation criterion identified in Step 1 and the criteria weights developed in Step 3. See Table X1.5.

⁴ Paired comparisons in the AHP are given in terms of consistent and near consistent matrices. Although substantial inconsistencies can arise and additional mathematical calculations are available to address them, this standard will not speak to this issue as heuristic software is available to the practitioner for a higher number of criteria.



TABLE X1.4 Interval Scale for Evaluating Laboratory Assets with Respect to Advanced Technology Research

Description: Rate the asset's ability to support to the entity's requirement for advancedadvanced_technology research Criterion Weight = 70.5 %		
Scoring	Definitions	
1.0 Very high	Asset is critical to cutting edge research	
0.8 High	Asset directly supports cutting edge research projects	
0.6 Medium	Asset can support some of the entity's cutting edge projects	
0.6 Medium	Asset can support some of the entity's cutting-edge projects	
0.4 Low	Asset can deliver marginal support to advanced research	
0.2 Very low	Asset does not support cutting edge research	

TABLE X1.5 SME Evaluation of Laboratory Assets Using Table X1.4 Interval Scale

	Advanced Technology Weight	SME Evaluation	Advanced Technology Rating
Lab equipment 1	0.705	.8	0.564
Lab equipment 1	0.705	0.8	0.564
Lab equipment 2	0.705	1	0.705
Lab equipment 3	0.705	.4	0.282
Lab equipment 3	0.705	0.4	0.282

iTeh Standards

X1.2.5.1 Mathematical Calculations Required To Arrive At Criteria Specific to Arrive at Criteria-Specific Asset Ratings:

Advanced technology rating = (Advanced technology weight)	(X1.4)
*(SME evaluation per interval seale)	
Advanced technology rating = (Advanced technology weight)	(X1.4)
*(scorer evaluation per interval scale)	
https://standards.iteh.ai/catalog/standar.Lab equipment $1 = (0.705)(0.8) = 0.564, 7, 4, -0.28, 76, 20, 74, 8, 10, 8, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10$	(X1.5)
Lab equipment $2 = (0.705)(1) = 0.705$	(X1.6)
Lab equipment $3 = (0.705)(0.4) = 0.282$	(X1.7)

X1.2.6 Repeat Steps 4 and 5—See Table X1.6 and Table X1.7.

X1.2.6.1 Mathematical calculations required to arrive at a criterion-specific rating follow the same technique as in Table X1.5.

X1.2.7 Repeat Steps 4 and 5—See Table X1.8 and Table X1.9.

Description: Rate the degree to which an alternative asset could be used in <u>place</u> place_of the asset being evaluated. Criterion Weight = 21.1 %			
Scoring	Definitions		
1.0 = Very high	Asset is unique and with no viable alternatives.		
0.8 = High	Alternatives would require cumbersome and costly processes be used.		
0.6 = Medium	Alternatives exist.		
0.4 = Low	Using an alternative would have marginal impacts on the bottom line.		
0.2 = Very low	Using an alternative would have no bottom line impacts.		

TABLE X1.6 Interval Scale for Evaluating Laboratory Assets with Respect to Exclusivity