

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics

Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 3: Sémantique et syntaxe EDDL





IEC 61804-3

Edition 4.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics

[IEC 61804-3:2020](#)

Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) –
Partie 3: Sémantique et syntaxe EDDL

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.240.50

ISBN 978-2-8322-8468-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

| | |
|---|----|
| FOREWORD | 21 |
| INTRODUCTION | 24 |
| 1 Scope | 25 |
| 2 Normative references | 25 |
| 3 Terms, definitions, abbreviated terms and acronyms | 26 |
| 3.1 Terms and definitions | 26 |
| 3.2 Abbreviated terms and acronyms | 28 |
| 4 Conformance statement | 29 |
| 5 EDD and EDDL model | 29 |
| 5.1 Overview of EDD and EDDL | 29 |
| 5.2 EDD architecture | 29 |
| 5.3 Concepts of EDD | 29 |
| 5.4 Principles of the EDD development process | 30 |
| 5.4.1 General | 30 |
| 5.4.2 EDD source generation | 30 |
| 5.4.3 EDD preprocessing | 31 |
| 5.4.4 EDD compilation | 31 |
| 5.5 Interrelations between the lexical structure and formal definitions | 31 |
| 5.6 Builtins | 31 |
| 5.7 Profiles | 31 |
| 6 Conventions | 31 |
| 6.1 General | 31 |
| 6.2 Conventions for basic construct description | 32 |
| 6.3 Conventions for lexical structure | 32 |
| 7 Overview | 33 |
| 7.1 EDDL features | 33 |
| 7.2 Syntax representation | 34 |
| 7.3 EDD language elements | 34 |
| 7.4 Basic construction elements | 34 |
| 7.4.1 General | 34 |
| 7.4.2 AXIS | 34 |
| 7.4.3 BLOB | 34 |
| 7.4.4 BLOCK_A | 35 |
| 7.4.5 BLOCK_B | 35 |
| 7.4.6 CHART | 35 |
| 7.4.7 COLLECTION | 35 |
| 7.4.8 COMMAND | 36 |
| 7.4.9 COMPONENT | 36 |
| 7.4.10 COMPONENT_FOLDER | 37 |
| 7.4.11 COMPONENT_REFERENCE | 37 |
| 7.4.12 COMPONENT_RELATION | 37 |
| 7.4.13 EDIT_DISPLAY | 38 |
| 7.4.14 FILE | 38 |
| 7.4.15 GRAPH | 38 |
| 7.4.16 GRID | 39 |
| 7.4.17 IMAGE | 39 |

| | | |
|--------|---|----|
| 7.4.18 | IMPORT | 39 |
| 7.4.19 | INTERFACE | 39 |
| 7.4.20 | LIKE | 39 |
| 7.4.21 | LIST | 40 |
| 7.4.22 | MENU..... | 40 |
| 7.4.23 | METHOD | 41 |
| 7.4.24 | PLUGIN | 41 |
| 7.4.25 | RECORD | 41 |
| 7.4.26 | REFERENCE_ARRAY | 42 |
| 7.4.27 | Relations | 42 |
| 7.4.28 | RESPONSE_CODES..... | 43 |
| 7.4.29 | SOURCE | 43 |
| 7.4.30 | TEMPLATE..... | 44 |
| 7.4.31 | VALUE_ARRAY | 44 |
| 7.4.32 | VARIABLE | 44 |
| 7.4.33 | VARIABLE_LIST..... | 45 |
| 7.4.34 | WAVEFORM..... | 45 |
| 7.5 | Common attributes..... | 46 |
| 7.6 | Special elements | 46 |
| 7.7 | Rules for instances | 46 |
| 7.8 | Rules for a list of VARIABLEs | 46 |
| 8 | EDD identification information..... (standards.iteh.ai) | 47 |
| 8.1 | General structure | 47 |
| 8.2 | DD_REVISION..... IEC 61804-3:2020 | 48 |
| 8.3 | DEVICE_REVISION..... https://standards.iteh.ai/catalog/standards/sist/59/c2b4f8-20cb-4948-a1f8 | 48 |
| 8.4 | DEVICE_TYPE | 49 |
| 8.5 | EDD_PROFILE | 49 |
| 8.6 | EDD_VERSION..... | 50 |
| 8.7 | LAYOUT_TYPE..... | 50 |
| 8.8 | MANUFACTURER | 50 |
| 8.9 | MANUFACTURER_EXT | 51 |
| 9 | Data modelling | 51 |
| 9.1 | VARIABLE | 51 |
| 9.1.1 | General structure..... | 51 |
| 9.1.2 | CLASS | 53 |
| 9.1.3 | CONSTANT_UNIT | 56 |
| 9.1.4 | DEFAULT_VALUE | 57 |
| 9.1.5 | INITIAL_VALUE..... | 57 |
| 9.1.6 | POST_EDIT_ACTIONS..... | 58 |
| 9.1.7 | POST_READ_ACTIONS | 58 |
| 9.1.8 | POST_RQSTUPDATE_ACTIONS | 59 |
| 9.1.9 | POST_USERCHANGE_ACTIONS..... | 59 |
| 9.1.10 | POST_WRITE_ACTIONS | 60 |
| 9.1.11 | PRE_EDIT_ACTIONS | 60 |
| 9.1.12 | PRE_READ_ACTIONS | 60 |
| 9.1.13 | PRE_WRITE_ACTIONS | 61 |
| 9.1.14 | REFRESH_ACTIONS | 61 |
| 9.1.15 | TYPE | 62 |
| 9.2 | REFERENCE_ARRAY | 81 |

| | | |
|---------|--|-----|
| 9.2.1 | General structure..... | 81 |
| 9.2.2 | ELEMENTS | 84 |
| 9.2.3 | item-type | 84 |
| 9.3 | VALUE_ARRAY | 84 |
| 9.3.1 | General structure..... | 84 |
| 9.3.2 | NUMBER_OF_ELEMENTS | 85 |
| 9.3.3 | TYPE | 86 |
| 9.4 | LIST..... | 87 |
| 9.4.1 | General structure..... | 87 |
| 9.4.2 | CAPACITY..... | 88 |
| 9.4.3 | COUNT..... | 88 |
| 9.4.4 | TYPE | 89 |
| 9.5 | COLLECTION | 90 |
| 9.5.1 | General structure..... | 90 |
| 9.5.2 | item-type | 91 |
| 9.6 | FILE..... | 92 |
| 9.6.1 | General structure..... | 92 |
| 9.6.2 | IDENTITY | 93 |
| 9.6.3 | ON_UPDATE_ACTIONS..... | 94 |
| 9.6.4 | SHARED..... | 94 |
| 9.7 | Relations iTeh STANDARD PREVIEW | 95 |
| 9.7.1 | REFRESH | 95 |
| 9.7.2 | SEMANTIC_MAP..... | 96 |
| 9.7.3 | UNIT | 98 |
| 9.7.4 | WRITE_AS_ONE..... | 99 |
| 9.8 | BLOB | 100 |
| 9.8.1 | General structure..... | 100 |
| 9.8.2 | IDENTITY | 101 |
| 10 | Communication..... | 102 |
| 10.1 | COMMAND | 102 |
| 10.1.1 | General structure..... | 102 |
| 10.1.2 | Command addressing | 103 |
| 10.1.3 | API | 104 |
| 10.1.4 | BLOCK_B | 104 |
| 10.1.5 | HEADER..... | 105 |
| 10.1.6 | INDEX | 105 |
| 10.1.7 | NUMBER | 105 |
| 10.1.8 | OPERATION..... | 106 |
| 10.1.9 | SLOT | 107 |
| 10.1.10 | SUB_SLOT | 107 |
| 10.1.11 | TRANSACTION | 108 |
| 10.2 | RECORD | 114 |
| 10.3 | RESPONSE_CODES | 115 |
| 10.4 | VARIABLE_LIST | 116 |
| 11 | User interface | 117 |
| 11.1 | MENU | 117 |
| 11.1.1 | General structure..... | 117 |
| 11.1.2 | ACCESS..... | 118 |
| 11.1.3 | EXIT_ACTIONS | 119 |

| | | |
|---------|-------------------------------------|-----|
| 11.1.4 | INIT_ACTIONS | 119 |
| 11.1.5 | ITEMS | 119 |
| 11.1.6 | POST_EDIT_ACTIONS | 121 |
| 11.1.7 | POST_READ_ACTIONS | 122 |
| 11.1.8 | POST_WRITE_ACTIONS | 122 |
| 11.1.9 | PRE_EDIT_ACTIONS | 123 |
| 11.1.10 | PRE_READ_ACTIONS | 123 |
| 11.1.11 | PRE_WRITE_ACTIONS | 123 |
| 11.1.12 | STYLE | 124 |
| 11.1.13 | Sequence diagrams for actions | 125 |
| 11.2 | EDIT_DISPLAY | 127 |
| 11.2.1 | General structure | 127 |
| 11.2.2 | EDIT_ITEMS | 127 |
| 11.2.3 | DISPLAY_ITEMS | 128 |
| 11.2.4 | POST_EDIT_ACTIONS | 128 |
| 11.2.5 | PRE_EDIT_ACTIONS | 129 |
| 11.3 | IMAGE | 129 |
| 11.3.1 | General structure | 129 |
| 11.3.2 | LINK | 131 |
| 11.3.3 | PATH | 131 |
| 11.4 | GRID | 132 |
| 11.4.1 | General structure | 132 |
| 11.4.2 | ORIENTATION | 134 |
| 11.4.3 | VECTORS | 135 |
| 11.5 | CHART | 136 |
| 11.5.1 | General structure | 136 |
| 11.5.2 | CYCLE_TIME | 143 |
| 11.5.3 | LENGTH | 144 |
| 11.5.4 | TYPE | 144 |
| 11.5.5 | Sequence diagram for actions | 146 |
| 11.5.6 | CHART legend/help rules | 147 |
| 11.6 | SOURCE | 149 |
| 11.6.1 | General structure | 149 |
| 11.6.2 | EXIT_ACTIONS | 150 |
| 11.6.3 | INIT_ACTIONS | 151 |
| 11.6.4 | REFRESH_ACTIONS | 151 |
| 11.6.5 | Y_AXIS | 152 |
| 11.7 | AXIS | 152 |
| 11.7.1 | General structure | 152 |
| 11.7.2 | MIN_VALUE, MAX_VALUE | 153 |
| 11.7.3 | SCALING | 154 |
| 11.7.4 | CONSTANT_UNIT | 154 |
| 11.8 | GRAPH | 155 |
| 11.8.1 | General structure | 155 |
| 11.8.2 | CYCLE_TIME | 163 |
| 11.8.3 | X_AXIS | 164 |
| 11.8.4 | Sequence diagram for actions | 164 |
| 11.9 | WAVEFORM | 165 |
| 11.9.1 | General structure | 165 |

| | | |
|---------|--|-----|
| 11.9.2 | EXIT_ACTIONS | 167 |
| 11.9.3 | INIT_ACTIONS | 167 |
| 11.9.4 | KEY_POINTS | 168 |
| 11.9.5 | REFRESH_ACTIONS | 169 |
| 11.9.6 | TYPE | 169 |
| 11.9.7 | Y_AXIS | 172 |
| 11.10 | PLUGIN | 173 |
| 11.10.1 | General structure | 173 |
| 11.10.2 | UUID | 173 |
| 12 | METHODs | 174 |
| 12.1 | General structure | 174 |
| 12.2 | ACCESS | 175 |
| 12.3 | CLASS | 176 |
| 12.4 | TYPE | 177 |
| 13 | Device modelling | 178 |
| 13.1 | BLOCK_A | 178 |
| 13.1.1 | General structure | 178 |
| 13.1.2 | AXIS_ITEMS | 180 |
| 13.1.3 | CHARACTERISTICS | 181 |
| 13.1.4 | CHARTS | 181 |
| 13.1.5 | CHART_ITEMS | 182 |
| 13.1.6 | COLLECTION_ITEMS | 182 |
| 13.1.7 | EDIT_DISPLAY_ITEMS | 182 |
| 13.1.8 | FILES | 183 |
| 13.1.9 | FILE https://standards.itech.ai/catalog/standards/sist/59_214f8_20ch_4948_a18 | 183 |
| 13.1.10 | GRAPHS | 183 |
| 13.1.11 | GRAPH_ITEMS | 184 |
| 13.1.12 | GRIDS | 184 |
| 13.1.13 | GRID_ITEMS | 184 |
| 13.1.14 | IMAGE_ITEMS | 185 |
| 13.1.15 | ITEM_ARRAY_ITEMS | 185 |
| 13.1.16 | LISTS | 185 |
| 13.1.17 | LIST_ITEMS | 186 |
| 13.1.18 | LOCAL_PARAMETERS | 186 |
| 13.1.19 | MENUS | 186 |
| 13.1.20 | MENU_ITEMS | 187 |
| 13.1.21 | METHODS | 187 |
| 13.1.22 | METHOD_ITEMS | 188 |
| 13.1.23 | PARAMETERS | 188 |
| 13.1.24 | PARAMETER_LISTS | 188 |
| 13.1.25 | PLUGINS | 189 |
| 13.1.26 | PLUGIN_ITEMS | 189 |
| 13.1.27 | REFRESH_ITEMS | 190 |
| 13.1.28 | SEMANTIC_MAP_ITEMS | 190 |
| 13.1.29 | SOURCE_ITEMS | 190 |
| 13.1.30 | UNIT_ITEMS | 191 |
| 13.1.31 | WAVEFORM_ITEMS | 191 |
| 13.1.32 | WRITE_AS_ONE_ITEMS | 191 |
| 13.2 | BLOCK_B | 192 |

| | | |
|---------|--|-----|
| 13.2.1 | General structure..... | 192 |
| 13.2.2 | NUMBER | 192 |
| 13.2.3 | TYPE | 193 |
| 13.3 | LIKE | 193 |
| 13.4 | IMPORT..... | 194 |
| 13.5 | TEMPLATE | 197 |
| 13.5.1 | General structure..... | 197 |
| 13.5.2 | DEFAULT_VALUES..... | 198 |
| 13.6 | COMPONENT | 199 |
| 13.6.1 | General structure..... | 199 |
| 13.6.2 | BYTE_ORDER..... | 200 |
| 13.6.3 | CAN_DELETE | 201 |
| 13.6.4 | CHECK_CONFIGURATION | 201 |
| 13.6.5 | COMPONENT_RELATIONS | 201 |
| 13.6.6 | CONNECTION_POINT | 202 |
| 13.6.7 | DETECT | 202 |
| 13.6.8 | EDD | 202 |
| 13.6.9 | INITIAL_VALUES..... | 203 |
| 13.6.10 | REDUNDANCY..... | 203 |
| 13.6.11 | SCAN | 204 |
| 13.6.12 | SCAN_LIST | 204 |
| 13.6.13 | PRODUCT_URI | 204 |
| 13.7 | COMPONENT_FOLDER | 205 |
| 13.8 | COMPONENT_REFERENCE | 205 |
| 13.9 | COMPONENT_RELATION IEC 61804-3:2020 | 206 |
| 13.9.1 | General structure... 378287d2168c/iec-61804-3-2020 | 206 |
| 13.9.2 | COMPONENTS | 207 |
| 13.9.3 | RELATION_TYPE | 208 |
| 13.9.4 | ADDRESSING | 209 |
| 13.9.5 | MAXIMUM_NUMBER..... | 210 |
| 13.9.6 | MINIMUM_NUMBER..... | 210 |
| 13.9.7 | REQUIRED_INTERFACE | 210 |
| 13.10 | INTERFACE..... | 211 |
| 13.10.1 | General structure..... | 211 |
| 13.10.2 | DECLARATION | 211 |
| 14 | Common attributes | 212 |
| 14.1 | CLASSIFICATION..... | 212 |
| 14.2 | COMPONENT_PARENT | 214 |
| 14.3 | COMPONENT_PATH | 214 |
| 14.4 | DEFINITION | 214 |
| 14.5 | EMPHASIS | 215 |
| 14.6 | HANDLING | 216 |
| 14.7 | HEIGHT | 216 |
| 14.8 | HELP | 217 |
| 14.9 | LABEL | 218 |
| 14.10 | LINE_COLOR | 218 |
| 14.11 | LINE_TYPE | 219 |
| 14.12 | MEMBERS..... | 220 |
| 14.13 | PRIVATE | 221 |

| | | |
|-------|--|-----|
| 14.14 | PROTOCOL | 221 |
| 14.15 | RESPONSE_CODES | 222 |
| 14.16 | SUPPLIED_INTERFACE..... | 223 |
| 14.17 | VALIDITY..... | 223 |
| 14.18 | VISIBILITY..... | 223 |
| 14.19 | WIDTH..... | 224 |
| 14.20 | WRITE_MODE..... | 224 |
| 15 | Redefinitions | 225 |
| 15.1 | Overview..... | 225 |
| 15.2 | AXIS | 227 |
| 15.3 | BLOB | 228 |
| 15.4 | BLOCK_A | 228 |
| 15.5 | BLOCK_B | 230 |
| 15.6 | CHART | 230 |
| 15.7 | COLLECTION | 230 |
| 15.8 | COMMAND | 231 |
| 15.9 | COMPONENT | 231 |
| 15.10 | COMPONENT_FOLDER | 232 |
| 15.11 | COMPONENT_REFERENCE | 233 |
| 15.12 | COMPONENT_RELATION | 233 |
| 15.13 | EDIT_DISPLAY..... iTeh STANDARD PREVIEW | 234 |
| 15.14 | FILE..... (standards.iteh.ai) | 234 |
| 15.15 | GRAPH..... | 235 |
| 15.16 | GRID | 235 |
| 15.17 | IMAGE .. https://standards.iteh.ai/catalog/standards/sist/59c2b4f8-20cb-4948-a1f8-378287d2168e/iec.61804-3-2020 | 236 |
| 15.18 | INTERFACE..... 378287d2168e/iec.61804-3-2020 | 236 |
| 15.19 | LIST..... | 237 |
| 15.20 | MENU | 237 |
| 15.21 | METHOD | 238 |
| 15.22 | PLUGIN | 239 |
| 15.23 | RECORD | 239 |
| 15.24 | REFERENCE_ARRAY | 239 |
| 15.25 | RESPONSE_CODES | 240 |
| 15.26 | SOURCE | 240 |
| 15.27 | TEMPLATE | 241 |
| 15.28 | VALUE_ARRAY | 241 |
| 15.29 | VARIABLE | 242 |
| 15.30 | VARIABLE_LIST | 243 |
| 15.31 | WAVEFORM | 244 |
| 16 | Referencing | 245 |
| 16.1 | Referencing an EDD instance | 245 |
| 16.2 | Referencing AXIS of a GRAPH, SOURCE, WAVEFORM | 245 |
| 16.3 | Referencing bits of a BIT_ENUMERATED VARIABLE | 245 |
| 16.4 | Referencing members of a CHART | 246 |
| 16.5 | Referencing members of a COLLECTION | 246 |
| 16.6 | Referencing COMPONENT instances..... | 246 |
| 16.7 | Referencing COMPONENT types | 247 |
| 16.8 | Referencing members of a FILE..... | 247 |
| 16.9 | Referencing members of a GRAPH | 248 |

| | | |
|--|----------------------------|------------|
| 16.10 Referencing elements of a LIST | 248 | |
| 16.11 Referencing members of a RECORD | 248 | |
| 16.12 Referencing elements of a REFERENCE_ARRAY | 249 | |
| 16.13 Referencing members of a SOURCE | 249 | |
| 16.14 Referencing elements of a VALUE_ARRAY | 249 | |
| 16.15 Referencing members of a VARIABLE_LISTS | 250 | |
| 16.16 Referencing BLOCK_A CHARACTERISTICS | 250 | |
| 16.17 Referencing elements of BLOCK_A LOCAL_PARAMETERS | 250 | |
| 16.18 Referencing elements of BLOCK_A PARAMETERS | 251 | |
| 16.19 Referencing elements of BLOCK_A PARAMETER_LISTS | 251 | |
| 16.20 Referencing CHARACTERISTICS of specific BLOCK_A instance | 251 | |
| 16.21 Referencing CHARTS of specific BLOCK_A instance | 252 | |
| 16.22 Referencing FILES of specific BLOCK_A instance | 252 | |
| 16.23 Referencing GRAPHS of specific BLOCK_A instance | 253 | |
| 16.24 Referencing GRIDS of specific BLOCK_A instance | 253 | |
| 16.25 Referencing LISTS of specific BLOCK_A instance | 253 | |
| 16.26 Referencing LOCAL_PARAMETERS of specific BLOCK_A instance | 254 | |
| 16.27 Referencing MENUS of specific BLOCK_A instance | 254 | |
| 16.28 Referencing METHODS of specific BLOCK_A instance | 255 | |
| 16.29 Referencing PARAMETERS of specific BLOCK_A instance | 255 | |
| 16.30 Referencing PLUGINS of specific BLOCK_A instance | 256 | |
| 17 Strings..... | (standards.iteh.ai) | 256 |
| 17.1 Specifying a string as a string literal | 256 | |
| 17.2 Specifying a string as a string variable | 257 | |
| 17.3 Specifying a string as an enumeration value <small>IEC 61804-3:2020 https://standards.iec.ch/catalog/standards/61804-3-2020b-4948-ai-8</small> | 257 | |
| 17.4 Specifying a string as a dictionary reference <small>IEC 61804-3:2020 https://standards.iec.ch/catalog/standards/61804-3-2020b-4948-ai-8</small> | 257 | |
| 17.5 Referencing HELP and LABEL attributes of EDD instances | 258 | |
| 17.6 String operations | 258 | |
| 18 Conditional expression | 259 | |
| 18.1 General structure | 259 | |
| 18.2 IF conditional | 259 | |
| 18.3 SELECT conditional | 260 | |
| 19 Expression | 260 | |
| 19.1 General structure | 260 | |
| 19.2 Primary expressions | 261 | |
| 19.3 Unary expressions | 263 | |
| 19.4 Binary expressions | 264 | |
| 19.4.1 General structure | 264 | |
| 19.4.2 Multiplicative operators | 264 | |
| 19.4.3 Additive operators | 264 | |
| 19.4.4 Shift operators | 265 | |
| 19.4.5 Relational operators | 265 | |
| 19.4.6 Equality operators | 265 | |
| 19.4.7 Bitwise AND operator (&) | 265 | |
| 19.4.8 Bitwise XOR operator (^) | 266 | |
| 19.4.9 Bitwise OR operator () | 266 | |
| 19.4.10 Logical AND operator (&&) | 266 | |
| 19.4.11 Logical OR operator () | 266 | |
| 19.4.12 Conditional evaluation | 266 | |

| | | |
|---------------------|---|-----|
| 20 | Text dictionary | 266 |
| Annex A (normative) | EDDL formal definition | 268 |
| A.1 | EDDL preprocessor | 268 |
| A.1.1 | General structure | 268 |
| A.1.2 | Directives | 268 |
| A.1.3 | Predefined macros | 271 |
| A.1.4 | NEWLINE characters | 272 |
| A.1.5 | Comments | 272 |
| A.2 | Conventions | 272 |
| A.2.1 | Integer constants | 272 |
| A.2.2 | Floating-point constants | 272 |
| A.2.3 | String literals | 273 |
| A.2.4 | Using language and country codes in string literals | 273 |
| A.3 | Operators | 274 |
| A.4 | Keywords | 278 |
| A.5 | Symbols and symbol scope | 282 |
| A.6 | Terminals | 282 |
| A.7 | Formal EDDL syntax | 283 |
| A.7.1 | General | 283 |
| A.7.2 | EDD identification information | 283 |
| A.7.3 | AXIS | 285 |
| A.7.4 | BLOCK_A and BLOCK_B | 286 |
| A.7.5 | CHART | 290 |
| A.7.6 | COLLECTION | 291 |
| A.7.7 | COMMAND | 292 |
| A.7.8 | COMPONENT | 295 |
| A.7.9 | COMPONENT_FOLDER | 298 |
| A.7.10 | COMPONENT_REFERENCE | 298 |
| A.7.11 | COMPONENT_RELATION | 299 |
| A.7.12 | EDIT_DISPLAY | 300 |
| A.7.13 | FILE | 302 |
| A.7.14 | GRAPH | 302 |
| A.7.15 | GRID | 302 |
| A.7.16 | IMAGE | 303 |
| A.7.17 | INTERFACE | 304 |
| A.7.18 | LIST | 304 |
| A.7.19 | IMPORT | 305 |
| A.7.20 | LIKE | 307 |
| A.7.21 | MENU | 309 |
| A.7.22 | METHOD | 310 |
| A.7.23 | RECORD | 312 |
| A.7.24 | REFERENCE_ARRAY | 312 |
| A.7.25 | Relations | 313 |
| A.7.26 | RESPONSE_CODES | 315 |
| A.7.27 | SOURCE | 316 |
| A.7.28 | TEMPLATE | 316 |
| A.7.29 | VALUE_ARRAY | 316 |
| A.7.30 | VARIABLE | 317 |
| A.7.31 | VARIABLE_LIST | 328 |

| | | |
|---|---|-----|
| A.7.32 | WAVEFORM..... | 328 |
| A.7.33 | Common attributes | 330 |
| A.7.34 | Expression | 334 |
| A.7.35 | C-Grammar..... | 336 |
| A.7.36 | Redefinition | 340 |
| A.7.37 | References | 365 |
| A.7.38 | PLUGIN | 367 |
| A.7.39 | BLOB..... | 368 |
| A.7.40 | SEMANTIC_MAP | 368 |
| A.8 | Formal dictionary syntax | 369 |
| Annex B (normative) Data types..... | 370 | |
| B.1 | METHOD DEFINITION data types..... | 370 |
| B.2 | VARIABLE TYPE data types | 370 |
| B.2.1 | General | 370 |
| B.2.2 | Coding of data DATE | 372 |
| B.2.3 | Coding of data DATE_AND_TIME..... | 373 |
| B.2.4 | Coding of data DURATION | 373 |
| B.2.5 | Coding of data TIME..... | 374 |
| B.2.6 | Coding of data TIME_VALUE..... | 374 |
| B.2.7 | Coding of PACKED ASCII (6-BIT ASCII) DATA FORMAT..... | 375 |
| B.2.8 | Coding of BOOLEAN..... | 376 |
| B.2.9 | Coding of BIT_ENUMERATED..... | 376 |
| Annex C (informative) EDD example | 378 | |
| C.1 | EDD example of a temperature transmitter IEC 61804-3:2020 | 378 |
| C.2 | EDD example standards.iteh.ai/catalog/standards/sist/59_214f8_20ch_4948_a18 | 379 |
| Bibliography..... | 378287d2168e/iec-61804-3-2020 | 392 |

| | |
|--|----|
| Figure 1 – Position of IEC 61804 in relation to other standards and products | 24 |
| Figure 2 – EDD generation process | 30 |
| Figure 3 – BLOCK_A | 35 |
| Figure 4 – CHART | 35 |
| Figure 5 – COLLECTION | 36 |
| Figure 6 – COMMAND | 36 |
| Figure 7 – COMPONENT | 37 |
| Figure 8 – COMPONENT_FOLDER | 37 |
| Figure 9 – COMPONENT_REFERENCE | 37 |
| Figure 10 – COMPONENT_RELATION | 38 |
| Figure 11 – EDIT_DISPLAY | 38 |
| Figure 12 – FILE | 38 |
| Figure 13 – GRAPH | 39 |
| Figure 14 – GRID | 39 |
| Figure 15 – IMAGE | 39 |
| Figure 16 – LIKE | 40 |
| Figure 17 – LIST | 40 |
| Figure 18 – MENU | 41 |
| Figure 19 – RECORD | 41 |

| | |
|---|-----|
| Figure 20 – REFERENCE_ARRAY..... | 42 |
| Figure 21 – REFRESH | 42 |
| Figure 22 – SEMANTIC_MAP | 43 |
| Figure 23 – UNIT | 43 |
| Figure 24 – WRITE_AS_ONE..... | 43 |
| Figure 25 – SOURCE..... | 44 |
| Figure 26 – VALUE_ARRAY | 44 |
| Figure 27 – VARIABLE | 45 |
| Figure 28 – VARIABLE_LIST | 45 |
| Figure 29 – WAVEFORM | 45 |
| Figure 30 – REFERENCE_ARRAY example..... | 83 |
| Figure 31 – Abstract COMMAND definition example | 83 |
| Figure 32 – EDD examples of SEMANTIC_MAP | 98 |
| Figure 33 – Example of an item mask | 111 |
| Figure 34 – Example of a single item mask | 111 |
| Figure 35 – Mapping example with a single item mask..... | 112 |
| Figure 36 – Example of multiple item masks | 112 |
| Figure 37 – Mapping example with a multiple item mask..... | 112 |
| Figure 38 – INFO qualifier..... | 113 |
| Figure 39 – INDEX qualifier | 113 |
| Figure 40 – INFO and INDEX qualifier | 114 |
| Figure 41 – Examples of MENU STYLES..... https://standards.iteh.ai/catalog/standards/sist/59e2b4f8-20cb-4948-a1f8-378287d2168c/iec-61804-3-2020 | 125 |
| Figure 42 – MENU activation | 126 |
| Figure 43 – EDD example of an IMAGE | 130 |
| Figure 44 – EDD example of an IMAGE with the LINK attribute..... | 130 |
| Figure 45 – EDD example of a GRID..... | 134 |
| Figure 46 – Result of the EDD example | 134 |
| Figure 47 – Example of a chart with one curve in a dialog..... | 138 |
| Figure 48 – Example of a chart with two SOURCES | 139 |
| Figure 49 – Displaying example of a chart with two SOURCES..... | 140 |
| Figure 50 – Example of a chart with three horizontal bars | 141 |
| Figure 51 – Displaying example of a chart with three horizontal bars | 141 |
| Figure 52 – Example of a chart in a dialog | 143 |
| Figure 53 – Trend CHART types examples | 146 |
| Figure 54 – Meter CHART types examples..... | 146 |
| Figure 55 – CHART activation..... | 147 |
| Figure 56 – Legend/help for SOURCES with single and multiple VARIABLES – Y_AXIS not defined..... | 148 |
| Figure 57 – Legend/help for SOURCES arrangement of multiple SOURCES with shared Y_AXIS | 149 |
| Figure 58 – A graph and the visual elements | 156 |
| Figure 59 – Example of a graph | 159 |
| Figure 60 – Multiple used axes | 160 |
| Figure 61 – EDD with device-supported zooming and scrolling | 163 |

| | |
|--|-----|
| Figure 62 – GRAPH activation | 165 |
| Figure 63 – EDDL import mechanisms | 195 |
| Figure 64 – Example of TEMPLATE usage | 198 |
| Figure 65 – REQUIRED_RANGES usage..... | 208 |
| Figure 66 – NEXT_COMPONENT usage | 209 |
| Figure C.1 – Example of an operator screen using EDD..... | 378 |
| | |
| Table 1 – Format for the basic construct table | 32 |
| Table 2 – Contents of the basic construct table..... | 32 |
| Table 3 – Attribute usage descriptions | 32 |
| Table 4 – Rules for lexical convention..... | 33 |
| Table 5 – EDD sources | 33 |
| Table 6 – EDD identification information attributes | 47 |
| Table 7 – DD_REVISION attribute | 48 |
| Table 8 – DEVICE_REVISION attribute..... | 48 |
| Table 9 – DEVICE_TYPE attribute | 49 |
| Table 10 – EDD_PROFILE attribute | 49 |
| Table 11 – EDD_VERSION attribute | 50 |
| Table 12 – LAYOUT_TYPE attribute | 50 |
| Table 13 – MANUFACTURER attribute..... | 51 |
| Table 14 – MANUFACTURER_EXT attribute..... | 51 |
| Table 15 – VARIABLE attributes..... | 52 |
| Table 16 – CLASS attributes..... | 53 |
| Table 17 – CONSTANT_UNIT attribute | 56 |
| Table 18 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS, REFRESH_ACTIONS attributes | 58 |
| Table 19 – POST_USERCHANGE_ACTIONS, POST_RQSTUPDATE_ACTIONS attributes | 59 |
| Table 20 – TYPE overview..... | 62 |
| Table 21 – MIN_VALUE, MAX_VALUE attribute | 63 |
| Table 22 – TYPE attributes for DOUBLE, FLOAT, INTEGER, UNSIGNED_INTEGER | 65 |
| Table 23 – Default display format conversion type | 65 |
| Table 24 – Default width/precision based on VARIABLE and format conversion type | 66 |
| Table 25 – TYPE attributes for DATE, DATE_AND_TIME, DURATION, TIME, TIME_VALUE | 69 |
| Table 26 – TYPE attributes for BIT_ENUMERATED | 71 |
| Table 27 – size attribute | 72 |
| Table 28 – status-class attributes | 72 |
| Table 29 – ALL, AO, DV, TV attributes | 74 |
| Table 30 – TYPE attributes for ENUMERATED | 75 |
| Table 31 – TYPE attributes for INDEX | 76 |
| Table 32 – TYPE attributes for ASCII, EUC, PACKED_ASCII, PASSWORD, VISIBLE | 78 |
| Table 33 – String handling | 78 |