

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 5: EDDL Built-in library

Les dispositifs et leur intégration dans les systèmes de l'entreprise – blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 5: Bibliothèque de Built-in EDDL



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22.000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67.000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22.000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67.000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Devices and integration in enterprise systems – Function blocks (FB) for
process control and electronic device description language (EDDL) –
Part 5: EDDL Builtin library**

**Les dispositifs et leur intégration dans les systèmes de l'entreprise – blocs
fonctionnels (FB) pour les procédés industriels et le langage de description
électronique de produit (EDDL) –
Partie 5: Bibliothèque de Builtin EDDL**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.240.50

ISBN 978-2-8322-8446-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	20
INTRODUCTION.....	23
1 Scope.....	24
2 Normative references	24
3 Terms, definitions, acronyms and abbreviated terms	24
3.1 Terms and definitions.....	24
3.2 Acronyms and abbreviated terms	24
4 Conventions for builtin descriptions	25
5 Builtin categories	26
5.1 Overview.....	26
5.2 User interface builtins	36
5.3 Communication builtins	37
5.4 Action builtins	39
6 EDDL builtin library.....	42
6.1 General.....	42
6.2 User interface builtins	42
6.2.1 Builtin ACKNOWLEDGE	42
6.2.2 Builtin acknowledge.....	43
6.2.3 Builtin DELAY	44
6.2.4 Builtin delay.....	44
6.2.5 Builtin delayfor.....	45
6.2.6 Builtin delayfor2.....	46
6.2.7 Builtin DISPLAY.....	48
6.2.8 Builtin display	49
6.2.9 Builtin display_bitenum	49
6.2.10 Builtin display_builtin_error.....	50
6.2.11 Builtin display_comm_error.....	50
6.2.12 Builtin display_comm_status.....	51
6.2.13 Builtin display_device_status	52
6.2.14 Builtin display_dynamics.....	52
6.2.15 Builtin display_dynamics2.....	53
6.2.16 Builtin display_message	54
6.2.17 Builtin display_message2	55
6.2.18 Builtin display_response_code.....	57
6.2.19 Builtin display_response_status.....	58
6.2.20 Builtin display_xmtr_status	58
6.2.21 Builtin edit_device_value	59
6.2.22 Builtin edit_device_value2	60
6.2.23 Builtin edit_local_value	62
6.2.24 Builtin edit_local_value2	63
6.2.25 Builtin get_acknowledgement	64
6.2.26 Builtin get_acknowledgement2.....	65
6.2.27 Builtin GET_DEV_VAR_VALUE	66
6.2.28 Builtin get_dev_var_value.....	67
6.2.29 Builtin GET_LOCAL_VAR_VALUE	68
6.2.30 Builtin get_local_var_value	68

6.2.31	Builtin Menu	69
6.2.32	Builtin MenuDisplay (version A)	70
6.2.33	Builtin MenuDisplay (version B)	71
6.2.34	Builtin PUT_MESSAGE	72
6.2.35	Builtin put_message	73
6.2.36	Builtin SELECT_FROM_LIST	75
6.2.37	Builtin select_from_list	76
6.2.38	Builtin select_from_menu	76
6.2.39	Builtin select_from_menu2	78
6.2.40	Prompt string formats	79
6.3	Communication builtins	80
6.3.1	Builtin abort_on_all_comm_errors	80
6.3.2	Builtin ABORT_ON_ALL_COMM_STATUS	81
6.3.3	Builtin ABORT_ON_ALL_DEVICE_STATUS	81
6.3.4	Builtin ABORT_ON_ALL_RESPONSE_CODES	82
6.3.5	Builtin abort_on_all_response_codes	82
6.3.6	Builtin ABORT_ON_COMM_ERROR	83
6.3.7	Builtin abort_on_comm_error	83
6.3.8	Builtin ABORT_ON_COMM_STATUS	84
6.3.9	Builtin ABORT_ON_DEVICE_STATUS	85
6.3.10	Builtin ABORT_ON_NO_DEVICE (deprecated)	85
6.3.11	Builtin ABORT_ON_RESPONSE_CODE	86
6.3.12	Builtin abort_on_response_code	87
6.3.13	Builtin ext_send_command	87
6.3.14	Builtin ext_send_command_trans	88
6.3.15	Builtin fail_on_all_comm_errors	89
6.3.16	Builtin fail_on_all_response_codes	90
6.3.17	Builtin fail_on_comm_error	90
6.3.18	Builtin fail_on_response_code	91
6.3.19	Builtin get_more_status	92
6.3.20	Builtin IGNORE_ALL_COMM_STATUS	92
6.3.21	Builtin IGNORE_ALL_DEVICE_STATUS	93
6.3.22	Builtin IGNORE_ALL_RESPONSE_CODES	93
6.3.23	Builtin IGNORE_COMM_ERROR	94
6.3.24	Builtin IGNORE_COMM_STATUS	95
6.3.25	Builtin IGNORE_DEVICE_STATUS	95
6.3.26	Builtin IGNORE_NO_DEVICE (deprecated)	96
6.3.27	Builtin IGNORE_RESPONSE_CODE	96
6.3.28	Builtin read_value	97
6.3.29	Builtin read_value2	97
6.3.30	Builtin ReadCommand	98
6.3.31	Builtin retry_on_all_comm_errors	99
6.3.32	Builtin RETRY_ON_ALL_COMM_STATUS	99
6.3.33	Builtin RETRY_ON_ALL_DEVICE_STATUS	100
6.3.34	Builtin RETRY_ON_ALL_RESPONSE_CODES	100
6.3.35	Builtin retry_on_all_response_codes	101
6.3.36	Builtin RETRY_ON_COMM_ERROR	102
6.3.37	Builtin retry_on_comm_error	102
6.3.38	Builtin RETRY_ON_COMM_STATUS	103

6.3.39	Builtin RETRY_ON_DEVICE_STATUS.....	103
6.3.40	Builtin RETRY_ON_NO_DEVICE (deprecated)	104
6.3.41	Builtin RETRY_ON_RESPONSE_CODE	105
6.3.42	Builtin retry_on_response_code.....	105
6.3.43	Builtin send.....	106
6.3.44	Builtin send_all_values	107
6.3.45	Builtin send_command.....	107
6.3.46	Builtin send_command_trans	108
6.3.47	Builtin send_trans	108
6.3.48	Builtin send_value	109
6.3.49	Builtin send_value2	110
6.3.50	Builtin SET_NUMBER_OF_RETRIES	111
6.3.51	Builtin WriteCommand	111
6.3.52	Builtin XMTR_ABORT_ON_ALL_COMM_STATUS.....	112
6.3.53	Builtin XMTR_ABORT_ON_ALL_DATA.....	112
6.3.54	Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS.....	113
6.3.55	Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES	113
6.3.56	Builtin XMTR_ABORT_ON_COMM_ERROR	114
6.3.57	Builtin XMTR_ABORT_ON_COMM_STATUS	114
6.3.58	Builtin XMTR_ABORT_ON_DATA.....	115
6.3.59	Builtin XMTR_ABORT_ON_DEVICE_STATUS.....	116
6.3.60	Builtin XMTR_ABORT_ON_NO_DEVICE (deprecated)	116
6.3.61	Builtin XMTR_ABORT_ON_RESPONSE_CODE	117
6.3.62	Builtin XMTR_IGNORE_ALL_COMM_STATUS	117
6.3.63	Builtin XMTR_IGNORE_ALL_DATA.....	118
6.3.64	Builtin XMTR_IGNORE_ALL_DEVICE_STATUS.....	118
6.3.65	Builtin XMTR_IGNORE_ALL_RESPONSE_CODES	119
6.3.66	Builtin XMTR_IGNORE_COMM_ERROR	119
6.3.67	Builtin XMTR_IGNORE_COMM_STATUS	120
6.3.68	Builtin XMTR_IGNORE_DATA	120
6.3.69	Builtin XMTR_IGNORE_DEVICE_STATUS	121
6.3.70	Builtin XMTR_IGNORE_NO_DEVICE (deprecated).....	121
6.3.71	Builtin XMTR_IGNORE_RESPONSE_CODE.....	122
6.3.72	Builtin XMTR_RETRY_ON_ALL_COMM_STATUS	123
6.3.73	Builtin XMTR_RETRY_ON_ALL_DATA	123
6.3.74	Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS	124
6.3.75	Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES	124
6.3.76	Builtin XMTR_RETRY_ON_COMM_ERROR	125
6.3.77	Builtin XMTR_RETRY_ON_COMM_STATUS	125
6.3.78	Builtin XMTR_RETRY_ON_DATA	126
6.3.79	Builtin XMTR_RETRY_ON_DEVICE_STATUS	126
6.3.80	Builtin XMTR_RETRY_ON_NO_DEVICE (deprecated).....	127
6.3.81	Builtin XMTR_RETRY_ON_RESPONSE_CODE.....	127
6.4	Action builtins	128
6.4.1	Builtin fgetval.....	128
6.4.2	Builtin fsetval.....	128
6.4.3	Builtin get_date	129
6.4.4	Builtin get_double.....	130
6.4.5	Builtin get_float.....	130

6.4.6	Builtin get_signed	131
6.4.7	Builtin get_string.....	132
6.4.8	Builtin get_unsigned	132
6.4.9	Builtin igetval.....	133
6.4.10	Builtin isetval	133
6.4.11	Builtin isOffline	134
6.4.12	Builtin lgetval.....	134
6.4.13	Builtin lsetval	135
6.4.14	Builtin put_date	135
6.4.15	Builtin put_double.....	136
6.4.16	Builtin put_float.....	137
6.4.17	Builtin put_signed	137
6.4.18	Builtin put_string.....	138
6.4.19	Builtin put_unsigned	139
6.4.20	Builtin sgetval	139
6.4.21	Builtin ssetval	140
6.5	Variable access builtins	140
6.5.1	Builtin assign.....	140
6.5.2	Builtin assign_double.....	141
6.5.3	Builtin assign_float	142
6.5.4	Builtin assign_int.....	142
6.5.5	Builtin assign_var	143
6.5.6	Builtin assign2	143
6.5.7	Builtin dassign	145
6.5.8	Builtin fassign	145
6.5.9	Builtin float_value	145
6.5.10	Builtin fvar_value	146
6.5.11	Builtin get_date_value	146
6.5.12	Builtin get_date_value2	147
6.5.13	Builtin get_double_value.....	148
6.5.14	Builtin get_double_value2.....	149
6.5.15	Builtin get_float_value	150
6.5.16	Builtin get_float_value2	151
6.5.17	Builtin get_signed_value	152
6.5.18	Builtin get_signed_value2.....	152
6.5.19	Builtin get_string_value	153
6.5.20	Builtin get_string_value2.....	154
6.5.21	Builtin get_unsigned_value	155
6.5.22	Builtin get_unsigned_value2	156
6.5.23	Builtin iassign	157
6.5.24	Builtin int_value	157
6.5.25	Builtin ivar_value	158
6.5.26	Builtin lassign	158
6.5.27	Builtin long_value	159
6.5.28	Builtin lvar_value	159
6.5.29	Builtin put_date_value	159
6.5.30	Builtin put_date_value2	160
6.5.31	Builtin put_double_value.....	161
6.5.32	Builtin put_double_value2.....	162

6.5.33	Builtin put_float_value	163
6.5.34	Builtin put_float_value2	164
6.5.35	Builtin put_signed_value	165
6.5.36	Builtin put_signed_value2	165
6.5.37	Builtin put_string_value	166
6.5.38	Builtin put_string_value2	167
6.5.39	Builtin put_unsigned_value	168
6.5.40	Builtin put_unsigned_value2	169
6.5.41	Builtin ret_double_value	170
6.5.42	Builtin ret_double_value2	171
6.5.43	Builtin ret_float_value	171
6.5.44	Builtin ret_float_value2	172
6.5.45	Builtin ret_signed_value	172
6.5.46	Builtin ret_signed_value2	173
6.5.47	Builtin ret_unsigned_value	174
6.5.48	Builtin ret_unsigned_value2	174
6.5.49	Builtin vassign	175
6.6	Normal termination builtins	175
6.6.1	Builtin discard_on_exit	175
6.6.2	Builtin save_on_exit	176
6.6.3	Builtin save_values	177
6.6.4	Builtin send_on_exit	178
6.7	Abnormal termination builtins	179
6.7.1	Builtin abort	179
6.7.2	Builtin add_abort_method (version A)	179
6.7.3	Builtin add_abort_method (version B)	180
6.7.4	Builtin method_abort	180
6.7.5	Builtin pop_abort_method	181
6.7.6	Builtin process_abort	181
6.7.7	Builtin push_abort_method	182
6.7.8	Builtin remove_abort_method (version A)	182
6.7.9	Builtin remove_abort_method (version B)	183
6.7.10	Builtin remove_all_abort_methods	183
6.8	String builtins	184
6.8.1	Builtin atof	184
6.8.2	Builtin atoi	184
6.8.3	Builtin BUILD_MESSAGE	185
6.8.4	Builtin dictionary_string	185
6.8.5	Builtin ftoa	186
6.8.6	Builtin get_comm_error_string	186
6.8.7	Builtin get_dictionary_string	187
6.8.8	Builtin get_enum_string	188
6.8.9	Builtin get_response_code_string	188
6.8.10	Builtin get_rspcode_string	189
6.8.11	Builtin get_rspcode_string_by_id	190
6.8.12	Builtin get_status_code_string (deprecated)	190
6.8.13	Builtin get_status_string	191
6.8.14	Builtin get_stddict_string	192
6.8.15	Builtin get_variable_string	192

IEC 61804-5:2020
 STANDARD PREVIEW
 (standards.iteh.ai)

IEC 61804-5:2020
<https://standards.iteh.ai/catalog/standards/sis/a048904a-da95-42c6-b7bd-c64ca711d57c/iec-61804-5-2020>

6.8.16	Builtin itoa (version A)	193
6.8.17	Builtin itoa (version B)	193
6.8.18	Builtin strleft	194
6.8.19	Builtin strcmp	194
6.8.20	Builtin strlen	195
6.8.21	Builtin strlwr	196
6.8.22	Builtin strmid	196
6.8.23	Builtin strright	197
6.8.24	Builtin strstr	197
6.8.25	Builtin strtrim	198
6.8.26	Builtin strupr	199
6.8.27	Builtin trunc	199
6.9	Date time builtins	200
6.9.1	Builtin AddTime	200
6.9.2	Builtin DATE_AND_TIME_VALUE_to_string	200
6.9.3	Builtin Date_to_DayOfMonth	201
6.9.4	Builtin DATE_to_days	201
6.9.5	Builtin Date_to_Month	202
6.9.6	Builtin DATE_to_string	202
6.9.7	Builtin Date_To_Time	203
6.9.8	Builtin Date_to_Year	203
6.9.9	Builtin days_to_DATE	204
6.9.10	Builtin DELAY_TIME	204
6.9.11	Builtin DiffTime	204
6.9.12	Builtin From_DATE_AND_TIME_VALUE	205
6.9.13	Builtin From_TIME_VALUE	205
6.9.14	Builtin GetCurrentDate	206
6.9.15	Builtin GetCurrentDateAndTime	206
6.9.16	Builtin GetCurrentTime	207
6.9.17	Builtin GET_TICK_COUNT	207
6.9.18	Builtin Make_Time	207
6.9.19	Builtin seconds_to_TIME_VALUE	208
6.9.20	Builtin seconds_to_TIME_VALUE8	209
6.9.21	Builtin Time_To_Date	209
6.9.22	Builtin TIME_VALUE_to_Hour	209
6.9.23	Builtin TIME_VALUE_to_Minute	210
6.9.24	Builtin TIME_VALUE_to_Second	210
6.9.25	Builtin TIME_VALUE_to_seconds	211
6.9.26	Builtin TIME_VALUE_to_string	211
6.9.27	Builtin timet_to_string	212
6.9.28	Builtin timet_to_TIME_VALUE	213
6.9.29	Builtin timet_To_TIME_VALUE	213
6.9.30	Builtin timet_to_TIME_VALUE8	214
6.9.31	Builtin To_Date	214
6.9.32	Builtin To_Date_and_Time	215
6.9.33	Builtin To_Time	215
6.9.34	Builtin To_TIME_VALUE	216
6.9.35	Builtin To_TIME_VALUE8	216
6.10	Diagnostic builtins	217

6.10.1	Builtin get_comm_error.....	217
6.10.2	Builtin get_dds_error	217
6.10.3	Builtin get_response_code.....	218
6.11	Math builtins	219
6.11.1	Builtin abs	219
6.11.2	Builtin acos.....	219
6.11.3	Builtin asin.....	220
6.11.4	Builtin atan	220
6.11.5	Builtin ByteToDouble	221
6.11.6	Builtin ByteToFloat	221
6.11.7	Builtin ByteToLong	222
6.11.8	Builtin ByteToShort.....	222
6.11.9	Builtin cbrt	223
6.11.10	Builtin ceil.....	223
6.11.11	Builtin cos.....	224
6.11.12	Builtin cosh.....	224
6.11.13	Builtin DoubleToByte	225
6.11.14	Builtin drand	225
6.11.15	Builtin dseed.....	226
6.11.16	Builtin exp	226
6.11.17	Builtin FloatToByte	226
6.11.18	Builtin floor	227
6.11.19	Builtin fmod	227
6.11.20	Builtin fpclassify.....	228
6.11.21	Builtin is_NaN.....	229
6.11.22	Builtin log	229
6.11.23	Builtin log10.....	229
6.11.24	Builtin log2	230
6.11.25	Builtin LongToByte	230
6.11.26	Builtin nan	231
6.11.27	Builtin NaN_value	232
6.11.28	Builtin nanf	232
6.11.29	Builtin pow.....	233
6.11.30	Builtin round	233
6.11.31	Builtin ShortToByte.....	234
6.11.32	Builtin sin.....	234
6.11.33	Builtin sinh.....	235
6.11.34	Builtin sqrt	235
6.11.35	Builtin tan	235
6.11.36	Builtin tanh	236
6.12	List builtins	236
6.12.1	Builtin get_date_lelem	236
6.12.2	Builtin get_date_lelem2	237
6.12.3	Builtin get_double_lelem.....	238
6.12.4	Builtin get_double_lelem2.....	239
6.12.5	Builtin get_float_lelem	240
6.12.6	Builtin get_float_lelem2	241
6.12.7	Builtin get_signed_lelem.....	242
6.12.8	Builtin get_signed_lelem2.....	242

ITC STANDARD PREVIEW
 (standards.iteh.ai)
 IEC 61804-5:2020
<https://standards.iteh.ai/catalog/standards/sist/a048904a-da95-42c6-b7bd-e04aca7fc1d5/iec-61804-5-2020>

6.12.9	Builtin get_string_lelem	243
6.12.10	Builtin get_string_lelem2.....	244
6.12.11	Builtin get_unsigned_lelem	245
6.12.12	Builtin get_unsigned_lelem2	246
6.12.13	Builtin ListDeleteElementAt (version A).....	247
6.12.14	Builtin ListDeleteElementAt (version B).....	248
6.12.15	Builtin ListDeleteElementAt2.....	248
6.12.16	Builtin ListInsert (version A).....	249
6.12.17	Builtin ListInsert (version B).....	250
6.12.18	Builtin ListInsert2.....	250
6.13	Translation builtins.....	251
6.13.1	Builtin DICT_ID.....	251
6.13.2	Builtin get_block_instance_by_object_index	252
6.13.3	Builtin get_block_instance_by_tag	253
6.13.4	Builtin get_block_instance_count.....	254
6.13.5	Builtin get_resolve_status.....	254
6.13.6	Builtin ITEM_ID	255
6.13.7	Builtin MEMBER_ID	255
6.13.8	Builtin ObjectReference	256
6.13.9	Builtin resolve_array_ref.....	257
6.13.10	Builtin resolve_array_ref2.....	258
6.13.11	Builtin resolve_block_ref.....	258
6.13.12	Builtin resolve_block_ref2.....	259
6.13.13	Builtin resolve_list_ref.....	260
6.13.14	Builtin resolve_local_ref.....	260
6.13.15	Builtin resolve_local_ref2.....	261
6.13.16	Builtin resolve_param_list_ref.....	262
6.13.17	Builtin resolve_param_ref.....	262
6.13.18	Builtin resolve_param_ref2	263
6.13.19	Builtin resolve_record_ref.....	264
6.13.20	Builtin resolve_record_ref2.....	264
6.13.21	Builtin VARID.....	265
6.14	Block transfer builtins	265
6.14.1	Builtin abortTransferPort.....	265
6.14.2	Builtin closeTransferPort.....	266
6.14.3	Builtin fGetByte	266
6.14.4	Builtin get_transfer_status	267
6.14.5	Builtin openTransferPort.....	268
6.14.6	Builtin readItemFromDevice.....	268
6.14.7	Builtin writeItemToDevice	269
6.15	File builtins	269
6.15.1	Builtin browseIdentity.....	269
6.15.2	Builtin re_read_file.....	270
6.15.3	Builtin re_write_file	270
6.16	Identification builtins	271
6.16.1	Builtin GET_DD_REVISION	271
6.16.2	Builtin GET_DEVICE_REVISION	271
6.16.3	Builtin GET_DEVICE_TYPE.....	271
6.16.4	Builtin GET_MANUFACTURER.....	272

6.17	Development support builtins	272
6.17.1	Builtin _ERROR.....	272
6.17.2	Builtin _TRACE.....	273
6.17.3	Builtin _WARNING.....	273
6.17.4	Builtin LOG_MESSAGE	274
6.18	DDL references.....	274
6.18.1	Direct referencing of VARIABLES.....	274
6.18.2	Accessing standard dictionary strings	275
6.18.3	String support using DD_STRING	276
6.18.4	Referencing DD item attributes	276
6.19	Method functions	277
7	Builtins return codes.....	278
Figure 1 – A sample METHOD		278
Figure 2 – DD_STRING parameters passed by reference		278
Table 1 – Format for the builtin overview table.....		25
Table 2 – Contents of the builtin overview table		25
Table 3 – Format for the builtins lexical element tables.....		25
Table 4 – Contents of the lexical element table		26
Table 5 – Builtin overview		26
Table 6 – Usage of builtins		36
Table 7 – User interface builtins.....		36
Table 8 – Communication builtins.....		37
Table 9 – Action builtins.....		39
Table 10 – Builtin ACKNOWLEDGE		43
Table 11 – Builtin acknowledge.....		43
Table 12 – Builtin DELAY.....		44
Table 13 – Builtin delay		45
Table 14 – Builtin delayfor		45
Table 15 – Builtin delayfor2		47
Table 16 – Builtin DISPLAY		48
Table 17 – Builtin display		49
Table 18 – Builtin display_bitenum.....		49
Table 19 – Builtin display_builtin_error		50
Table 20 – Builtin display_comm_error		51
Table 21 – Builtin display_comm_status		51
Table 22 – Builtin display_device_status.....		52
Table 23 – Builtin display_dynamics		53
Table 24 – Builtin display_dynamics2		54
Table 25 – Builtin display_message		55
Table 26 – Builtin display_message2		56
Table 27 – Builtin display_response_code		57
Table 28 – Builtin display_response_status.....		58

ITeCh STANDARD PREVIEW

(standards.iteh.ai)

IEC 61804-5:2020

<https://standards.iteh.ai/catalog/standards/sist/a048904a-da95-42c6-b7bd-c04aca7fc1d5/iec-61804-5-2020>

Table 29 – Builtin display_xmtr_status	59
Table 30 – Builtin edit_device_value	59
Table 31 – Builtin edit_device_value2	61
Table 32 – Builtin edit_local_value	62
Table 33 – Builtin edit_local_value2	64
Table 34 – Builtin get_acknowledgement	65
Table 35 – Builtin get_acknowledgement2	66
Table 36 – Builtin GET_DEV_VAR_VALUE	67
Table 37 – Builtin get_dev_var_value	68
Table 38 – Builtin GET_LOCAL_VAR_VALUE	68
Table 39 – Builtin get_local_var_value	69
Table 40 – Builtin Menu	70
Table 41 – Builtin MenuDisplay	71
Table 42 – Builtin MenuDisplay	72
Table 43 – Builtin PUT_MESSAGE	73
Table 44 – Builtin put_message	74
Table 45 – Builtin SELECT_FROM_LIST	75
Table 46 – Builtin select_from_list	76
Table 47 – Builtin select_from_menu	77
Table 48 – Builtin select_from_menu2	79
Table 49 – Format options	80
Table 50 – Builtin abort_on_all_comm_errors	80
Table 51 – Builtin ABORT_ON_ALL_COMM_STATUS	81
Table 52 – Builtin ABORT_ON_ALL_DEVICE_STATUS	82
Table 53 – Builtin ABORT_ON_ALL_RESPONSE_CODES	82
Table 54 – Builtin abort_on_all_response_codes	83
Table 55 – Builtin ABORT_ON_COMM_ERROR	83
Table 56 – Builtin abort_on_comm_error	84
Table 57 – Builtin ABORT_ON_COMM_STATUS	84
Table 58 – Builtin ABORT_ON_DEVICE_STATUS	85
Table 59 – Builtin ABORT_ON_NO_DEVICE	86
Table 60 – Available abort and retry masks	86
Table 61 – Builtin ABORT_ON_RESPONSE_CODE	87
Table 62 – Builtin abort_on_response_code	87
Table 63 – Builtin ext_send_command	88
Table 64 – Builtin ext_send_command_trans	89
Table 65 – Builtin fail_on_all_comm_errors	90
Table 66 – Builtin fail_on_all_response_codes	90
Table 67 – Builtin fail_on_comm_error	91
Table 68 – Builtin fail_on_response_code	91
Table 69 – Builtin get_more_status	92
Table 70 – Builtin IGNORE_ALL_COMM_STATUS	93
Table 71 – Builtin IGNORE_ALL_DEVICE_STATUS	93

Table 72 – Builtin IGNORE_ALL_RESPONSE_CODES.....	94
Table 73 – Builtin IGNORE_COMM_ERROR.....	94
Table 74 – Builtin IGNORE_COMM_STATUS	95
Table 75 – Builtin IGNORE_DEVICE_STATUS	96
Table 76 – Builtin IGNORE_NO_DEVICE.....	96
Table 77 – Builtin IGNORE_RESPONSE_CODE.....	97
Table 78 – Builtin read_value.....	97
Table 79 – Builtin read_value2.....	98
Table 80 – Builtin ReadCommand.....	99
Table 81 – Builtin retry_on_all_comm_errors	99
Table 82 – Builtin RETRY_ON_ALL_COMM_STATUS	100
Table 83 – Builtin RETRY_ON_ALL_DEVICE_STATUS	100
Table 84 – Builtin RETRY_ON_ALL_RESPONSE_CODES.....	101
Table 85 – Builtin retry_on_all_response_codes	101
Table 86 – Builtin RETRY_ON_COMM_ERROR.....	102
Table 87 – Builtin retry_on_comm_error	103
Table 88 – Builtin RETRY_ON_COMM_STATUS	103
Table 89 – Builtin RETRY_ON_DEVICE_STATUS.....	104
Table 90 – Builtin RETRY_ON_NO_DEVICE.....	104
Table 91 – Builtin RETRY_ON_RESPONSE_CODE.....	105
Table 92 – Builtin retry_on_response_code	106
Table 93 – Builtin send.....	106
Table 94 – Builtin send_all_values.....	107
Table 95 – Builtin send_command	108
Table 96 – Builtin send_command_trans.....	108
Table 97 – Builtin send_trans.....	109
Table 98 – Builtin send_value	110
Table 99 – Builtin send_value2	111
Table 100 – Builtin SET_NUMBER_OF_RETRIES	111
Table 101 – Builtin WriteCommand.....	112
Table 102 – Builtin XMTR_ABORT_ON_ALL_COMM_STATUS.....	112
Table 103 – Builtin XMTR_ABORT_ON_ALL_DATA.....	113
Table 104 – Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS.....	113
Table 105 – Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES.....	114
Table 106 – Builtin XMTR_ABORT_ON_COMM_ERROR.....	114
Table 107 – Builtin XMTR_ABORT_ON_COMM_STATUS.....	115
Table 108 – Builtin XMTR_ABORT_ON_DATA.....	115
Table 109 – Builtin XMTR_ABORT_ON_DEVICE_STATUS.....	116
Table 110 – Builtin XMTR_ABORT_ON_NO_DEVICE	117
Table 111 – Builtin XMTR_ABORT_ON_RESPONSE_CODE	117
Table 112 – Builtin XMTR_IGNORE_ALL_COMM_STATUS	118
Table 113 – Builtin XMTR_IGNORE_ALL_DATA.....	118
Table 114 – Builtin XMTR_IGNORE_ALL_DEVICE_STATUS	119



<https://standards.iteh.ai/catalog/standards/sist/a048904a-da95-42c6-b7bd-e04aca7fc1d5/iec-61804-5-2020>

Table 115 – Builtin XMTR_IGNORE_ALL_RESPONSE_CODES	119
Table 116 – Builtin XMTR_IGNORE_COMM_ERROR	120
Table 117 – Builtin XMTR_IGNORE_COMM_STATUS	120
Table 118 – Builtin XMTR_IGNORE_DATA	121
Table 119 – Builtin XMTR_IGNORE_DEVICE_STATUS	121
Table 120 – Builtin XMTR_IGNORE_NO_DEVICE	122
Table 121 – Builtin XMTR_IGNORE_RESPONSE_CODE	122
Table 122 – Builtin XMTR_RETRY_ON_ALL_COMM_STATUS	123
Table 123 – Builtin XMTR_RETRY_ON_ALL_DATA	123
Table 124 – Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS	124
Table 125 – Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES	125
Table 126 – Builtin XMTR_RETRY_ON_COMM_ERROR	125
Table 127 – Builtin XMTR_RETRY_ON_COMM_STATUS	126
Table 128 – Builtin XMTR_RETRY_ON_DATA	126
Table 129 – Builtin XMTR_RETRY_ON_DEVICE_STATUS	127
Table 130 – Builtin XMTR_RETRY_ON_NO_DEVICE	127
Table 131 – Builtin XMTR_RETRY_ON_RESPONSE_CODE	128
Table 132 – Builtin fgetval	128
Table 133 – Builtin fsetval	129
Table 134 – Builtin get_date	129
Table 135 – Builtin get_double	130
Table 136 – Builtin get_float	131
Table 137 – Builtin get_signed	131
Table 138 – Builtin get_string	132
Table 139 – Builtin get_unsigned	133
Table 140 – Builtin igetval	133
Table 141 – Builtin isetval	134
Table 142 – Builtin isOffline	134
Table 143 – Builtin lgetval	135
Table 144 – Builtin lsetval	135
Table 145 – Builtin put_date	136
Table 146 – Builtin put_double	136
Table 147 – Builtin put_float	137
Table 148 – Builtin put_signed	138
Table 149 – Builtin put_string	138
Table 150 – Builtin put_unsigned	139
Table 151 – Builtin sgetval	140
Table 152 – Builtin ssetval	140
Table 153 – Builtin assign	141
Table 154 – Builtin assign_double	141
Table 155 – Builtin assign_float	142
Table 156 – Builtin assign_int	142
Table 157 – Builtin assign_var	143

STANDARD PREVIEW
(standards.iteh.ai)

IEC 61804-5:2020

<https://standards.iteh.ai/catalog/standards/sist/a048904a-da95-42c6-b7bd->

[604aca7fc1d5/iec-61804-5-2020](https://standards.iteh.ai/catalog/standards/sist/a048904a-da95-42c6-b7bd-604aca7fc1d5/iec-61804-5-2020)