

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Radio interference test on high-voltage insulators

Essai de perturbations radioélectriques des isolateurs pour haute tension

Document Preview

[IEC 60437:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/e818ce47-de29-43d6-b426-b90e3b8adec5/iec-60437-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Radio interference test on high-voltage insulators

Essai de perturbations radioélectriques des isolateurs pour haute tension

Document Preview

[IEC 60437:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/e818ce47-de29-43d6-b426-b90e3b8adec5/iec-60437-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.080.10

ISBN 978-2-8322-7746-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Measurement frequency	7
5 Radio noise limits and test voltage	7
6 Measuring instruments	7
6.1 Standard CISPR measuring apparatus.....	7
6.2 Other measuring apparatus.....	8
7 Measuring circuit	8
8 Requirements for test voltage	8
9 Atmospheric conditions.....	8
10 Test area.....	9
11 Arrangements of insulators for test.....	9
11.1 Mounting of insulators.....	9
11.2 Conditions of insulators before test.....	10
11.3 Checking and calibration of test circuit.....	10
12 Type test	10
12.1 Number of insulators.....	10
12.2 Voltage application and RI characteristics.....	11
12.3 Acceptance criterion	11
13 Sample tests	11
13.1 General.....	11
13.2 Insulators subjected to sample tests	11
13.3 Number of samples	12
13.4 Test procedure.....	12
13.5 Acceptance criterion	12
13.6 Re-test procedure	12
14 Test report.....	13
 Figure 1 – Schematic representation of the type test procedure: (a) measurement cycle / (b) example of characteristic curve	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO INTERFERENCE TEST ON HIGH-VOLTAGE INSULATORS**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60437 has been prepared by IEC technical committee 36: Insulators. It is an International Standard.

This third edition cancels and replaces the second edition published in 1997. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Composite station post and composite hollow core station post insulators have been included;
- b) All paragraphs of Samples test were actualized;
- c) Sample test fast procedure was introduced.

The text of this International Standard is based on the following documents:

Draft	Report on voting
36/585/FDIS	36/591/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards

(<https://standards.itih.ai>)

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

[IEC 60437:2023](https://standards.itih.ai/catalog/standards/iec/e818ce47-de29-43d6-b426-b90e3b8adec5/iec-60437-2023)

<https://standards.itih.ai/catalog/standards/iec/e818ce47-de29-43d6-b426-b90e3b8adec5/iec-60437-2023>

INTRODUCTION

The first edition of IEC 60437 presented the available information on a radio interference test on high-voltage insulators as a technical report. This allowed further experience in conducting the test and the interpretation of results to be gained.

The second edition incorporated that experience in the form of an International Standard, which gave the recommended procedures for a radio interference test on high-voltage insulators.

This third edition incorporates clarification of test arrangements and the number of insulators to be tested for composite station posts, composite hollow core station posts and hybrid insulators. This edition also incorporates clarification on the fast method for the sample test.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60437:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/e818ce47-de29-43d6-b426-b90e3b8adec5/iec-60437-2023>

RADIO INTERFERENCE TEST ON HIGH-VOLTAGE INSULATORS

1 Scope

This International Standard specifies the procedure for a radio interference (RI) test carried out in a laboratory on clean and dry insulators at a frequency of 0,5 MHz or 1 MHz or, alternatively, at other frequencies between 0,5 MHz and 2 MHz.

This document applies to insulators for use on AC or DC overhead power lines and overhead traction lines with a nominal voltage greater than 1 000 V.

In service the RI characteristics of an insulator may be modified by the ambient conditions, particularly rainfall and other moisture, and by pollution. It is not considered feasible to specify reproducible test conditions to simulate a range of ambient conditions. Hence only tests on clean and dry insulators are specified in this document.

NOTE The effects of insulator surface conditions, including pollution, are presented in CISPR 18-2:2017, clause 6.3.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

[IEC 60437:2023](https://standards.iteh.ai/catalog/standards/iec/e818cc47-de29-43d6-b426-b90e3b8adec5/iec-60437-2023)

IEC 60137:2017, *Insulated bushings for alternating voltages above 1 000 V*

IEC 60168:1994, *Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltages greater than 1 000 V*

IEC 60168:1994/AMD1:1997

IEC 60168:1994/AMD2:2000

IEC 60383-1:2023, *Insulators for overhead lines with a nominal voltage above 1 000 V – Part 1: Ceramic or glass insulator units for a.c. systems – Definitions, test methods and acceptance criteria*

IEC 60383-2:1993, *Insulators for overhead lines with a nominal voltage above 1 000 V – Part 2: Insulator strings and insulator sets for a.c. systems – Definitions, test methods and acceptance criteria*

IEC 61109:2008, *Insulators for overhead lines – Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V – Definitions, test methods and acceptance criteria*

IEC 61462:2007, *Composite hollow insulators – Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1 000 V – Definitions, test methods, acceptance criteria and design recommendations*

IEC 61952:2008, *Insulators for overhead lines – Composite line post insulators for A.C. systems with a nominal voltage greater than 1 000 V – Definitions, test methods and acceptance criteria*

IEC 62231:2006, *Composite station post insulators for substations with a.c. voltages greater than 1 000 V up to 245 kV – Definitions, test methods and acceptance criteria*

CISPR 16-1-1:2019, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 18-2:2017, *Radio interference characteristics of overhead power lines and high-voltage equipment – Part 2: Methods of measurement and procedure for determining limits*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Measurement frequency

The reference measurement frequency is 0,5 MHz. It is recommended that measurements are made at a frequency of 0,5 MHz \pm 10 %. Alternatively, by agreement between purchaser and manufacturer, other frequencies between 0,5 MHz and 2 MHz may be used.

NOTE Although CISPR 18-2 gives the reference measurement frequency for the measurement of RI characteristics as 0,5 MHz, the existing standard practice in some countries is to use 1 MHz or 2 MHz when measuring radio interference characteristics of insulators.

The frequencies of 0,5 MHz or alternatively 1 MHz are preferred because, usually, the level of radio noise at this part of the spectrum is representative of the higher levels and also because 0,5 MHz lies between the low and medium frequency radio broadcast bands.

The RI characteristics of insulators do not normally affect television broadcasts.

5 Radio noise limits and test voltage

This document does not specify a limiting value for the radio interference characteristic of insulators or the test voltage.

When RI tests are required, the relevant values shall be found in the relevant IEC standard or shall be agreed between the purchaser and manufacturer.

NOTE Guidance for establishing limit values is given in CISPR 18-2:2017.

6 Measuring instruments

6.1 Standard CISPR measuring apparatus

Unless otherwise agreed, the standard CISPR measuring apparatus, as specified in CISPR 16-1-1, shall be used for all measurements of RI characteristics of insulators.

6.2 Other measuring apparatus

By agreement between the purchaser and manufacturer measuring apparatus differing from the CISPR standard measuring apparatus may be used provided that conversion of the measurements to quasi peak values is possible.

7 Measuring circuit

Laboratory measurements of radio noise shall be made by measuring the conducted quantities, either current or voltage.

The relevant measuring circuits are specified in CISPR 18-2.

The basic test circuit is shown in Figure 4 of CISPR 18-2:2017, and a practical form of standard test circuit in Figure 5. For DC insulators tests, H.V. transformer mentioned on both figures shall be a DC voltage generator. Depending on the distance between the measuring set and the test circuit, the arrangements shown in Figure 6 or Figure 7 of CISPR 18-2:2017 may be incorporated into the test circuit of Figure 5.

The test circuit shall be arranged so as to permit an accurate measurement of the radio noise level generated by the object under test. Any interference from outside the test circuit, including the supply, or from other parts of the circuit, shall be at a low level and, preferably, at least 10 dB below the level specified for the test object. Also, with the specified test voltage applied to the circuit, the level of background noise shall be at least 6 dB below the lowest level to be measured (see 4.5.11 – CISPR 18-2:2017).

8 Requirements for test voltage

RI measurements shall be made with a power-frequency voltage (for AC insulators) or direct voltage (for DC insulators) applied to the test object. The test voltage and its method of measurement shall comply with the requirements of IEC 60060-1.

9 Atmospheric conditions

The standard reference atmospheric conditions in accordance with IEC 60060-1 are not applicable to radio interference tests.

Tests made in accordance with this document shall be performed under atmospheric conditions complying with the following requirements:

- temperature between 10 °C and 35 °C
- pressure between 87 kPa and 107 kPa (870 mbar and 1 070 mbar)
- relative humidity between 45 % and 75 %.

NOTE The absolute humidity and the atmospheric pressure can influence the test results.

By agreement between the purchaser and manufacturer, e.g. to simulate service conditions, tests may be carried out under other atmospheric conditions. Examples of these include:

- temperature between 5 °C and 40 °C
- relative humidity between 20 % and 80 %.

Correction to standard atmospheric conditions shall not be applied to either the test voltage or the radio interference measurements.

The atmospheric conditions shall be recorded.

10 Test area

Tests on smaller insulators and insulator sets preferably shall be performed inside a screened room which is large enough to prevent the walls and floor having any significant effect on the distribution of the electric field at the surface of the test object. Circuits, for example power and lighting, entering the screened test area shall, ideally, be filtered so as to avoid the introduction of radio noise present in the general environment.

When, for testing larger insulators and insulator sets, a suitable screened room is not available, the tests may be carried out at any place where the background noise level is sufficiently low compared with the levels to be measured (see Clause 7).

11 Arrangements of insulators for test

11.1 Mounting of insulators

Insulators, including bushings, shall, when mounted for radio interference tests, be complete with all stress control devices and fittings specified by the manufacturer or the purchaser. They shall be mounted either in a standard method of mounting for electrical tests or in a manner simulating service conditions.

Test results are influenced not only by the insulators, but also by the method of mounting and the presence of arcing horns, grading rings, conductor bundles and their position relative to the insulators. Hence a test configuration simulating service conditions shall be as representative as possible.

NOTE 1 Although measurements of the RI characteristics of an insulator are related to its service voltage, the standard methods of mounting are referenced to the requirements or otherwise, to switching impulse tests, since RI measurements are usually made on insulators and insulator sets when they are mounted for other electrical tests, and service voltage is not normally a specified characteristic of an insulator.

Pin insulators, line post insulators and string insulator units shall be mounted in accordance with the standard method of mounting given in the relevant clauses of IEC 60383-1.

For pin and line post insulators, care should be taken to ensure that the high-voltage connection is sufficiently secure to make a good contact with the ceramic or glass or with the metal end fittings, thus ensuring freedom from local discharges.

Insulator sets for which switching impulse tests are not required shall be mounted in accordance with the standard method of mounting given in the relevant clauses of IEC 60383-2. The mounting arrangement for string insulator units may be applied for short suspension or tension composite insulators (Length \leq 0,6m). In case of tests in screened rooms the conductor can be omitted.

Post insulators for which switching impulse tests are not required shall be mounted in accordance with the standard method of mounting given in 4.4.1 of IEC 60168:1994.

Bushings for which switching impulse tests are not required shall be mounted in accordance with the standard method of mounting given in 7.3 of IEC 60137:2017.

Insulator sets, post insulators and bushings for which switching impulse tests are required shall:

- either be mounted in accordance with the standard method of mounting given in the relevant clauses of IEC 60383-2, IEC 60168 or IEC 60137.
- or be mounted in a manner simulating the service conditions. In this case 12.3 of IEC 60383-2:1993 or 4.4.3 of IEC 60168:1994 shall apply, as appropriate.

For both methods of mounting care shall be taken to avoid discharges from the high-voltage conductor assembly.