

Edition 3.0 2020-06 REDLINE VERSION

> colour inside

INTERNATIONAL STANDARD

Mechanical structures for electrical and electronic equipment – Outdoor enclosures – Part 3: Environmental requirements, tests and safety aspects

 \sim

https://standards.iteh

19<u>69-3:2020</u> 1bb3-31e2-4ec1-b9ba-b66d47093d18/iec-61969-3-2020



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22,000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

EC Glossary /std.iec.ch/glossary

67 000 electrotechnisal terminology entries in English and French extracted from the Terms and Definitions clause of EC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



Edition 3.0 2020-06 REDLINE VERSION

> colour inside

INTERNATIONAL STANDARD

Mechanical structures for electrical and electronic equipment – Outdoor enclosures –

Part 3: Environmental requirements, tests and safety aspects

https://standards.iteh.a

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.240

ISBN 978-2-8322-8508-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	OREWO	ORD	3
IN	ITROD	UCTION	5
1	Sco	ре	6
2	Norr	mative references	6
3	Tern	ms and definitions	8
4	Coo	ordination dimensions	8
5		ironmental requirements, tests and safety aspects – Classification nvironmental conditions	8
6	Test	t conditions	9
	6.1 6.2 6.3 6.4 6.5	General Climatic tests Biological tests Tests of resistance against chemically active substances Tests of resistance against mechanically active substances	10
7		chanical tests	
	7.1	General	
	7.2	Dynamic Transport tests	
	7.3	Lifting and stiffness test	14
8	Safe	ety aspects	14
	8.1	General	14
	8.2	Locking devices	15
	8.3	Vandalism resistance	
	8.4	Bullet Firearms resistance (optional)	15
9		smic requirements	
1() Elec	ctromagnetic shielding performance	15
1	1 The	rmal management	15
12	2 Nois		16
В	ibliogra <	aphy	17
Та	able 1 -	- Climatic conditions for environmental classes 1 and 2	9
		– Biological tests	
		– Tests of resistance against chemically active substances	
		 Tests of resistance against mechanically active substances 	
		 Vibration and shock test 	
-+-	abie 0 -	- Safety aspects	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MECHANICAL STRUCTURES FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – OUTDOOR ENCLOSURES –

Part 3: Environmental requirements, tests and safety aspects

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 61969-3 has been prepared by subcommittee 48D: Mechanical structures for electrical and electronic equipment, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This third edition cancels and replaces the second edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with the content of ETSI EN 300 019 and IEC 60721 series latest editions, particularly with the actualization of climate conditions;
- b) new requirements added to reflect market requirements on environmental issues;
- c) improvement on terminology and overall editorial improvement.

The text of this International Standard is based on the following documents;

		<u>ا</u>
FDIS	Report on voting	
48D/721/FDIS	48D/724/RVD	
		\sim

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISQ/IEC Directives, Part 2.

This International Standard is to be used in conjunction with IEC 61969-1:2020.

A list of all parts in the IEC 61969 series, published under the general title Mechanical structures for electrical and electronic equipment – Outdoor enclosures, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61969-3 Ed.2.0 provides basic environmental test requirements to be used in the absence of local regulatory or application specific environmental test requirements. This provides manufacturers and users of generic outdoor enclosure solutions with minimum performance compliance criteria; thermal solutions pending on the environment an outdoor enclosure is subjected to.

The products covered by IEC 61969 (all parts) are empty enclosures for outdoor locations, to be equipped with application-specific combinations of electrical and electronic equipment, and to be used at non-weather protected locations above ground.

IEC 61969 (all parts) consists of:

- a design guidelines general part (IEC 61969-1);
- a coordination dimensions standard (IEC 61969-2);
- an environmental requirements and tests, safety aspects standard ($EC_61969-3$).

This document provides basic environmental requirements and tests, as well as safety aspects, to be used for outdoor enclosures in absence of local regulatory documents, or of application-specific environmental test requirements.

This document provides manufacturers and users of generic outdoor enclosures with minimum performance compliance criteria. The thermal management solution depends on the specific environment of the outdoor enclosure.

Since forced air heat dissipation and acoustic noise are closely related, noise limitations are typically defined by local regulatory limitations documents.

Typically, it becomes the it is responsibility of the outdoor enclosure vendor to provide a solution for thermal management within the local regulatory noise limitations.

b3-31e2-4ec1-b9ba-b66d47093d18/iec-61969-3-2020

MECHANICAL STRUCTURES FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – OUTDOOR ENCLOSURES –

Part 3: Environmental requirements, tests and safety aspects

1 Scope

This part of IEC 61969 specifies a set of basic environmental requirements and tests, as well as safety aspects for outdoor enclosures under conditions of non-weather protected locations above ground.

The purpose of this document is to define a minimum level of environmental performance in order to meet requirements of storage, transport and final installation. The intention is to establish basic environmental performance criteria for outdoor enclosure compliance.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068 (all parts), Environmental testing

IEC 60068-2-1, Environmental testing - Rast 2-1: Tests - Test A: Cold

IEC 60068-2-2, Environmental testing – Part 2-2: Tests – Test B: Dry heat https://standards.iteh.al. // standards.iteh.al. // standa

IEC 60068-2-10, Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth

IEC 60068-2-11, Basic environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-2-27, Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-31, Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens

IEC 60068-2-60, Environmental testing – Part 2-60: Tests – Test Ke: Flowing mixed gas corrosion test

IEC 60068-2-78, Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state

IEC 60417, Graphical symbols for use on equipment

IEC 60529, Degrees of protection provided by enclosures (IP code)

IEC 60695-11-10, Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods

IEC 60721-3-2, Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 2: Transportation

IEC 60721-3-4, Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 4: Stationary use at non-weather-protected locations

IEC 60825-1, Safety of laser products Part 1: Equipment specification and requirements

IEC 60950 (all parts), Information technology equipment - Safety

IEC 60950-1, Information technology equipment – Safety – Part 1: General requirements

IEC 61010, Safety requirements for electrical equipment for measurement, control, and laboratory use

IEC 61140 Protection against electric shock - Common aspects for installation and equipment

IEC 61439-5, Low-voltage switchgear and control gear assemblies – Part 5: Assemblies for power distribution in public networks

IEC 61587-1, Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 series – Part 1: Climatic, mechanical tests Environmental requirements, test set-up and safety aspects for cabinets, racks, subracks and chassis under indoor condition use and transportation

IEC 61587-2, Mechanical structures for electronic equipment – Tests for IEC 60917 and 60297-2020 – Part 2: Seismic tests for cabinets and racks

IEC 61587-3, Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 Part 3: Electromagnetic shielding performance tests for cabinets, racks and subracks

IEC 61969-1:2020, Mechanical structures for electrical and electronic equipment – Outdoor enclosures – Part 1: Design guidelines

IEC 62194, Methods of evaluating the thermal performance of enclosures

IEC 62262, Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)

IEC 62305-4, Protection against lightning – Part 4: Electrical and electronic systems within structures

IEC 62368-1, Audio/video, information and communication technology equipment – Part 1: Safety requirements

ISO 2533, Standard atmosphere

ISO 3744, Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for an essentially free field over a reflecting plane

ISO 3864, Graphical symbols – Safety colours and safety signs

ISO 4892-2, Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps

ETSI EN 300 019-2-2, *Equipment* Environmental Engineering (EE) – Environmental conditions and environmental tests for telecommunications equipment – Part 2-2: Specification of environmental tests – Transportation

3 Terms and definitions

For the purposes of this document, the following terms and definitions given in LEC 61969-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

outdoor enclosure

enclosure exposed to the outdoor environment, for stationary use at non-weatherprotected locations, for the protection of electronic equipment installed inside against outdoor environmental conditions

3.2

non-weatherprotected location

4 Coordination dimensions

This clause of NEC 61969-1:2020 applies.

5 Environmental requirements, tests and safety aspects – Classification of environmental conditions

The environmental conditions are derived from IEC 60721-3-4, with the focus on empty outdoor enclosures relevant requirements.

Class 1: Non-weatherprotected location: Covers all regions with a moderate climate.

Class 2: Non-weatherprotected locations, extended: Covers all regions with severe climate.

The individual outdoor enclosure-product solution tested to these basic environmental test requirements may claim compliance to either class 1 or class 2 or a combination of class 1/class 2.

6 Test conditions

6.1 General

The basic test conditions shown in Table 1, Table 2, Table 3 and Table 4 reflect typical outdoor enclosure environments to be endured.

6.2 Climatic tests

	Environmental parameters	Test s	Test severity		IEC method
	parameters	Class 1	Class 2		
a	Low air temperature	-45 °C	-65 °℃	16_ff	60068-2-1; A
þ	High air temperature	<mark>80 °C</mark>	90 °C	16 h	60068-2-2: В
e	Damp heat	30 °C, 93 %	30 °C, 93 %	96 19	60068-2-78: Cb
đ	Rate of change of	-50 °C to + 23 °C	-50 °C to + 23 °C	2 cycles	60068-2-14: Nb
	temperature	<mark>1 °C/min</mark>	1°C/min	$\wedge \setminus \!$	
e	Solar radiation	1-120-W/m ²	1-120-W/m²	72 h/ 40°C	60068-2-5 Sa
f	Condensation	40 °C	(40,°C) / /	96 h	60068-2-30: Db
		90 % to 108 % RH	90 % to 100 %		
g	Precipitation (rain, snow, hail, dust, etc.)	IP 54	HR 55	h.ai)	60529
h	Movement of the surrounding air	50 m/s	60 m/s	-	-
ŧ	Formation of ice and frost	Yes	Yes	-	-
j	Ultraviolet degradation test	Yes	Yes	-	ISO 4892-2

Table 1 – Climatic conditions for environmental classes 1 and 2

NOTE For comparable conditions the International Standard Air, in accordance to ISO 2533 (15 °C at 1 013, 202 25 hPa) shall be used.

	Environmental	Test severity		Duration	Method
	parameteks	Class 1	Class 2	Duration	wethod
а	Low air temperature	-40 °C	−50 °C	16 h	IEC 60068-2-1: A
b	High air temperature ¹	+85 °C	+85 °C	16 h	IEC 60068-2-2: B
С	Damp heat	+30 °C, 93 %	+30 °C, 93 %	96 h	IEC 60068-2-78: Cb
d	Change of temperature	-40 °C to +23 °C 1 °C/min	-40 °C to + 85 °C 1 °C/min	2 cycles	IEC 60068-2-14: Nb
е	Condensation	90 % to 100 % RH	90 % to 100 % RH	144 h (6 cycles)	IEC 60068-2-30: Db
f	Precipitation (rain, snow, hail, etc.)	IPX4	IPX5	-	IEC 60529
g	Movement of the surrounding air	50 m/s	60 m/s	-	-
h	Formation of ice and frost	Minimum requiren	nent: No mechanical d	eformation	-

i	Ultraviolet degradation	Minimum requirement: No reduction in mechanical properties (tensile strength and elongation at yield) by more than 20 %.	ISO 4892-2			
	For comparable conditions, the International Standard Air, in accordance to ISO 2533 (15 °C at 1 013, 25 hPa) shall be used.					
	¹ This maximum temperature includes the effects of heat dissipation caused by active electronics and includes solar load.					

Following the test, compliance is checked by visual inspection of the internal and external parts; no rust, cracking or other deterioration shall be detected with impact to the required function; no ingress of water.

Hinges, locks and handles for example shall be in operating condition.

The test in accordance with Table 1, item-i h, shall prove that access to the internal equipment is possible without causing permanent degradation of protection levels.

6.3 Biological tests

Table 2 – Biological tests

	Environmental parameters	Test severity	Purpose	IEC method
		Class 1 Class 2		
a	Flora: Presence of mould, fungus, etc.	Yes Yes	To check the material for	60068-2-10
₽	Fauna: Presence of rodents and others harmful to the equipment	Yes, but without Yes, but with termites	resistance	
		\sim \sim \sim \sim		
		VEC 61 69-3:2020	1 0 1 4 4 1 4 7 0 0	110/2 01000
s://stan	e ands. it Environmental	Test severity 2-4ccl	bsba-b66d4709	d18/iec-61969- Method
s://stan	Environmental parameters	Test severity 2-4ccl Class 1 Class 2	b9ba-b66d4709 Purpose	d18/iec-61969- Method
s://stan				d18/iec-61969- Method IEC 60068-2-10: J

Following the test, compliance is checked by visual inspection.

6.4 Tests of resistance against chemically active substances

with tests of Table 1.

Table 3 – Tests of resistance against chemically active substances

	Environmental parameters	Test severity		Duration	IEC method
		Class 1	Class 2	-	
		Mean value	Maximum value		
a	Salts: Sea and road salt mist	Yes, at 35 °C,5 °	% NaCl	4 days	60068-2-11; Ka
þ	Sulphur dioxide *	0,3 mg/m³	1,0 mg/m³		
		0,11 cm³ /m³	0,37 cm³ /m³		
e	Hydrogen sulphide *	0,1 mg/m³	0,5 mg/m³		
		0,071 cm³ /m³	0,36 cm³ /m³	$ \langle \langle \rangle \rangle $	
đ	Chlorine *	0,1 mg/m³	0,3 mg/m³	- 20 days	68068-2-60; Ke
		0,034 cm³ /m	0,1 cm ³ /m ³	$\setminus \setminus \setminus$	\sum
e	Nitrogen oxides *	0,5 mg/m³	1,0 mg/m ³		\sim
		0,26 cm³ /m³	0,52 cm ³ /m ³	$\langle / \rangle \rangle$	

(Similar to IEC 60721-3-4, Class 4C2)

Test severity Environmental Method Duration Class 1 Class 2 parameters Mean value Maximum value IEC 60068-2-11: Salts: Sea and road salt 4 weeks +35 °C,5 % Na&I а mist (672 h) Ka 1,0 mg/m³ 0,3 mg/m³ Sulphur dioxide ¹ b $0,11 \text{ cm}^{3}/\text{m}^{3}$ 0,37 cm³/m³ -b66d47093d18/iec-61969-3 0,1 mg/m³ 0,5 mg/m³ С Hydrogen sulphide 0,071 cm³/m³ 0,36 cm³/m³ IEC 60068-2-60: 10 days Ke $0,1 \text{ mg/m}^3$ 0,3 mg/m³ Chloring d

 0,034 cm³/m
 0,1 cm³/m³

 e
 Nitrogen oxides 1
 0,5 mg/m³
 1,0 mg/m³

 0,26 cm³/m³
 0,52 cm³/m³
 0,52 cm³/m³

Following each of the tests of Table 3, compliance is checked by visual inspection of the outside of the used materials or coatings.

Surface corrosion of the protective enclosure is allowed.

The enclosure design shall provide protection for electromagnetic interference gaskets and for protective earthing contacts, where no corrosion is permitted.

6.5 Tests of resistance against mechanically active substances

Table 4 – Tests of resistance against mechanically active substances

	Environmental parameters	Test severity Classes 1 and 2	IEC method
		uiassus i dilu z	
a	Sand		
Ð	Dust (suspension)	IP 50	60529
e	Dust (sedimentation)	(see note)	
	•	•	

NOTE No measurable dust shall have entered the enclosure (this assessment is more severe than IEC 60529).

	Environmental parameters	Test severity Classes 1 and 2
а	Sand	
b	Dust (suspension)	IP5X VEC 60529
С	Dust (sedimentation)	

Following the test, compliance is checked by visual hisp

Following the test, shall be executed according to the next assessment: no measurable dust shall have entered the enclosure (this is more severe than in IEC 60529 for IP5X, and IP6X may be applied for an intended requirement).

7 Mechanical tests

7.1 General

The purpose of these mechanical tests is to ensure that the outdoor enclosure will withstand handling, storage, transport and protect installed equipment from exposure to mechanical stress. For seismic compliance, see Clause 9. Installations in public areas typically require compliance to more severe local regulatory laws. These and any additional application specific requirements need to be observed. Should the outdoor enclosure be installed in a public place, the power input requirements may have to be in compliance with IEC 61439-5.

7.2 Dynamic Transport tests

The dynamic tests of an outdoor enclosure shall be conducted under the intended transport conditions. Since outdoor enclosure dynamic transport stress is considerably more severe than typical handling and storage stress, no further dynamic tests are required. For the purpose of this test, no transport packing material is used. The outdoor enclosure shall be mounted to the shock/vibration table by using the intended ground/floor mounting features. For the purpose of the dynamic test the outdoor enclosure static load shall be agreed between the vendor and user.

The chosen severity classes are similar to IEC 60721-3-2, class 2M1.

Table 5 shows the chosen severity classes.