

TECHNICAL SPECIFICATION TS 60870-6-602 IEC

First edition
2001-04

Telecontrol equipment and systems –

Part 6-602:

**Telecontrol protocols compatible with
ISO standards and ITU-T recommendations –
TASE transport profiles**

ITAI STANDARD PREVIEW
(standards.iteh.ai)

Matériels et systèmes de téléconduite –

IEC TS 60870-6-602:2001

<https://standards.iteh.ai/catalog/standards/sist/653bba10-7dd5-4171-ba97-0573934e80ab/iec-ts-60870-6-602-2001>

Partie 6-602:

*Protocoles de téléconduite compatibles avec
les normes ISO et les recommandations de l'UIT-T –
Profils TASE de transport*



Reference number
IEC/TS 60870-6-602:2001(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site (www.iec.ch)**
- **Catalogue of IEC publications**
The on-line catalogue on the IEC web site (www.iec.ch/catlg-e.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.
<https://standards.iteh.ai/catalog/standards/sist/6556ba10-7dd5-4171-ba97-0573934c80ab/iec-ts-60870-6-602-2001>
- **IEC Just Published**
This summary of recently issued publications (www.iec.ch/JP.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.
- **Customer Service Centre**
If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL SPECIFICATION TS 60870-6-602 IEC

First edition
2001-04

Telecontrol equipment and systems –

Part 6-602:

**Telecontrol protocols compatible with
ISO standards and ITU-T recommendations –
TASE transport profiles**

ITAI STANDARD PREVIEW
(standards.iteh.ai)

Matériels et systèmes de téléconduite –

IEC TS 60870-6-602:2001

<https://standards.iteh.ai/catalog/standards/sist/653bba10-7dd5-4171-ba97-0573934e8047/iec-ts-60870-6-602-2001>

Partie 6-602:

*Protocoles de téléconduite compatibles avec
les normes ISO et les recommandations de l'UIT-T –
Profils TASE de transport*

© IEC 2001 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission

3, rue de Varembeé Geneva, Switzerland

Telefax: +41 22 919 0300

e-mail: inmail@iec.ch

IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

U

For price, see current catalogue

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references.....	5
2.1 General Standards.....	5
2.2 International standardized profiles	6
3 Abbreviations.....	10
4 TASE telecontrol communication architecture	11
4.1 Architectural model.....	11
4.2 Subnetwork access.....	11
5 Transport profiles.....	12
5.1 Introduction.....	12
5.2 T-profiles	14
5.3 L-profiles	21
6 Relays	22
6.1 Relaying connectionless network services CLNP	22
6.2 Relaying connection-mode network services ITU-T X.25.....	22
Bibliography.....	23
Figure 1 – WAN subnetwork access of end systems.....	12
Figure 2 – Scenario description of a reference point.....	13
Table 1 – Architecture specification within TCA.....	11
Table 2 – Tabular presentation of profiles	14
Table 3 – TP4/CLNP profile.....	15
Table 4 – RFC 1006 profile	16
Table 5 – RFC 1070 profile	17
Table 6 – TP4/ ITU X.25 PLP profile.....	17
Table 7 – TP4/frame relay profile	18
Table 8 – Relaying connectionless network services	22
Table 9 – Connection-mode network services ITU-T X.25.....	22

iTech STANDARD PREVIEW
(standards.itech.ai)

IEC TS 60870-6-602:2001
<https://standards.itech.ai/catalog/standards/sist/653bba10-7dd5-4171-ba97-0573934c80ab/iec-ts-60870-6-602-2001>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TELECONTROL EQUIPMENT AND SYSTEMS –

**Part 6-602: Telecontrol protocols compatible with ISO standards
and ITU-T recommendations – TASE transport profiles**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this technical specification may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

IEC 60870-6-602, which is a technical specification, has been prepared by IEC technical committee 57: Power system control and associated communications.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
57/466/CDV	57/502/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- transformed into an International Standard;
- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC TS 60870-6-602:2001](https://standards.iteh.ai/catalog/standards/sist/653bba10-7dd5-4171-ba97-0573934c80ab/iec-ts-60870-6-602-2001)

<https://standards.iteh.ai/catalog/standards/sist/653bba10-7dd5-4171-ba97-0573934c80ab/iec-ts-60870-6-602-2001>

TELECONTROL EQUIPMENT AND SYSTEMS –

Part 6-602: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – TASE transport profiles

1 Scope

This part of IEC 60870, which is a technical specification, describes the transport profiles for the IEC 60870-6 series over WAN with reference to international standardized profiles (ISPs) used by distributed SCADA/EMS applications in control centres, power plants and substations. The transport profiles use virtually any standard or *de facto* standard (including TCP/IP) connection-mode and connectionless-mode network services over any type of transmission media.

These profiles are part of the telecontrol communication architecture (TCA).

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this technical specification. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this technical specification are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

2.1 General Standards

ISO/IEC 8072:1996, *Information technology – Open systems interconnection – Transport service definition*

ISO/IEC 8073:1997, *Information technology – Open Systems Interconnection – Protocol for providing the connection-mode transport service*

ISO/IEC 8348:1996, *Information technology – Open Systems Interconnection – Network Service Definition*

ISO/IEC 8473 (all parts), *Information technology – Protocol for providing the connectionless-mode network service*

ISO/IEC 8878:1992, *Information technology – Telecommunications and information exchange between systems – Use of X.25 to provide the OSI Connection-mode Network Service*

ISO/IEC TR 8802 (all parts), *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements*

ISO/IEC 9574:1992, *Information technology – Provision of the OSI connection-mode network service by packet mode terminal equipment to an integrated services digital network*

ISO/IEC TR 9577:1999, *Information technology – Protocol identification in the network layer*

ITU-T Recommendation X.121:2000, *International numbering plan for public data networks*

2.2 International standardized profiles

This subclause lists all current ISPs which may be implemented in telecontrol systems. For SCADA/EMS the TASE profiles IEC 60870-6-701 (TASE.1) and IEC 60870-6-702 (TASE.2) apply.

IEC 60870-6-501:1995, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 501: TASE.1 Service definitions*

IEC 60870-6-502:1995, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 502: TASE.1 Protocol definitions*

IEC 60870-6-503:1997, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 503: TASE.2 Services and protocol*

IEC 60870-6-601:1994, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 601: Functional profile for providing the connection-oriented transport service in an end system connected via permanent access to a packet switched data network*

IEC 60870-6-701:1998, *Telecontrol equipment and systems – Part 6-701: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Functional profile for providing the TASE.1 application service in end systems*

IEC 60870-6-702:1998, *Telecontrol equipment and systems – Part 6-702: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Functional profile for providing the TASE.2 application service in end systems*

IEC 60870-6-802:1997, *Telecontrol equipment and systems – Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations – Section 802: TASE.2 Object models*

2.2.1 Transport profiles

2.2.1.1 TA-profiles: CO transport over CL network services (CLNP)

ISO/IEC ISP 10608-1:1992, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 1: General overview and subnetwork-independent requirements*

ISO/IEC ISP 10608-2:1992, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 2: TA51 profile including subnetwork-dependent requirements for CSMA/CD Local Area Networks*

ISO/IEC ISP 10608-4:1994, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 4: Definition of profile TA53, operation over a Token Ring LAN subnetwork*

ISO/IEC ISP 10608-5:1992, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 5: TA1111/TA1121 profiles including subnetwork-dependent requirements for X.25 packet-switched data networks using virtual calls*

ISO/IEC ISP 10608-6:1995, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 6: Definition of profile TA54, operation over an FDDI LAN subnetwork*

ISO/IEC ISP 10608-12:1996, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 12: MAC sublayer and physical layer dependent requirements for a CSMA/CD LAN subnetwork*

ISO/IEC ISP 10608-13:1994, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 13: MAC sublayer and physical layer dependent requirements for a token ring LAN subnetwork*

ISO/IEC ISP 10608-14:1995, *Information technology – International Standardized Profile TAnnnn – Connection-mode Transport Service over Connectionless-mode Network Service – Part 14: MAC, PHY and PMD sublayer dependent and Station management requirements over an FDDI LAN subnetwork*

2.2.1.2 TB/C/D/E-profiles: CO transport over CO network services (ITU X.25)

ISO/IEC ISP 10609-1:1992, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 1: Subnetwork-type independent requirements for Group TB*

ISO/IEC ISP 10609-5:1992, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 5: Definition of profiles TB1111/TB1121 [virtual call]*

[IEC TS 60870-6-602:2001](#)

ISO/IEC ISP 10609-9:1992, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 9: Subnetwork-type dependent requirements for Network Layer, Data Link Layer and Physical Layer concerning permanent access to a packet switched data network using virtual calls*

ISO/IEC ISP 10609-10:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 10: LAN subnetwork-dependent, media independent requirements*

ISO/IEC ISP 10609-11:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 11: CSMA/CD subnetwork-dependent media-dependent requirements*

ISO/IEC ISP 10609-12:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 12: Definition of profile TC51, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a CSMA/CD LAN*

ISO/IEC ISP 10609-14:1994, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 14: Definition of profile TC53, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to a token ring LAN*

ISO/IEC ISP 10609-15:1996, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 15: Definition of profile TC54, provision of the OSI connection-mode Transport Service using the OSI connection-mode Network Service in an End System attached to an FDDI LAN*

ISO/IEC ISP 10609-20:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 20: Overview of the generalized multi-part ISP structure for TC and TD group profiles for OSI usage of ISDN*

ISO/IEC ISP 10609-21:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 21: Subnetwork-type dependent requirements for network layer and data link layer for ISDN B-channel X.25 DTE to DTE operation*

ISO/IEC ISP 10609-22:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 22: Subnetwork type dependent requirements for network layer and data link layer for ISDN B-channel X.25 DTE to DCE operation*

ISO/IEC ISP 10609-23:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 23: Subnetwork-type dependent requirements for network layer and data link layer for data transfer concerning a packet switched mode integrated services digital network using virtual calls: B-channel access case*

ISO/IEC ISP 10609-24:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 24: Subnetwork-type dependent requirements for network layer and data link layer for data transfer concerning a packet switched mode integrated services digital network using virtual calls: D-channel access case*

ISO/IEC ISP 10609-25:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 25: Subnetwork-type dependent requirements for Q.931 circuit-switched operation*

ISO/IEC ISP 10609-26:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 26: Subnetwork-type dependent requirements for network layer for a call control procedures concerning the outgoing call of a packet switched mode Integrated services digital network in case b using virtual calls*

ISO/IEC ISP 10609-27:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 27: Subnetwork-type dependent requirements for network layer for a call control procedures concerning the incoming call of a packet switched mode Integrated services digital network in case b using virtual calls*

ISO/IEC ISP 10609-28:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 28: Subnetwork-type dependent requirements for data link layer for end systems attached to an ISDN subnetwork*

ISO/IEC ISP 10609-30:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 30: Definition of profile TC1131*

ISO/IEC ISP 10609-31:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 31: Definition of profile TC1231*

ISO/IEC ISP 10609-32:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 32: Definition of profile TC4111*

ISO/IEC ISP 10609-33:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 33: Definition of profile TC4211*

ISO/IEC ISP 10609-34:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 34: Definition of profile TC4311*

ISO/IEC ISP 10609-35:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 35: Definition of profile TC43112*

ISO/IEC ISP 10609-36:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 36: Definition of profile TC43211*

ISO/IEC ISP 10609-37:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 37: Definition of profile TC43212*

ISO/IEC ISP 10609-38:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 38: Definition of profile TC4331*

ISO/IEC ISP 10609-40:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 40: Definition of profile TD1131*

ISO/IEC ISP 10609-41:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 41: Definition of profile TD1231*

ISO/IEC ISP 10609-42:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 42: Definition of profile TD4111*

ISO/IEC ISP 10609-43:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 43: Definition of profile TD4211*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEC TS 60870-6-602:2001

http://standards.iteh.ai/catalog/standards/iec/60870-6-602-2001

ISO/IEC ISP 10609-44:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 44: Definition of profile TD43111*

ISO/IEC ISP 10609-45:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 45: Definition of profile TD43112*

ISO/IEC ISP 10609-46:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 46: Definition of profile TD43211*

ISO/IEC ISP 10609-47:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 47: Definition of profile TD43212*

ISO/IEC ISP 10609-48:1995, *Information technology – International Standardized Profiles TB, TC, TD and TE – Connection-mode Transport Service over connection-mode Network Service – Part 48: Definition of profile TD4331*

3 Abbreviations

ATM:	Asynchronous transfer mode
CL:	Connectionless-mode
CLNS:	Connectionless-mode network service
CLNP:	Connectionless-mode network protocol
CO:	Connection-mode IEC TS 60870-6-602:2001
CONS:	Connection-mode network service
COTS:	Connection-mode transport service
CSMA/CD:	Carrier sense, multiple access/collision detection
DCE:	Data communication equipment
DTE:	Data terminal equipment
ES:	End system
FDDI:	Fibre distributed data interface
ISDN:	Integrated services digital network
IS:	Intermediate system
ISP:	International standardized profile
LAN:	Local area network
NDPU:	Network data protocol unit
PICS:	Protocol implementation conformance statement
R-Profile:	Relay profile
T-Profile:	Transport profile (providing connection-mode transport service)
TASE:	Telecontrol application service element
TCA:	Telecontrol communication architecture