



IEC 62541-3

Edition 3.0 2020-07
REDLINE VERSION

INTERNATIONAL STANDARD



OPC unified architecture – iTeh Standards
Part 3: Address Space Model
(<https://standards.iteh.ai>)
Document Preview

[IEC 62541-3:2020](#)

<https://standards.iteh.ai/catalog/standards/iec/a8d8eb3c-a832-4c62-8ced-af5caea02840/iec-62541-3-2020>





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

Document Preview

[IEC 62541-3:2020](#)

<https://standards.iteh.ai/catalog/standards/iec/a8d8eb3c-a832-4c62-8ced-af5caea02840/iec-62541-3-2020>



IEC 62541-3

Edition 3.0 2020-07
REDLINE VERSION

INTERNATIONAL STANDARD



OPC unified architecture – iTeh Standards
Part 3: Address Space Model
(<https://standards.iteh.ai>)
Document Preview

[IEC 62541-3:2020](#)

<https://standards.iteh.ai/catalog/standards/iec/a8d8eb3c-a832-4c62-8ced-af5caea02840/iec-62541-3-2020>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-8645-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	11
1 Scope	14
2 Normative references	14
3 Terms, definitions, abbreviated terms and conventions	15
3.1 Terms and definitions	15
3.2 Abbreviated terms	16
3.3 Conventions	16
3.3.1 Conventions for AddressSpace figures	16
3.3.2 Conventions for defining NodeClasses	17
4 AddressSpace concepts	18
4.1 Overview	18
4.2 Object Model	18
4.3 Node Model	19
4.3.1 General	19
4.3.2 NodeClasses	19
4.3.3 Attributes	20
4.3.4 References	20
4.4 Variables	21
4.4.1 General	21
4.4.2 Properties	21
4.4.3 DataVariables	21
4.5 TypeDefinitionNodes	21
4.5.1 General	21
4.5.2 Complex TypeDefinitionNodes and their InstanceDeclarations	22
4.5.3 Subtyping	23
4.5.4 Instantiation of complex TypeDefinitionNodes	23
4.6 Event Model	24
4.6.1 General	24
4.6.2 EventTypes	25
4.6.3 Event Categorization	25
4.7 Methods	26
4.8 Roles	26
4.8.1 Overview	26
4.8.2 Well-known Roles	27
4.8.3 Evaluating Permissions with Roles	27
5 Standard NodeClasses	29
5.1 Overview	29
5.2 Base NodeClass	30
5.2.1 General	30
5.2.2 NodId	30
5.2.3 NodeClass	30
5.2.4 BrowseName	30
5.2.5 DisplayName	31
5.2.6 Description	31
5.2.7 WriteMask	31
5.2.8 UserWriteMask	32

5.2.9	RolePermissions	32
5.2.10	UserRolePermissions	33
5.2.11	AccessRestrictions	34
5.3	ReferenceType NodeClass	34
5.3.1	General	34
5.3.2	Attributes	35
5.3.3	References	37
5.4	View NodeClass	37
5.5	Objects	40
5.5.1	Object NodeClass	40
5.5.2	ObjectType NodeClass	42
5.5.3	Standard ObjectType FolderType	44
5.5.4	Client-side creation of Objects of an ObjectType	44
5.6	Variables	44
5.6.1	General	44
5.6.2	Variable NodeClass	45
5.6.3	Properties	51
5.6.4	DataVariable	51
5.6.5	VariableType NodeClass	52
5.6.6	Client-side creation of Variables of an VariableType	55
5.7	Method NodeClass	55
5.8	DataTypes	57
5.8.1	DataType Model	57
5.8.2	Encoding rules for different kinds of DataTypes	59
5.8.3	DataType NodeClass	60
5.8.4	DataTypeDictionary, DataTypeDescription, DataTypeEncoding and DataTypeSystem encoding information	63
5.9	Summary of Attributes of the NodeClasses	66
6	Type Model for ObjectTypes and VariableTypes	67
6.1	Overview	67
6.2	Definitions	67
6.2.1	InstanceDeclaration	67
6.2.2	Instances without ModellingRules	68
6.2.3	InstanceDeclarationHierarchy	68
6.2.4	Similar Node of InstanceDeclaration	68
6.2.5	BrowsePath	68
6.2.6	Attribute Handling of InstanceDeclarations	68
6.2.7	Attribute Handling of Variable and VariableTypes	68
6.2.8	Nodelds of InstanceDeclarations	69
6.3	Subtyping of ObjectTypes and VariableTypes	69
6.3.1	Overview	69
6.3.2	Attributes	69
6.3.3	InstanceDeclarations	69
6.4	Instances of ObjectTypes and VariableTypes	73
6.4.1	Overview	73
6.4.2	Creating an Instance	73
6.4.3	Constraints on an Instance	74
6.4.4	ModellingRules	75
6.5	Changing type definitions that are already used	82

7	Standard ReferenceTypes	83
7.1	General.....	83
7.2	References ReferenceType.....	83
7.3	HierarchicalReferences ReferenceType	84
7.4	NonHierarchicalReferences ReferenceType.....	84
7.5	HasChild ReferenceType	84
7.6	Aggregates ReferenceType.....	84
7.7	HasComponent ReferenceType.....	84
7.8	HasProperty ReferenceType	85
7.9	HasOrderedComponent ReferenceType.....	85
7.10	HasSubtype ReferenceType.....	85
7.11	Organizes ReferenceType.....	86
7.12	HasModellingRule ReferenceType	86
7.13	HasTypeDefintion ReferenceType	86
7.14	HasEncoding ReferenceType	86
7.15	<u>HasDescription ReferenceType.....</u>	
7.15	GeneratesEvent.....	87
7.16	AlwaysGeneratesEvent	87
7.17	HasEventSource	87
7.18	HasNotifier.....	88
8	Standard DataTypes	89
8.1	General.....	89
8.2	NodeId	89
8.2.1	General	89
8.2.2	NamespaceIndex	89
8.2.3	IdentifierType	90
8.2.4	Identifier value	90
8.3	QualifiedName	91
8.4	LocaleId	91
8.5	LocalizedText	92
8.6	Argument	92
8.7	BaseDataType	93
8.8	Boolean	93
8.9	Byte	93
8.10	ByteString	93
8.11	DateTime	93
8.12	Double	94
8.13	Duration	94
8.14	Enumeration	94
8.15	Float	94
8.16	Guid.....	94
8.17	SByte	94
8.18	IdType	94
8.19	Image	94
8.20	ImageBMP	94
8.21	ImageGIF	94
8.22	ImageJPG	95
8.23	ImagePNG	95
8.24	Integer	95

8.25	Int16	95
8.26	Int32	95
8.27	Int64	95
8.28	TimeZoneDataType	95
8.29	NamingRuleType	95
8.30	NodeClass	96
8.31	Number	96
8.32	String	96
8.33	Structure	96
8.34	UInteger	96
8.35	UInt16	96
8.36	UInt32	96
8.37	UInt64	96
8.38	UtcTime	97
8.39	XmlElement	97
8.40	EnumValueType	97
8.41	OptionSet	98
8.42	Union	98
8.43	DateString	98
8.44	DecimalString	98
8.45	DurationString	98
8.46	NormalizedString	99
8.47	TimeString	99
8.48	DataTypeDefinition	99
8.49	StructureDefinition	99
8.50	EnumDefinition	100
8.51	StructureField	100
8.52	EnumField	101
8.53	Audio DataType	101
8.54	Decimal	101
8.55	PermissionType	102
8.56	AccessRestrictionsType	103
8.57	AccessLevelType	103
8.58	AccessLevelExType	104
8.59	EventNotifierType	105
8.60	AttributeWriteMask	105
9	Standard EventTypes	106
9.1	General	106
9.2	BaseEventType	107
9.3	SystemEventType	107
9.4	ProgressEventType	107
9.5	AuditEventType	108
9.6	AuditSecurityEventType	109
9.7	AuditChannelEventType	109
9.8	AuditOpenSecureChannelEventType	109
9.9	AuditSessionEventType	109
9.10	AuditCreateSessionEventType	109
9.11	AuditUrlMismatchEventType	110
9.12	AuditActivateSessionEventType	110

9.13	AuditCancelEventType	110
9.14	AuditCertificateEventType	110
9.15	AuditCertificateDataMismatchEventType	110
9.16	AuditCertificateExpiredEventType	110
9.17	AuditCertificateInvalidEventType	110
9.18	AuditCertificateUntrustedEventType	110
9.19	AuditCertificateRevokedEventType	110
9.20	AuditCertificateMismatchEventType	111
9.21	AuditNodeManagementEventType	111
9.22	AuditAddNodesEventType	111
9.23	AuditDeleteNodesEventType	111
9.24	AuditAddReferencesEventType	111
9.25	AuditDeleteReferencesEventType	111
9.26	AuditUpdateEventType	111
9.27	AuditWriteUpdateEventType	111
9.28	AuditHistoryUpdateEventType	111
9.29	AuditUpdateMethodEventType	111
9.30	DeviceFailureEventType	111
9.31	SystemStatusChangeEventType	112
9.32	ModelChangeEvents	112
9.32.1	General	112
9.32.2	NodeVersion Property	112
9.32.3	Views	112
9.32.4	Event compression	112
9.32.5	BaseModelChangeEventType	112
9.32.6	GeneralModelChangeEventType	113
9.32.7	Guidelines for ModelChangeEvents	113
9.33	SemanticChangeEventType	113
9.33.1	General	113
9.33.2	ViewVersion and NodeVersion Properties	113
9.33.3	Views	114
9.33.4	Event compression	114
Annex A (informative)	How to use the Address Space Model	115
A.1	Overview	115
A.2	Type definitions	115
A.3	ObjectTypes	115
A.4	VariableTypes	115
A.4.1	General	115
A.4.2	Properties or DataVariables	116
A.4.3	Many Variables and/or structured DataTypes	116
A.5	Views	117
A.6	Methods	117
A.7	Defining ReferenceTypes	117
A.8	Defining ModellingRules	117
Annex B (informative)	OPC UA Meta Model in UML	118
B.1	Background	118
B.2	Notation	118
B.3	Meta Model	120
B.3.1	Base	120

B.3.2	ReferenceType	120
B.3.3	Predefined ReferenceTypes.....	121
B.3.4	Attributes	121
B.3.5	Object and ObjectType	122
B.3.6	EventNotifier.....	123
B.3.7	Variable and VariableType.....	123
B.3.8	Method	124
B.3.9	DataType.....	125
B.3.10	View	126
Annex C (normative) OPC Binary Type Description System.....		
C.1	Concepts	
C.2	Schema Description	
C.2.1	TypeDictionary	
C.2.2	TypeDescription.....	
C.2.3	OpaqueType	
C.2.4	EnumeratedType	
C.2.5	StructuredType	
C.2.6	FieldType	
C.2.7	EnumeratedValue	
C.2.8	ByteOrder	
C.2.9	ImportDirective	
C.3	Standard Type Descriptions	
C.4	Type Description Examples.....	
C.5	OPC Binary XML Schema	
C.6	OPC Binary Standard TypeDictionary	
Annex C (normative) Graphical notation.....		139
C.1	General.....	139
C.2	Notation	139
C.2.1	Overview	139
C.2.2	Simple notation.....	139
C.2.3	Extended notation.....	141
Bibliography.....		144
Figure 1 – AddressSpace Node diagrams		17
Figure 2 – OPC UA Object Model.....		19
Figure 3 – AddressSpace Node Model		19
Figure 4 – Reference Model.....		20
Figure 5 – Example of a Variable defined by a VariableType.....		22
Figure 6 – Example of a Complex TypeDefinition		23
Figure 7 – Object and its Components defined by an ObjectType		24
Figure 8 – Permissions in the Address Space		33
Figure 9 – Symmetric and Non-Symmetric References.....		36
Figure 10 – Variables, VariableTypes and their DataTypes		58
Figure 11 – DataType Model.....		58
Figure 12 – Example of DataType Modelling		66
Figure 13 – Subtyping TypeDefinitionNodes.....		70
Figure 14 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType		72

Figure 15 – An Instance and its TypeDefinitionNode	73
Figure 16 – Example of several References between InstanceDeclarations	74
Figure 17 – Example of changing instances based on InstanceDeclarations	76
Figure 18 – Example of changing InstanceDeclarations based on an InstanceDeclaration	77
Figure 19 – Use of the Standard ModellingRule New Mandatory	78
Figure 20 – Example using the Standard ModellingRules Optional and Mandatory	79
Figure 21 – Example of using ExposesItsArray	80
Figure 22 – Complex example of using ExposesItsArray	80
Figure 23 – Example on using OptionalPlaceholder with an Object and Variable.....	80
Figure 24 – Example using OptionalPlaceholder with a Method.....	81
Figure 25 – Example of using MandatoryPlaceholder for Object and Variable	82
Figure 26 – Standard ReferenceType Hierarchy.....	83
Figure 27 – Event Reference Example	88
Figure 28 – Complex Event Reference Example	89
Figure 29 – Standard EventType Hierarchy.....	107
Figure 30 – Audit Behaviour of a Server.....	108
Figure 31 – Audit Behaviour of an Aggregating Server.....	109
Figure B.1 – Background of OPC UA Meta Model	118
Figure B.2 – Notation (I)	119
Figure B.3 – Notation (II)	119
Figure B.4 – Base	120
Figure B.5 – Reference and ReferenceType.....	120
Figure B.6 – Predefined ReferenceTypes.....	121
Figure B.7 – Attributes	122
Figure B.8 – Object and ObjectType	123
Figure B.9 – EventNotifier	123
Figure B.10 – Variable and VariableType	124
Figure B.11 – Method	125
Figure B.12 – DataType	125
Figure B.13 – View	126
Figure C.1 – OPC Binary Dictionary Structure.....	
Figure C.1 – Example of a Reference connecting two Nodes	140
Figure C.2 – Example of using a TypeDefinition inside a Node	142
Figure C.3 – Example of exposing Attributes.....	142
Figure C.4 – Example of exposing Properties inline	143
Table 1 – NodeClass Table Conventions.....	17
Table 2 – Well-known Roles.....	27
Table 3 – Example Roles	28
Table 4 – Example Nodes	28
Table 5 – Example Role assignment	29
Table 6 – Examples of evaluating access.....	29

Table 7 – Base NodeClass.....	30
Table C.1 – Bit mask for WriteMask and UserWriteMask.....	
Table 8 – RolePermissionType	32
Table 9 – ReferenceType NodeClass	35
Table 10 – View NodeClass	39
Table 11 – Object NodeClass	41
Table 12 – ObjectType NodeClass	43
Table 13 – Variable NodeClass.....	46
Table 14 – VariableType NodeClass	53
Table 15 – Method NodeClass	56
Table 16 – DataType NodeClass.....	61
Table 17 – Overview of Attributes	67
Table 18 – The InstanceDeclarationHierarchy for BetaType	70
Table 19 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType	71
Table 20 – Rule for ModellingRules Properties when Subtyping	76
Table 21 – Properties of ModellingRules	77
Table 22 – NodId Definition.....	89
Table 23 – IdentifierType Values.....	90
Table 24 – NodId Null Values.....	91
Table 25 – QualifiedName Definition.....	91
Table 26 – LocaleId Examples	92
Table 27 – LocalizedText Definition	92
Table 28 – Argument Definition	93
Table 29 – TimeZoneDataType Definition	95
Table 30 – NamingRuleType Values	95
Table 31 – NodeClass Values	96
Table 32 – EnumValueType Definition	97
Table 33 – OptionSet Definition	98
Table 34 – StructureDefinition Structure	100
Table 35 – EnumDefinition Structure.....	100
Table 36 – StructureField Structure	101
Table 37 – EnumField Structure.....	101
Table 38 – PermissionType Definition	102
Table 39 – AccessRestrictionsType Definition.....	103
Table 40 – AccessLevelType Definition.....	104
Table 41 – AccessLevelExType Definition	104
Table 42 – EventNotifierType Definition	105
Table 43 – Bit mask for WriteMask and UserWriteMask	106
Table C.1 – TypeDictionary Components	
Table C.2 – TypeDescription Components	
Table C.3 – OpaqueType Components	
Table C.4 – EnumeratedType Components	
Table C.5 – StructuredType Components	

Table C.6 – FieldType Components
Table C.7 – EnumeratedValue Components
Table C.8 – ImportDirective Components
Table C.9 – Standard Type Descriptions
Table C.1 – Notation of Nodes depending on the NodeClass 140
Table C.2 – Simple Notation of Nodes depending on the NodeClass 141

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 62541-3:2020](#)

https://standards.iteh.ai/catalog/standards/iec/a8d8eb3c-a832-4c62-8ced-af5caea02840/iec-62541-3-2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC UNIFIED ARCHITECTURE –**Part 3: Address Space Model****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

<http://webstore.iec.ch/62541-3-2020>

International Standard IEC 62541-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2015.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Added new improved approach for exposing structure definitions. An Attribute on the DataType Node now simply contains a binary description.
- b) Added new flags for Variables to indicate atomicity when reading or writing.
- c) Added Roles and Permissions to allow configuration of a role-based authorization.
- d) Added new data types: “Union”, “Decimal”, “OptionSet”, “DateString”, “TimeString”, “DurationString”, “NormalizedString”, “DecimalString”, and “AudioDataType”.
- e) Added definition on how to use the ModellingRules OptionalPlaceHolder and MandatoryPlaceHolder for Methods.
- f) Added optional Properties “MaxCharacters” and “MaxByteStringLength” to Variable Nodes.

The text of this standard is based on the following documents:

FDIS	Report on voting
65E/715/FDIS	65E/731/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

Document Preview

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:<http://standards.iec.ch/IEC62541-3-2020>

Italics are used to denote a defined term or definition that appears in Clause 3 in one of the parts of the series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are also, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.