

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety –
Part 2-9: Particular requirements for grills, toasters and similar portable cooking
appliances

Document Preview

[IEC 60335-2-9:2019](#)

<https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC 60335-2-9:2019](https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019)

<https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019>



IEC 60335-2-9

Edition 7.0 2019-05
REDLINE VERSION

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-9: Particular requirements for grills, toasters and similar portable cooking
appliances**

Document Preview

[IEC 60335-2-9:2019](https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019)

<https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 97.040.50; 13.120

ISBN 978-2-8322-6976-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	2
1 Scope.....	8
2 Normative references	9
3 Terms and definitions	9
4 General requirement.....	14
5 General conditions for the tests	14
6 Classification.....	14
7 Marking and instructions.....	14
8 Protection against access to live parts.....	16
9 Starting of motor-operated appliances	17
10 Power input and current.....	17
11 Heating.....	17
12 Void.....	20
13 Leakage current and electric strength at operating temperature.....	22
14 Transient overvoltages	22
15 Moisture resistance	22
16 Leakage current and electric strength.....	24
17 Overload protection of transformers and associated circuits	24
18 Endurance	24
19 Abnormal operation	24
20 Stability and mechanical hazards.....	26
21 Mechanical strength	27
22 Construction	28
23 Internal wiring.....	31
24 Components	31
25 Supply connection and external flexible cords	32
26 Terminals for external conductors.....	32
27 Provision for earthing	32
28 Screws and connections	32
29 Clearances, creepage distances and solid insulation	33
30 Resistance to heat and fire	33
31 Resistance to rusting	33
32 Radiation, toxicity and similar hazards.....	34
Annexes	41
Annex C (normative) Ageing test on motors	42
Annex R (normative) Software evaluation	43
Bibliography.....	44
Figure 101 – Examples of appliances.....	36
Figure 102 – Load for testing rotating spits	37

Figure 103 – Vessel for testing hotplates	38
Figure 104 – Vessel for testing induction hotplates	38
Figure 105 – Probe for measuring surface temperatures	39
Figure 106 – Front view of appliance with identification of excluded areas	40
Table 101 – Quantity of liquid in the vessel.....	10
Table 102 – Temperature rises for external surfaces.....	19

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60335-2-9:2019](https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019)

<https://standards.iteh.ai/catalog/standards/iec/d12823af-cc49-47e1-8913-948b07c7de04/iec-60335-2-9-2019>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-9: Particular requirements for grills, toasters and
similar portable cooking appliances**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60335-2-9 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This seventh edition cancels and replaces the sixth edition published in 2008, Amendment 1: 2012 and Amendment 2:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- aligns the text with IEC 60335-1, Ed 5, and its Amendments 1 and 2;
- revises the abnormal tests for a toaster (19.11.2, 19.102).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61/5797/FDIS	61/5838/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: *Safety requirements for grills, toasters and similar portable cooking appliances*.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type*;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months nor later than 36 months from the date of its publication.

The following differences exist in the countries indicated below:

- 3.1.9: Different loads and test methods are used (USA).
- 5.101: If the appliance incorporates a motor, the motor is tested at rated voltage (USA).
- 7.12: Identification of the connector is to be marked on the appliance (USA).
- 11.2: 9,5 mm thick plywood is used for the test corner (USA).
- 11.7: The test duration is based on the quantity of food (USA).
- 11.8: A temperature rise of 100 K is allowed for the wall of the test corner (USA).
- 11.101: There are no surface temperature limits on toasters having a metallic enclosure unless they are under cabinet or wall mounted, in which case it is allowed for the temperatures to reach 100 °C if a proper marking is provided (USA).
- 15.2: A different solution is used and the test is not carried out on ovens, hotplates or cookers (USA).
- 15.101: Appliances are immersed to the marked level only (USA).
- 19.2: A 300 mm deep simulated cabinet is located 400 mm above the countertop (USA).
- 19.2: The test is different. Additional tests are carried out on hotplates and cookers (USA):
- 19.101: Different test methods and numbers of cycles are used (USA).
- 19.102: A combustible cloth is placed above the toaster and the residual bread is left in place (USA).
- 19.104: Disks having different sizes are used (USA).
- 20.101: The test is not carried out (USA).
- 21.101: The test is different (USA).
- 22.105: The requirement is not applicable (USA).
- 22.108: The test is different (USA).
- 22.110: The test is different (USA).
- 22.111: The test is not carried out (USA).
- 22.112: The test is not carried out (USA).
- 24.1.3: The test is not carried out (USA).
- 24.101: The test is not carried out (USA).
- 25.7: The free length of the supply cord is specified; in some cases, it is 1,8 m to 2,1 m for appliances intended to be connected to fixed socket-outlets, while in others it is 0,6 m to 2,1 m for appliances normally used on a table or similar surface (USA).

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-9: Particular requirements for grills, toasters and similar portable cooking appliances

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **portable appliances** for household and similar purposes that have a cooking function such as baking, roasting and grilling, their **rated voltage** being not more than 250 V.

NOTE 101 Examples of appliances that are within the scope of this standard are

- **barbecues** for indoor use;
- **breadmakers**;
- **candy floss appliances**;
- **contact grills** (griddles);
- **cookers**;
- **food dehydrators**;
- **hotplates**;
- **induction wok hotplates**;
- **pop-corn makers**;
- **portable ovens**;
- **raclette grills**;
- **radiant grills**;
- **roasters**;
- **rotary grills**;
- **rotisseries**;
- **toasters**;
- **waffle irons**;

Examples are illustrated in Figure 101.

Appliances intended for normal household and similar use and that may also be used by laymen in shops, in light industry and on farms, are within the scope of this standard. However, if the appliance is intended to be used professionally to process food for commercial consumption, the appliance is not considered to be for household and similar use only.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements ~~may~~ could be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- **stationary ovens** and **stationary grills** (IEC 60335-2-6);
- warming plates (IEC 60335-2-12);
- frying pans and deep fat fryers (IEC 60335-2-13);
- microwave ovens (IEC 60335-2-25);
- barbecues for outdoor use (IEC 60335-2-78);
- appliances intended to burn charcoal or similar combustible fuels;
- appliances intended for commercial catering;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of part 1 is applicable except as follows.

Replacement:

IEC 60320-1:2015, *Appliance couplers for household and similar general purposes – Part 1: General requirements*

Addition:

IEC 60068-2-52, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

[IEC 60335-2-9:2019](https://standards.iteh.ai/IEC/60335-2-9-2019)

<https://standards.iteh.ai/IEC/60320-3-2019>, *Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges*

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

ISO 3864-1, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs ~~in workplaces and public areas~~ and safety markings*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

Replacement:

3.1.9

normal operation

operation of the appliance as specified in the following subclauses:

Note ~~101~~ 1 to entry: Appliances not mentioned, but which nevertheless perform one of the functions, are operated as specified for this function as far as possible.

3.1.9.101 Barbecues are operated with food supports in the lowest position. Controls are adjusted to the highest setting, any covers or shields being positioned in accordance with the instructions.

Note 1 to entry: **Barbecues** are operated without water even if the use of water is recommended.

3.1.9.102 Breadmakers are operated using the most unfavourable cycle and ingredients specified in the instructions.

Note 1 to entry: The most unfavourable cycle may be for a function such as jam-making that allows the heating element and the kneading motor to operate simultaneously.

3.1.9.103 Candy floss appliances are operated without ingredients.

3.1.9.104 Food dehydrators are operated empty.

3.1.9.105 Hotplates, other than **induction hotplates**, are operated with vessels containing water. The vessels are made of unpolished commercial quality aluminium, have a flat bottom and are covered with a lid. A suitable vessel is specified in Figure 103. Controls are adjusted to their highest setting until the water boils and then adjusted so that the water simmers. Water is added to maintain the level during ~~boiling~~ **simmering**.

~~NOTE 1—The lid is positioned so that steam does not affect the test.~~

Induction hot plates are operated with vessels as specified in Figure 104, containing cooking oil. Controls are adjusted to their highest setting until the oil temperature reaches $180\text{ °C} \pm 4\text{ °C}$, and are then adjusted so that this temperature is maintained. The oil temperature is measured 1 cm above the centre of the bottom of the vessel. **For appliances which cannot heat the oil to $180\text{ °C} \pm 4\text{ °C}$, the control is maintained at its highest setting.**

Induction wok hotplates are operated with a wok pan supplied by the manufacturer with the **induction wok hotplate** at the point of sale.

For all **hotplates**, the diameter of the bottom of the vessel is approximately equal to the diameter of the **cooking zone** and the quantity of liquid is specified in Table 101. The vessel is positioned centrally on the **cooking zone**.

Table 101 – Quantity of liquid in the vessel

Diameter of cooking zone mm	Quantity of water or oil l
≤ 110	0,6
> 110 and ≤ 145	1,0
> 145 and ≤ 180	1,5
> 180 and ≤ 220	2,0
> 220 and ≤ 300	3,0

Note 21 to entry: If several **cooking zones** are marked for one **hotplate**, the most unfavourable zone is used for the test.

Note 32 to entry: For non-circular **cooking zones**, the smallest non-circular vessel is used that will cover the **cooking zone** as far as possible, taking into account the **hob** rim and other vessels. The quantity of liquid is determined on the basis of the minor diameter of the **cooking zone**.

3.1.9.106 Ovens are operated with the door or drawer closed. **Ovens** having a **thermostat** are operated so that the mean temperature in the centre of the cavity is maintained at $240\text{ °C} \pm 4\text{ °C}$ or at the value obtained with the **thermostat** adjusted to its highest setting, if this results in a lower temperature. Other **ovens** are operated so that the

temperature in the centre of the cavity is maintained at $240\text{ °C} \pm 15\text{ °C}$ by switching the supply on and off.

3.1.9.442107 Pop-corn makers are operated with the container filled with the maximum quantity of corn seeds specified in the instructions and, where relevant, with the maximum quantity of oil specified in the instructions.

3.1.9.405108 Roasters are operated with the lid closed. The mean temperature in the centre of the container is maintained at $240\text{ °C} \pm 4\text{ °C}$, if necessary by switching the supply on and off.

3.1.9.406109 Radiant grills and rotary grills are operated with the controls adjusted in accordance with the instructions or, if instructions are not provided, with the controls adjusted to the highest setting. Doors or lids are open unless otherwise specified in the instructions.

Contact grills having a **thermostat** are operated with the **thermostat** adjusted to the highest setting. Other **contact grills** are operated so that the temperature at the centre of the heated surface is maintained at $275\text{ °C} \pm 15\text{ °C}$ by switching the supply on and off.

Raclette grills are operated with doors or lids open, unless otherwise specified in the instructions. Controls are adjusted in accordance with the instructions, pans being in position or removed, whichever is more unfavourable.

3.1.9.409110 Raclette appliances are operated with the controls adjusted in accordance with the instructions or, if instructions are not provided, with the controls adjusted to the highest setting.

3.1.9.402111 Rotary grills are operated with the load on the rotating spit shown in Figure 102.

3.1.9.404112 Toasters are loaded with the maximum number of slices of white bread specified in the instructions and operated in cycles, each cycle consisting of an operating period and a rest period. The bread is approximately 24 h old and the dimensions of the slices are approximately $100\text{ mm} \times 100\text{ mm} \times 10\text{ mm}$. The rest periods have a duration of 30 s or the minimum period needed for the resetting of a control, whichever is longer. The slices of bread are replaced during each rest period. The operating period is established by adjusting controls to give the bread a golden-brown colour. For **toasters** without a control, each operating period is terminated as soon as the colour of the bread turns golden-brown.

Toasters incorporating a device for heating rolls are loaded with the maximum number of rolls specified in the instructions. The **toaster** is operated in cycles, each cycle consisting of an operating period followed by a rest period of 30 s when the rolls are turned or replaced. The control is adjusted in accordance with the instructions. If instructions are not given, the control is adjusted for the toasting operation.

Sandwich-toasting attachments are loaded with one or more sandwiches that are positioned in accordance with the instructions to produce the most unfavourable result. Each sandwich comprises two slices of white bread filled with a single slice of suitable cheese having an area equal to a slice of bread and a thickness of approximately 5 mm. The toaster is then operated in accordance with the instructions in cycles, each cycle consisting of a toasting operation followed by a rest period of 30 s, or the minimum period needed for the resetting of a control, whichever is longer.

Note 1 to entry: Processed cheese and other cheeses that readily melt when heated are suitable.

3.1.9.403113 Waffle irons having a **thermostat** are operated with the **thermostat** adjusted to the highest setting. Other **waffle irons** are operated so that the temperature at the centre of the heated surface is maintained at $210\text{ °C} \pm 15\text{ °C}$ by switching the supply on and off.

3.5 Definitions relating to types of appliances

~~3.411~~5.101

barbecue

radiant grill having a heating element located under the food support

~~3.419~~5.102

breadmaker

appliance intended for making bread comprising a heated compartment incorporating dough kneading facilities

3.5.103

candy floss appliance

appliance comprised of a heater and a spinning head intended for preparing candy floss

~~3.407~~5.104

contact grill

appliance having a heated surface on which food is placed. ~~It may~~, which can have a second heated surface to cover the food

Note 1 to entry: A **contact grill** with only one heated surface is known as a "griddle".

Note 2 to entry: A sandwich maker is considered as a **contact grill** with two heated surfaces.

~~3.414~~5.105

cooker

appliance incorporating a **hotplate** and an **oven**

Note 1 to entry: **Cookers** may incorporate a grill.

~~3.415~~5.106

food dehydrator

appliance for dehydrating food by means of heated air

Note 1 to entry: The appliance may incorporate a fan.

~~3.412~~5.107

hotplate

appliance having one or more **heating units** on which vessels can be placed for cooking purposes

Note 1 to entry: **Hotplates** do not incorporate an **oven** or grill.

~~3.413~~5.108

induction hotplate

hotplate that can heat at least one metallic vessel by means of eddy currents

Note 1 to entry: The eddy currents are induced in the bottom of the vessel by the electromagnetic field of a coil.

3.5.109

induction wok hotplate

induction hotplate with a surface of an approximate spherical shape to accept a wok that is supplied with the appliance at the point of sale

~~3.403~~5.110

oven

appliance having a heated cavity with a door or drawer and constructed so that food that may be in a container can be placed on a shelf