

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety –
Part 2-2: Particular requirements for vacuum cleaners and water-suction
cleaning appliances

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-2: Exigences particulières pour les aspirateurs et les appareils
de nettoyage à aspiration d'eau



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22.000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67.000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22.000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67.000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Household and similar electrical appliances – Safety –
Part 2-2: Particular requirements for vacuum cleaners and water-suction
cleaning appliances**

**Appareils électrodomestiques et analogues – Sécurité –
Partie 2-2: Exigences particulières pour les aspirateurs et les appareils
de nettoyage à aspiration d'eau**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.120; 97.080

ISBN 978-2-8322-6864-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms and definitions	9
4 General requirement.....	11
5 General conditions for the tests	11
6 Classification.....	11
7 Marking and instructions.....	11
8 Protection against access to live parts.....	13
9 Starting of motor-operated appliances	13
10 Power input and current.....	13
11 Heating.....	14
12 Void.....	15
13 Leakage current and electric strength at operating temperature.....	15
14 Transient overvoltages.....	15
15 Moisture resistance.....	15
16 Leakage current and electric strength.....	17
17 Overload protection of transformers and associated circuits	17
18 Endurance.....	17
19 Abnormal operation	17
20 Stability and mechanical hazards.....	19
21 Mechanical strength	19
22 Construction	21
23 Internal wiring.....	22
24 Components	22
25 Supply connection and external flexible cords	22
26 Terminals for external conductors.....	23
27 Provision for earthing	23
28 Screws and connections.....	23
29 Clearances, creepage distances and solid insulation	23
30 Resistance to heat and fire	23
31 Resistance to rusting.....	24
32 Radiation, toxicity and similar hazards.....	24
Annexes	27
Annex B (normative) Appliances powered by rechargeable batteries that are recharged in the appliance.....	28
Annex C (normative) Ageing test on motors	31
Annex R (normative) Software evaluation	32
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance.....	33
Bibliography.....	36




Figure 101 – Apparatus for testing the abrasion resistance of current-carrying hoses	24
Figure 102 – Apparatus for testing the resistance to flexing of current-carrying hoses	25
Figure 103 – Configuration of the hose for the freezing treatment	25
Figure 104 – Flexing positions for the hose after removal from the freezing cabinet	26
Figure 105 – Probe for measuring surface temperatures	26
Table 101 – Maximum temperature rises for specified accessible external surfaces under normal operating conditions	15

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60335-2-2:2019](https://standards.iteh.ai/catalog/standards/sist/0e716d0c-9855-4287-ba15-03265647b166/iec-60335-2-2-2019)

<https://standards.iteh.ai/catalog/standards/sist/0e716d0c-9855-4287-ba15-03265647b166/iec-60335-2-2-2019>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-2: Particular requirements for vacuum cleaners
and water-suction cleaning appliances**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-2 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This seventh edition cancels and replaces the sixth edition published in 2009, Amendment 1:2012 and Amendment 2:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- some requirements for appliances for animal grooming have been modified (6.1, 25.7)
- the note in 7.101 has been deleted;
- converted some notes to normative text (7.102, 10.1, 11.3, 13.1, 15.2, 15.101, 19.101, 20.1, 20.2, 21.103, 21.105, 22.32, 25.23);

- clarification that the test of 19.7 is applicable to vacuum cleaners with a motorized brush or similar device;
- modified Annex R for alignment with 22.201 of Annex B;
- modified Annex S in accordance with IEC 60335-2-2:2009/ISH1:2016;
- requirements for mechanical strength of handles have been added (21.106).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61/5790/FDIS	61/5807/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This Part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for vacuum cleaners and water-suction cleaning appliances.

<https://standards.iteh.ai/catalog/standards/sist/0e716d0c-9855-4287-ba15-092656476166/iec-60335-2-2-2019>

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 3.1.9: Normal operation is defined differently and any control operating before 20 s is defeated when determining Pi (USA).
- 6.1: Class 0 appliances are allowed (Canada, Japan, USA).
- 6.1: Household vacuum cleaners are required to be class II or class III (Denmark and Norway).
- 6.2: IPX4 is not required (USA).
- 7.1: The additional marking for appliance outlets for accessories is not required (USA).
- 7.1: Appliance and outlet ratings are to be marked in amps. (USA).
- 10.1: The power input of booster settings is taken into account (USA).
- 11.3: Surface temperatures are measured with thermocouples (USA).
- 11.5: Booster settings are activated every 2 min out of 8 min (USA).
- 11.7: The test is carried out with one-third of the cord unreel until steady conditions are established (USA).
- 11.8: Surface temperature limits are different (USA).
- 15.2: The test is carried out differently (USA).
- 16.3: The test is carried out differently (USA).
- 21.106 The test is carried out differently (USA).

STANDARD PREVIEW
(standards.iteh.ai)

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

(standards.iteh.ai)

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

<https://standards.iteh.ai/catalog/standards/sist/0e716d0c-9855-4287-ba15-0520347b984e/iec-60335-2-2:2019>

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-2: Particular requirements for vacuum cleaners and water-suction cleaning appliances

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric vacuum cleaners and **water-suction cleaning appliances** for household and similar purposes, including vacuum cleaners for animal grooming, their **rated voltage** being not more than 250 V. It also applies to **centrally-sited vacuum cleaners** and **automatic battery-operated cleaners**.

This standard also applies to **motorized cleaning heads** and current-carrying hoses associated with a particular vacuum cleaner.

Battery-operated appliances and other DC supplied appliances are within the scope of this standard. Dual supply appliances, either mains supplied or battery-operated, are regarded as **battery-operated appliances** when operated in the battery mode.

Appliances not intended for normal household use, but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops and other premises for normal housekeeping purposes, are within the scope of this standard.

NOTE 101 Examples of such appliances are appliances intended to be used for normal housekeeping purposes in hotels, offices, schools, hospitals and similar premises.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge
 prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements can be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 103 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- wet and dry vacuum cleaners, including power brush, for commercial use (IEC 60335-2-69).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

IEC TS 62885-1: 2018, *Surface cleaning appliances – Part 1: General requirements on test material and test equipment*

ISO 216, *Writing paper and certain classes of printed matter – Trimmed sizes – A and B series, and indication of machine direction*

ISO 6344-2, *Coated abrasives – Grain size analysis – Part 2: Determination of grain size distribution of macrogrits P12 to P220*

ISO 7010:2011, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 14688-1, *Geotechnical investigation and testing – Identification and classification of soil – Part 1: Identification and description*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

[IEC 60335-2-2:2019](https://standards.iteh.ai/catalog/standards/sis/0e716d0c-9855-4287-ba15-03265647b166/iec-60335-2-2-2019)

3.1 Definitions relating to physical characteristics

3.1.4 *Addition:*

Note 101 to entry: For appliances incorporating a **booster setting**, the **rated power input** corresponds to the operation of the appliance without the **booster setting** being used.

3.1.9 *Replacement:*

normal operation

operation of the appliance under the following conditions:

The appliance is supplied at **rated voltage** and operated continuously with the air inlet adjusted to give a power input P_m after 20 s

Three minutes later, a final adjustment of the air inlet is made, if necessary.

P_m is calculated from the formula

$$P_m = 0,5 (P_f + P_i)$$

where

P_f is the power input in watts, after 3 min of operation with the air inlet unobstructed. Any device that ensures a flow of air to cool the motor in the event of a blockage of the main air inlet is allowed to operate;

P_i is the power input in watts, after a further 20 s of operation with the air inlet blocked. Any device that is adjustable without the aid of a **tool**, and which ensures a flow of air to cool the motor in the event of a blockage of a main air inlet, is rendered inoperative. If P_i has a

rapid non-linear decrease or cannot be measured due to the appliance suction motor stopping before 20 s, the air inlet is gradually blocked to the extent that the motor stops after 20 ± 0.5 s. In this case, P_i is the maximum value of power input in the last two seconds before the motor shuts off.

If the appliance is marked with a **rated voltage range**, it is supplied at the mean value of the range if the difference between the limits of the range does not exceed 10 % of the mean value. If the difference exceeds 10 %, the supply voltage is the upper value of the range.

The measurements are made with the appliance fitted with a clean dust bag and filter, any water collection container being empty. If the appliance is intended to be used only with a hose, detachable nozzles and tubes are removed and the hose is laid out straight. If the appliance is provided with a hose as an accessory, it is operated without the hose.

Rotating brushes and similar devices are in operation but not in contact with any surface. **Motorized cleaning heads** are connected by means of the hose or tube and are in operation but not in contact with any surface.

Appliance outlets for other accessories are loaded with a resistive load in accordance with the marking.

Automatic battery-operated cleaners are operated with a clean dust bag or filter on the carpet meeting the construction specifications given in Table 1 in IEC TS 62885-1:2018. A frame of 1,5 m by 1,5 m is used on the carpet to limit the area of action. The air inlet is unobstructed.

3.5 Definitions relating to types of appliances

3.5.101

ash vacuum cleaner

vacuum cleaner intended to vacuum cold ash from fireplaces, chimneys, ovens, ash-trays and similar places of ash accumulation

3.5.102

automatic battery-operated cleaner

vacuum cleaner that operates without human control only within a defined perimeter, within a pre-programmed area or in an area self-controlled by the appliance

Note 1 to entry: The cleaner consists of the mobile part and may have a **docking station**.

3.5.103

centrally-sited vacuum cleaner

vacuum cleaner that is connected to a ducting system installed in the building

Note 1 to entry: During use, the nozzle and its associated hose are connected to one of the suction inlets of the ducting system.

3.5.104

water-suction cleaning appliance

appliance for aspirating an aqueous solution that may contain foaming detergent

3.6 Definitions relating to parts of an appliance

3.6.101

docking station

unit that may provide

- manual or automatic battery charging facilities,
- dust removal,
- data processing facility, and

– suction for the mobile part

Note 1 to entry: A **docking station** is also known as a base unit.

3.6.102

motorized cleaning head

accessory containing a motor that is supplied from the vacuum cleaner and which is attached to the end of a hose or tube

3.8 Definitions relating to miscellaneous matters

3.8.101

booster setting

position of a control resulting in a temporary higher power input that is automatically reduced to the power input value when the setting is not used

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

5.2 Addition:

A new hose is used for each of the tests of 21.101 to 21.105. The test of 19.105 may be carried out on a separate appliance. [IEC 60335-2-2:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/0e716d0c-9855-4287-ba15-032765647b16/iec-60335-2-2-2019>

5.101 *Current-carrying hoses operating at **safety extra-low voltage** are not subjected to the tests of 21.101 to 21.105.*

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Vacuum cleaners and **water-suction cleaning appliances** shall be **class I**, **class II** or **class III**.

Vacuum cleaners for animal grooming shall be **class II** or **class III**.

Stationary parts of **automatic battery-operated cleaners** may be **class 0** if the **rated voltage** does not exceed 150 V.

6.2 Addition:

Vacuum cleaners for animal grooming and **water-suction cleaning appliances** shall be at least IPX4.


7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

The appliance shall be marked with the sum of its **rated power input** and the maximum load of the appliance outlet in watts (if applicable). **Ash vacuum cleaners** shall be marked with symbol ISO 7000-0434A (2004-01), symbol ISO 7000-0790 (2004-01) and Warning sign ISO 7010 W021(2011-06).

7.6 Addition:



[symbol IEC 60417-5935 (2012-09)]

motorized cleaning head for water suction cleaning



[Warning sign ISO 7010 W021(2011-06)]

warning; risk of fire/flammable materials

7.12 Addition:

The instructions for appliances having a current-carrying hose operating at other than **safety extra-low voltage** shall include the substance of the following:

CAUTION: This hose contains electrical connections;

- do not use to suck up water (for vacuum cleaners only);
- do not immerse in water for cleaning;
- the hose should be checked regularly and must not be used if damaged.

The instructions for vacuum cleaners incorporating rotating brushes or similar devices, and **water-suction cleaning appliances**, shall state that the plug must be removed from the socket-outlet before cleaning or maintaining the appliance.

If symbol IEC 60417-5935 (2012-09) is used, its meaning shall be explained.

7.12.1 Addition:

The instructions for **ash vacuum cleaners** shall include the substance of the following:

This appliance is intended to pick up cold ash from fireplaces, chimneys, ovens, ash-trays, and similar places of ash accumulation.

WARNING: Risk of fire

- do not pick up hot, glowing or burning ash. Pick up cold ash only;
- the dust container must be emptied and cleaned before and after each use;
- do not use paper dust bags or bags made from similar flammable materials;
- do not use any other vacuum cleaner to vacuum ash;
- do not rest the ash vacuum cleaner on flammable or polymeric surfaces, including carpeting and vinyl tile.

7.14 Addition:

The height of symbol IEC 60417-5935 (2012-09), symbol ISO 7000-0434A (2004-01), symbol ISO 7000-0790 (2004-01) and Warning sign ISO 7010 W021 (2011-06) shall be at least 15 mm.

Compliance is checked by measurement.

7.15 Addition:

Symbol ISO 7000-0434A (2004-01) shall be located next to symbol ISO 7000-0790 (2004-01).

7.101 Motorized cleaning heads shall be marked with

- **rated voltage** or **rated voltage range** in volts;
- **rated power input** in watts;
- name, trade mark or identification mark of the manufacturer or responsible vendor;
- model or type reference.

Motorized cleaning heads for water-suction cleaning appliances shall be marked with symbol IEC 60417-5935 (2012-09).

Compliance is checked by inspection.

7.102 Appliance outlets for accessories shall be marked with the maximum load in watts. This marking may be on the appliance close to the appliance outlet.

Compliance is checked by inspection.

<https://standards.iec.org/catalog/standards/sist/0e716d0c-9855-4287-ba15-03265647b166/iec-60335-2-2-2019>

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 Addition:

If the instructions state that a part is to be removed when replacing a lamp or a drive belt, and a **tool** is required for its removal, the part is not considered to be a **detachable part** provided that

- an instruction to disconnect the appliance from the supply before opening is marked on the cover or is visible during its removal; and
- after removal of the cover, access to **live parts** is prevented by at least **basic insulation**.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Addition:

*The power input of **motorized cleaning heads** is measured separately.*