



Edition 2.1 2022-03 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 1-2: Special requirements for testing of thin-film Cadmium Telluride (CdTe) based photovoltaic (PV) modules

Modules photovoltaïques (PV) pour applications terrestres – Qualification de la conception et homologation – de si 96672d2-8666-4495-8252-914035964097/ee-Partie 1-2: Exigences particulières d'essai des modules photovoltaïques (PV) au tellurure de cadmium (CdTe) à couches minces





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.





Edition 2.1 2022-03 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 1-2: Special requirements for testing of thin-film Cadmium Telluride (CdTe) based photovoltaic (PV) modules

Modules photovoltaïques (PV) pour applications terrestres – Qualification de la conception et homologation – ads/sist/96072d2-8664-4495-8252-914035964097/cc-Partie 1-2: Exigences particulières d'essai des modules photovoltaïques (PV) au tellurure de cadmium (CdTe) à couches minces

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 27.160

ISBN 978-2-8322-1097-0

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61215-1-2:202

https://standards.iteh.ai/catalog/standards/sist/9f6d72d2-86bd-4495-8252-914035964097/iec-61215-1-2-2021





Edition 2.1 2022-03 CONSOLIDATED VERSION

REDLINE VERSION

VERSION REDLINE



Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 1-2: Special requirements for testing of thin-film Cadmium Telluride (CdTe) based photovoltaic (PV) modules

Modules photovoltaïques (PV) pour applications terrestres – Qualification de la conception et homologation – advis 96672d2-8666-4495-8252-914035964097/ee-Partie 1-2: Exigences particulières d'essai des modules photovoltaïques (PV) au tellurure de cadmium (CdTe) à couches minces



CONTENTS

FOF	REWORD	4		
1	Scope	6		
2	Normative references	6		
3	Terms and definitions	7		
4	Test samples	7		
5	Marking and documentation			
	5.1 Name plate			
	5.2 Documentation			
6	Testing			
7	Pass criteria			
8	Major visual defects			
9	Report			
	•			
10	Modifications			
11	Test flow and procedures			
	11.1 Visual inspection (MQT 01)			
	11.2 Maximum power determination (MQT 02)			
	11.3 Insulation test (MQT 03)			
	 Measurement of temperature coefficients (MQT 04) Placeholder section, formerly NMOT 			
	 Placeholder section, formerly NMOT. Performance at STC (MQT 06.1). 			
	11.7 Performance at low irradiance (MQT 07)			
	11.8 $_{\text{Cl}}$ Outdoor exposure test (MQT 08)			
	11.9 Hot-spot endurance test (MQT 09)			
	11.9.1 Purpose			
	11.9.2 Hot-spot effect			
	11.9.3 Classification of cell interconnection			
	11.9.4 Apparatus			
	11.9.5 Procedure	10		
	11.9.6 Final measurements	10		
	11.9.7 Requirements	10		
1	11.10 UV preconditioning test (MQT 10)	10		
1	11.11 Thermal cycling test (MQT 11)	10		
1	11.12 Humidity-freeze test (MQT 12)			
1	11.13 Damp heat test (MQT 13)			
1	11.14 Robustness of terminations (MQT 14)			
	11.15 Wet leakage current test (MQT 15)			
	11.16 Static mechanical load test (MQT 16)			
	I1.17 Hail test (MQT 17)			
	I1.18 Bypass diode testing (MQT 18)			
1	11.19 Stabilization (MQT 19)			
	11.19.1 Criterion definition for stabilization			
	11.19.2 Light induced stabilization procedures			
	11.19.3 Other stabilization procedures			
	11.19.4 Initial stabilization (MQT 19.1)			
	11.19.5 Final stabilization (MQT 19.2)	12		

IEC 6121	5-1-2:2021+AMD1:2022 CSV	- 3 -	
© IEC 202	22		
11.20 Cyclic (dynamic) mechanical load test (MQT 20)			12
11.21	Potential induced degradation	test (MQT 21)	12
11.22	Bending test (MQT 22)		

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61215-1-2:202

https://standards.iteh.ai/catalog/standards/sist/9f6d72d2-86bd-4495-8252-914035964097/iec-61215-1-2-2021 - 4 - IEC 61215-1-2:2021+AMD1:2022 CSV © IEC 2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TERRESTRIAL PHOTOVOLTAIC (PV) MODULES – DESIGN QUALIFICATION AND TYPE APPROVAL –

Part 1-2: Special requirements for testing of thin-film Cadmium Telluride (CdTe) based photovoltaic (PV) modules

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61215-1-2 edition 2.1 contains the second edition (2021-02) [documents 82/1825/FDIS and 82/1850/RVD] and its amendment 1 (2022-03) [documents 82/1996/FDIS and 82/2020/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication. IEC 61215-1-2:2021+AMD1:2022 CSV - 5 - © IEC 2022

International Standard IEC 61215-1-2 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) A cyclic (dynamic) mechanical load test (MQT 20) added.
- b) A test for detection of potential-induced degradation (MQT 21) added.
- c) A bending test (MQT 22) for flexible modules added.

Informative Annex A, of 61215-1:2021, explains the background and reasoning behind some of the more substantial changes that were made in the IEC 61215 series in progressing from edition 1 to edition 2.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with IEC 61215-1:2021 and IEC 61215-2:2021.

A list of all parts in the IEC 61215 series, published under the general title *Terrestrial photovoltaic (PV) modules – Design qualification and type approval,* can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

reconfirmed,

IEC 61215-1-2:2021

- hwithdrawhards.iteh.ai/catalog/standards/sist/9f6d72d2-86bd-4495-8252-914035964097/iec-
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TERRESTRIAL PHOTOVOLTAIC (PV) MODULES – DESIGN QUALIFICATION AND TYPE APPROVAL –

Part 1-2: Special requirements for testing of thin-film Cadmium Telluride (CdTe) based photovoltaic (PV) modules

1 Scope

This document lays down requirements for the design qualification of terrestrial photovoltaic modules suitable for long-term operation in open-air climates. The useful service life of modules so qualified will depend on their design, their environment and the conditions under which they are operated. Test results are not construed as a quantitative prediction of module lifetime.

In climates where 98th percentile operating temperatures exceed 70 °C, users are recommended to consider testing to higher temperature test conditions as described in IEC TS 63126. Users desiring qualification of PV products with lesser lifetime expectations are recommended to consider testing designed for PV in consumer electronics, as described in IEC 63163 (under development). Users wishing to gain confidence that the characteristics tested in IEC 61215 appear consistently in a manufactured product may wish to utilize IEC 62941 regarding quality systems in PV manufacturing.

This document is intended to apply to all thin-film CdTe based terrestrial flat plate modules. As such, it addresses special requirements for testing of this technology supplementing IEC 61215-1:2021 and IEC 61215-2:2021 requirements for testing.

This document does not apply to modules used with concentrated sunlight although it may be utilized for low concentrator modules (1 to 3 suns). For low concentration modules, all tests are performed using the irradiance, current, voltage and power levels expected at the design concentration.

The object of this test sequence is to determine the electrical characteristics of the module and to show, as far as possible within reasonable constraints of cost and time, that the module is capable of withstanding prolonged exposure outdoors. Accelerated test conditions are empirically based on those necessary to reproduce selected observed field failures and are applied equally across module types. Acceleration factors may vary with product design and thus not all degradation mechanisms may manifest. Further general information on accelerated test methods including definitions of terms may be found in IEC 62506.

Some long-term degradation mechanisms can only reasonably be detected via component testing, due to long times required to produce the failure and necessity of stress conditions that are expensive to produce over large areas. Component tests that have reached a sufficient level of maturity to set pass/fail criteria with high confidence are incorporated into the IEC 61215 series via addition to Table 1 in IEC 61215-1. In contrast, the tests procedures described in this series, in IEC 61215-2, are performed on modules.

This document defines PV technology dependent modifications to the testing procedures and requirements per IEC 61215-1:2021 and IEC 61215-2:2021.

2 Normative references

The normative references of IEC 61215-1:2021 and IEC 61215-2:2021 are applicable without modifications.

IEC 61215-1-2:2021+AMD1:2022 CSV - 7 - © IEC 2022

3 Terms and definitions

This clause of IEC 61215-1:2021 is applicable-without with the following modifications.

Add the following new terms:

3.13

reduced mechanical load

module where the test load in MQT 16 is less than 2 400 Pa

Note 1 to entry: 2 400 Pa was required in earlier versions of the IEC 61215 series for all technologies (e.g. IEC 61215-2:2021).

3.14

restricted access area

area accessible only to electrically skilled persons and electrically instructed persons with the proper authorization

EXAMPLE Utility-scale PV installations which are protected against public access by fences, location, etc., and where only persons skilled, trained or instructed in electrical safety have access.

[SOURCE: IEC 60050-195:1998, 195-04-04, modified – The example has been added]

4 Test samples ch STANDARD PREVIEW

This clause of IEC 61215-1:2021 is applicable without modifications.

5 Marking and documentation

IEC 61215-1-2:2021

This clause of IEC 61215-1:2021 is applicable without with the following modifications.

5.1 Name plate

Each module shall include the following clear and indelible markings:

Add the following new items:

I) For modules with reduced mechanical load: the range of positive and negative design loads [Pa] the module manufacturer's recommended mounting configurations will allow, preceded by the phrase, "reduced mechanical design load" and followed by the phrases "Not for roof mount. For ground mounted installations with restricted access only. May only be used in systems designed by a licensed professional engineer."

EXAMPLE:

Reduced mechanical design load: ± 800 Pa.

Not for roof mount. For ground mounted installations with restricted access only. May only be used in systems designed by a licensed professional engineer.

m) For modules with reduced mechanical load: Type or model number designation shall contain a unique identification that it is used for reduced mechanical load.

EXAMPLE:

Regular mechanical load module type designation: M300W. Reduced mechanical load module type designation: M300W-X. Where -X can be e.g. a combination of letters or numbers.

5.2 Documentation

5.2.2 Information to be given in the documentation

Add the following new item:

r) For modules with reduced mechanical load, the documentation shall contain the following: "When PV modules are intended to be installed in an engineered scenario by qualified personnel such as in a ground mounted utility scale application with restricted access, they may be designed for lower loads. The test load may be lower than 2 400 Pa but greater than 1 200 Pa (or any load in between) with a safety factor of 1,5; corresponding to design loads of 1 600 Pa and 800 Pa (or any load in between), respectively, for the down (positive) pressures and uplift (negative) pressures. These modules may be used in array locations where the module mounting and structure in combination are designed to meet a specific design load by the installer. Alternatively, modules having a higher minimum test load compatible to the required site-specific loads may be used. The reduced load modules cannot be used on a rooftop."

NOTE Many large PV installations of today are designed, engineered, and installed by qualified experts in the electrical, mechanical and structural fields per the prevailing local codes. Designers utilize allowances in building codes to target certain locations in the array to handle higher loading than other areas. The manufacturer mounting configurations, stated design loads and test safety factors are utilized in the overall system design approach.

6 Testing

This clause of IEC 61215-1:2021 is applicable with the following modifications:

Special care has to be taken for stabilizing the power output of the module using MQT 19 procedure with specific requirements stated in 11.19 below.

7 Pass criteria

<u>IEC 61215-1-2:2021</u>

https://standards.iteh.ai/catalog/standards/sist/9f6d72d2-86bd-4495-8252-914035964097/iec-This clause of IEC 61215-1:2021 is applicable with the following modifications:

The maximum allowable value of reproducibility is set to r = 2,0 %.

The maximum allowable value of measurement uncertainty is set to $m_1 = 4,0$ % for modules containing single-junction cells, and $m_1 = 5,0$ % for modules containing multi-junction cells.

8 Major visual defects

This clause of IEC 61215-1:2021 is applicable without modifications.

9 Report

This clause of IEC 61215-1:2021 is applicable without modifications.

10 Modifications

This clause of IEC 61215-1:2021 is applicable without modifications.

11 Test flow and procedures

The test flow from IEC 61215-1:2021 is applicable with the following modifications.

IEC 61215-1-2:2021+AMD1:2022 CSV - 9 - © IEC 2022

Table 3 – Summary of test levels

Replace:

Test	Section in IEC 61215-2 Ed.2	Title	Test conditions
MQT 16	4.16	Static mechanical load test	Three cycles of uniform load specified by the manufacturer, applied for 1 h to front and back surfaces in turn. Minimum test load: 2 400 Pa

by:

Test	Subclause in IEC 61215-2 Ed.2	Title	Test conditions
MQT 16	4.16	Static mechanical load test	Three cycles of uniform load specified by the manufacturer, applied for 1 h to front and back surfaces in turn. Minimum test load: ≥ 1 200 Pa as defined by the manufacturer (for modules with "reduced design load" marking); 2 400 Pa (for modules without additional marking)

11.1 Visual inspection (MQT 01)

This test of IEC 61215-2:2021 is applicable without modifications.

11.2 Maximum power determination (MQT 02)

This test of IEC 61215-2:2021 is applicable without modifications.

https://standards.iteh.ai/catalog/standards/sist/9f6d72d2-86bd-4495-8252-914035964097/iec-

11.3 Insulation test (MQT 03) 61215-1-2-

This test of IEC 61215-2:2021 is applicable without modifications.

11.4 Measurement of temperature coefficients (MQT 04)

This test of IEC 61215-2:2021 is applicable without modifications.

11.5 Placeholder section, formerly NMOT

This subclause of IEC 61215-2:2021 does not require technology-specific modifications.

11.6 Performance at STC (MQT 06.1)

This test of IEC 61215-2:2021 is applicable without modifications.

11.7 Performance at low irradiance (MQT 07)

This test of IEC 61215-2:2021 is applicable without modifications.

11.8 Outdoor exposure test (MQT 08)

This test of IEC 61215-2:2021 is applicable without modifications.

11.9 Hot-spot endurance test (MQT 09)

This test of IEC 61215-2:2021 is applicable with the following modifications:

CdTe thin-film modules may exhibit performance changes with extended time in storage without light exposure (the "dark soak" effect). In order to minimize the influence of this dark soak effect, limit the time delay between the outdoor exposure or stabilization and the hot spot procedure to within 2 to 3 days. During the first hour after the hot-spot procedure is complete, no additional heating or light beyond room ambient shall be applied. If the time delay is to exceed 1 h, the modules are to be stored in the dark at ≤ 25 °C.

11.9.1 Purpose

This subclause of IEC 61215-2:2021, test MQT 09, is applicable without modifications.

11.9.2 Hot-spot effect

This subclause of IEC 61215-2:2021, test MQT 09, is applicable without modifications.

11.9.3 Classification of cell interconnection

This subclause of IEC 61215-2:2021, test MQT 09, is applicable without modifications.

11.9.4 Apparatus

This subclause of IEC 61215-2:2021, test MQT 09, is applicable without modifications.

11.9.5 Procedure

MQT 09.2 of IEC 61215-2:2021 shall be performed for any MLI module design.

indards.iteh.a

If the module is constructed by interconnection of cell-like substructures, MQT 09.1 of IEC 61215-2:2021 may be applicable.

IEC 61215-1-2:2021

11.9.6 // Final measurements /standards/sist/9f6d72d2-86bd-4495-8252-914035964097/iec-

This subclause of IEC 61215-2:2021, test MQT 09, is applicable without modifications.

11.9.7 Requirements

This subclause of IEC 61215-2:2021, test MQT 09, is applicable without modifications.

11.10 UV preconditioning test (MQT 10)

This test of IEC 61215-2:2021 is applicable without modifications.

11.11 Thermal cycling test (MQT 11)

This test of IEC 61215-2:2021 is applicable with the following modifications:

The technology specific current which needs to be applied according to MQT 11 of IEC 61215-2:2021 shall be equal to $0,1 \times$ STC peak power current. If $0,1 \times$ STC peak power current is less than 100 mA, then 100 mA may be applied instead.

11.12 Humidity-freeze test (MQT 12)

This test of IEC 61215-2:2021 is applicable without modifications.

11.13 Damp heat test (MQT 13)

This test of IEC 61215-2:2021 is applicable without modifications.

IEC 61215-1-2:2021+AMD1:2022 CSV - 11 - © IEC 2022

11.14 Robustness of terminations (MQT 14)

This test of IEC 61215-2:2021 is applicable without modifications.

11.15 Wet leakage current test (MQT 15)

This test of IEC 61215-2:2021 is applicable without modifications.

11.16 Static mechanical load test (MQT 16)

This test of IEC 61215-2:2021 is applicable without with the following modifications to Clause 4.

4 Test procedures

4.16 Static mechanical load test (MQT 16)

4.16.1 Purpose

Replace:

The minimum required design load per this standard is 1 600 Pa, resulting in a minimum test load of 2 400 Pa.

by:

The minimum required design load per this document depends on the nameplate marking. For modules without special notification on the nameplate, the minimum design load is 1 600 Pa, resulting in a minimum test load of 2 400 Pa. For modules with the "reduced design load" notification on the nameplate and in the documentation, the minimum design load is 800 Pa, which results in a minimum test load of 1 200 Pa.

11.17 Hail test (MQT 17)

This test of IEC 61215-2:2021 is applicable without modifications.

11.18 Bypass diode testing (MQT 18)

This test of IEC 61215-2:2021 is applicable without modifications.

11.19 Stabilization (MQT 19)

This test of IEC 61215-2:2021 is applicable with the following modifications:

11.19.1 Criterion definition for stabilization

For the definition of stabilization as per MQT 19 of IEC 61215-2:2021 x = 0.02 shall be used.

Any kind of storage shall be done at temperature below 25 °C to avoid thermally activated processes affecting MQT 06.1 of IEC 61215-2:2021 measurement.

11.19.2 Light induced stabilization procedures

This test of IEC 61215-2:2021 is applicable without modifications.

11.19.3 Other stabilization procedures

This test of IEC 61215-2:2021 is applicable without modifications.