

INTERNATIONAL STANDARD

NORME INTERNATIONALE




Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –

Part 2-6: Tests – Tensile strength of coupling mechanism

Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures –

Partie 2-6: Essais – Résistance à la traction du mécanisme de couplage

<https://standards.iteh.ai/catalog/standards/iec/29e76b01-53d4-4cd6-b895-fa6bf72bc1c3/iec-61300-2-6-2023>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –
Part 2-6: Tests – Tensile strength of coupling mechanism**

**Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures –
Partie 2-6: Essais – Résistance à la traction du mécanisme de couplage**

<https://standards.iteh.ai/catalog/standards/iec/29e76b01-53d4-4cd6-b895-fa6bf72bc1c3/iec-61300-2-6-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.20

ISBN 978-2-8322-7875-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Apparatus.....	5
4.1 General.....	5
4.2 Force generator	6
4.3 Force gauge	7
4.4 Clamping device	7
4.5 DUT mount	7
5 Procedure.....	7
5.1 General.....	7
5.2 Preconditioning.....	7
5.3 Prepare DUT.....	7
5.4 Initial visual examinations and measurements.....	7
5.5 Mount DUT	7
5.6 Apply load.....	8
5.7 Recovery	8
5.8 Final examination and measurements	8
6 Severity	8
7 Details to be specified and reported.....	9
Bibliography.....	10
Figure 1 – Example of test apparatus.....	6
Table 1 – Recommended severity values	8

<https://standards.iteh.ai/catalog/standards/iec/29e76b01-53d4-4cd6-b895-fa6bf72bc1c3/iec-61300-2-6-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING
DEVICES AND PASSIVE COMPONENTS –
BASIC TEST AND MEASUREMENT PROCEDURES –****Part 2-6: Tests – Tensile strength of coupling mechanism**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61300-2-6 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of normative references;
- b) modification of the details to be specified;

c) addition of optical monitoring.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86B/4808/FDIS	86B/4825/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61300 series, published under the general title *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IEC 61300-2-6:2023

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 2-6: Tests – Tensile strength of coupling mechanism

1 Scope

This part of IEC 61300 describes a test to ensure the coupling mechanism of a connector set or connector and device combination withstands the axial loads likely to be applied during normal service, and that the optical performance remains within the given specifications during this test.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-3-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination*

IEC 61300-3-3, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-3: Examinations and measurements – Active monitoring of change in attenuation and return loss*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61300-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:


- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Apparatus

4.1 General

The test apparatus shall be capable of applying an axial load in a direction that separates the components. The tensile load is smoothly applied to the device under test (DUT) that consists of a mated connector pair or connector and device combination.

An example of a test apparatus is shown in Figure 1. Some or all the following apparatus components are required.



IEC

Key

- 1 force generator
- 2 force gauge
- 3 monitoring optical cable
- 4 connector plug
- 5 clamping device
- 6 adaptor or connector receptacles
- 7 DUT mount

Figure 1 – Example of test apparatus

4.2 Force generator

The force generator shall be capable of smoothly applying the specified force at the specified rate.

4.3 Force gauge

A force gauge shall be used to measure the axial force applied to the DUT.

4.4 Clamping device

A suitable clamping device shall be used to transmit the force from the force generator to the connector plug or coupling mechanism. Ensure that, in the design and use of the clamping device, it does not apply compressive forces which can influence the mechanical performance of the connector plug or coupling mechanism, and allows mating the connectors for optical monitoring. For connector types with a de-latching mechanism (e.g. SC, MPO) a particular design shall be used in order to clamp the inner part of these connectors as the axial load cannot be applied directly to the outer body which de-latches the connector plug. Alternatively, a mandrel wrap on the cable may be used. However, the mandrel wrap shall be of sufficient diameter to not cause additional attenuation. If a mandrel wrap on the cable is used, the cable shall be reinforced cable. The distance between the rearmost point of the cable fixing component of the DUT and the centre point of the mandrel shall be between 200 mm and 300 mm. If a failure occurs while utilizing the alternate mandrel wrap method, the failure should be investigated to ensure the failure was due to the latching mechanism.

4.5 DUT mount

The mounting feature shall provide rigid fixing of the DUT and give enough clearance for plug connection. The bend radius of the associated monitoring optical fibre cables shall be large enough to avoid compromising the optical results.

5 Procedure

5.1 General

Mount the DUT according to normal mounting procedures. A tensile load is smoothly applied to a mated connector set or connector and device combination in a direction that will act to separate the components. The load is applied between the connector plug through the clamping device and the adaptor or the device being tested.

Unless otherwise specified, the test shall be performed at the standard atmospheric conditions specified in IEC 61300-1.

5.2 Preconditioning

Precondition all parts of each DUT for minimum 2 h at the standard atmospheric conditions.

5.3 Prepare DUT

Assemble all parts of the DUT according to the manufacturer's instructions. For screw type couplings, a torque wrench may be used to ensure that the couplings are tightened to the proper torque value.

5.4 Initial visual examinations and measurements

Visually examine each DUT and its components in accordance with IEC 61300-3-1.

Measure the initial optical performance of each DUT as required by the relevant specification.

5.5 Mount DUT

Securely mount one part of the DUT, the adaptor with connector plug or the device with connector receptacle to the stationary portion of the test fixture. Mount the other part of the

DUT, usually the connector plug or coupling mechanism, to the movable portion of the force generator attached clamping device or the mandrel.

Make sure the monitoring optical fibre cables connected for optical monitoring do not interfere with the test equipment and do not present bending or tension that can influence the results of the active optical monitoring.

Start the monitoring of the optical performance according to IEC 61300-3-3 and make a measurement of the optical performance before applying the load.

5.6 Apply load

Smoothly apply the tensile load, as recommended in Table 1. Meanwhile, take the optical measurements at the interval and wavelengths required by the relevant IEC 61753 performance standard.

After the load is applied for the specified duration, remove the tensile load from the DUT.

5.7 Recovery

Allow the DUT to remain under standard atmospheric conditions for at least 1 min, as defined in IEC 61300-1, unless otherwise specified in the relevant IEC 61753 performance standard.

5.8 Final examination and measurements

After the change of the optical performance according to IEC 61300-3-3 is measured and the tensile load is removed, stop the monitoring of the optical performance.

Remove the DUT from the DUT mount. Measure the final optical performance as required by the relevant IEC 61753 performance standard.

Visually examine each DUT and its component parts in accordance with IEC 61300-3-1. Check for evidence of cracking, permanent deformation or other damage which might impair its function or impact performance. Complete other final examinations on the DUT as required by the relevant IEC 61753 performance standard.

6 Severity

The severity of the test is dependent upon the magnitude of the tensile load and, to a lesser extent, the rate of application and duration of the load. Table 1 shows the specified test severities in relation to the performance categories. It is recommended to verify the test severities with the relevant IEC 61753 performance standards and IEC 62005 reliability documents for the normative values.

Table 1 – Recommended severity values

Category ^a	Tensile load N	Rate of application N/s	Duration s
C, C ^{HD} , OP, OP ^{HD} , OP ⁺ , OP ^{+HD}	40 ± 1	2	60
I, I ^{HD}	60 ± 1	2	60
E	40 ± 1	2	120

^a Categories are defined in IEC 61753-1.