



# SLOVENSKI STANDARD

## SIST EN 300 968 V8.0.1:2003

01-december-2003

---

8 [[ [H]b]`W] b]`h`Y`\_ca i b]`UW`g\_]`g]ghYa `fZuU&ZL`E;`cj cf`g`dc`cj ] bc` \ ]f`cg`ht`E`  
DfYg\_i`yU`bU`nU`dcfYX`U`nU`\_cXY`\_g]ghYa U; GA`nU[ cj cf`g`dc`cj ] bc` \ ]f`cg`ht`f] GA  
\$\*`\$+z`fU`h`] ]WU,`\$`%`z`]nXU`U`%`--`Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Half rate speech; Test sequences for the GSM half rate speech codec (GSM 06.07 version 8.0.1 Release 1999)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 968 V8.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/b79a223-b1bc-444d-946c-c5b5164dabc0/sist-en-300-968-v8-0-1-2003)

Ta slovenski standard je istoveten z: [EN 300 968 Version 8.0.1](https://standards.iteh.ai/catalog/standards/sist/b79a223-b1bc-444d-946c-c5b5164dabc0/sist-en-300-968-v8-0-1-2003)

#### ICS:

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--

**SIST EN 300 968 V8.0.1:2003**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 968 V8.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003>

# ETSI EN 300 968 V8.0.1 (2000-11)

European Standard (Telecommunications series)

**Digital cellular telecommunications system (Phase 2+);  
Half rate speech;  
Test sequences for the GSM half rate speech codec  
(GSM 06.07 version 8.0.1 Release 1999)**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

**GSM**®

GLOBAL SYSTEM FOR  
MOBILE COMMUNICATIONS

[SIST EN 300 968 V8.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003>



---

**Reference**

REN/SMG-110607Q8

---

**Keywords**Digital cellular telecommunications system,  
Global System for Mobile communications (GSM)**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 968 V8.0.1:2003<https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003>

---

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:  
editor@etsi.fr

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.  
All rights reserved.

# Contents

Intellectual Property Rights .....	4
Foreword .....	4
1 Scope.....	6
2 References .....	6
3 Definitions and abbreviations .....	6
3.1 Definitions .....	6
3.2 Abbreviations.....	7
4 General.....	7
5 Test sequence format .....	7
5.1 File format .....	7
5.2 Codec homing .....	8
6 Speech codec test sequences .....	8
6.1 Codec configuration .....	8
6.2 Speech codec test sequences .....	9
6.2.1 Speech encoder test sequences.....	9
6.2.2 Speech decoder test sequences.....	9
6.2.3 Codec homing sequence.....	9
7 DTX test sequences .....	10
7.1 Codec configuration .....	10
7.2 DTX test sequences .....	10
7.2.1 Predictor values computation.....	10
7.2.2 Spectral comparison .....	11
7.2.3 Threshold adaptation.....	11
7.2.4 Periodicity detection .....	11
7.2.5 Tone detection .....	11
7.2.6 Safety and initialization.....	11
7.2.7 Comfort noise test sequence .....	11
7.2.8 Real speech and tones .....	11
8 Sequences for finding the 20 ms framing of the GSM half rate speech encoder.....	12
8.1 Bit synchronization.....	12
8.2 Frame synchronization .....	12
8.3 Formats and sizes of the synchronization sequences.....	13
9 Trau Testing with 8 Bit A- and $\mu$ -law PCM Test Sequences .....	14
10 Test sequences for the GSM half rate speech codec .....	15
<b>Annex A (informative): Change Request History .....</b>	<b>16</b>
History .....	17

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Special Mobile Group (SMG).

An electronic attachment accompanies the present document, containing test sequences for a bit exact implementation of the half rate speech transcoder.

Archive en\_300968v080001p0.ZIP which accompanies the present document contains compressed files which are labelled as follows:

Disks24.zip	Clause 10: Test sequences for the GSM half rate speech codec; Disks 2 and 4 (GSM 06.07).
Disks135.zip	Clause 10: Test sequences for the GSM half rate speech codec; Disks 1, 3 and 5 (GSM 06.07).
Disks6A.zip	Clause 10: Test sequences for the GSM half rate speech codec; Disks 6 and 10 (GSM 06.07).
Disks7B.zip	Clause 10: Test sequences for the GSM half rate speech codec; Disks 7 and 11 (GSM 06.07).
Disks89.zip	Clause 10: Test sequences for the GSM half rate speech codec; Disks 8 and 9 (GSM 06.07).

The present document specifies the half rate speech traffic channels for the Digital cellular telecommunications system.

The present document specifies the digital test sequences for the GSM half rate speech codec for the digital cellular telecommunications system. The present document, is part of a series covering the half rate speech traffic channels as described below:

GSM 06.02	"Digital cellular telecommunications system (Phase 2+); Half rate speech; Half rate speech processing functions".
GSM 06.06	"Digital cellular telecommunications system (Phase 2+); Half rate speech; ANSI-C code for the GSM half rate speech codec".
<b>GSM 06.07</b>	<b>"Digital cellular telecommunications system (Phase 2+); Half rate speech; Test sequences for the GSM half rate speech codec".</b>
GSM 06.20	"Digital cellular telecommunications system (Phase 2+); Half rate speech; Half rate speech transcoding".
GSM 06.21	"Digital cellular telecommunications system (Phase 2+); Half rate speech; Substitution and muting of lost frames for half rate speech traffic channels".
GSM 06.22	"Digital cellular telecommunications system (Phase 2+); Half rate speech; Comfort noise aspects for half rate speech traffic channels".
GSM 06.41	"Digital cellular telecommunications system (Phase 2+); Half rate speech; Discontinuous Transmission (DTX) for half rate speech traffic channels".
GSM 06.42	"Digital cellular telecommunications system (Phase 2+); Half rate speech; Voice Activity Detector (VAD) for half rate speech traffic channels".

The contents of the present document is subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of the present document it will be re-released with an identifying change of release date and an increase in version number as follows:

Version 8.x.y

where:

- 8 indicates Release 1999 of GSM Phase 2+.
- x the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated in the specification.

<b>National transposition dates</b>	
Date of adoption of this EN:	3 November 2000
Date of latest announcement of this EN (doa):	28 February 2001
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2001
Date of withdrawal of any conflicting National Standard (dow):	31 August 2001

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 968 V8.0.1:2003](https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/fb79a223-b1bc-444d-946c-c5b3164dabc0/sist-en-300-968-v8-0-1-2003>

---

# 1 Scope

The present document specifies the digital test sequences for the GSM half rate speech codec. These sequences test for a bit exact implementation of the half rate speech transcoder (GSM 06.20 [2]), Voice Activity Detector (GSM 06.42 [6]), comfort noise (GSM 06.22 [4]) and the discontinuous transmission (GSM 06.41 [5]).

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- For this Release 1999 document, references to GSM documents are for Release 1999 versions (version 8.x.y).

- [1] GSM 01.04: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
- [2] GSM 06.20: "Digital cellular telecommunications system (Phase 2+); Half rate speech; Half rate speech transcoding".
- [3] GSM 06.21: "Digital cellular telecommunications system (Phase 2+); Half rate speech; Substitution and muting of lost frame for half rate speech traffic channels".
- [4] GSM 06.22: "Digital cellular telecommunications system (Phase 2+); Half rate speech; Comfort noise aspects for half rate speech traffic channels".
- [5] GSM 06.41: "Digital cellular telecommunications system (Phase 2+); Half rate speech; Discontinuous Transmission (DTX) for half rate speech traffic channels".
- [6] GSM 06.42: "Digital cellular telecommunications system (Phase 2+); Half rate speech; Voice Activity Detector (VAD) for half rate speech traffic channels".
- [7] GSM 06.06: "Digital cellular telecommunications system (Phase 2+); Half rate speech; ANSI-C code for the GSM half rate speech codec".
- [8] GSM 06.02: "Digital cellular telecommunications system (Phase 2+); Half rate speech; Half rate speech coding functions".

---

# 3 Definitions and abbreviations

## 3.1 Definitions

Definition of terms used in the present document can be found in GSM 06.20 [2], GSM 06.21 [3], GSM 06.22 [4], GSM 06.41 [5] and GSM 06.42 [6].



## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ETS	European Telecommunication Standard
GSM	Global System for Mobile communications

For abbreviations not given in this clause, see GSM 01.04 [1].

---

## 4 General

Digital test sequences are necessary to test for a bit exact implementation of the half rate speech transcoder (GSM 06.20 [2]), Voice Activity Detector (GSM 06.42 [6]), comfort noise (GSM 06.22 [4]) and the discontinuous transmission (GSM 06.41 [5]).

The test sequences may also be used to verify installations of the ANSI C code in GSM 06.06 [7].

Clause 5 describes the format of the files which contain the digital test sequences. Clause 6 describes the test sequences for the speech transcoder. Clause 7 describes the test sequences for the VAD, comfort noise and discontinuous transmission.

Clause 8 describes the method by which synchronization is obtained between the test sequences and the speech codec under test.

Clause 9 describes the optional acceptance testing of the speech encoder and decoder in the TRAU by means of 8 bit A- or  $\mu$ -law compressed test sequences on the A-Interface.

Electronic copies of the digital test sequences are provided as clause 10, these digital test sequences are contained in archive en\_300968v080001p0.ZIP which accompanies the present document.

---

## 5 Test sequence format

This clause provides information on the format of the digital test sequences for the GSM half rate speech transcoder (GSM 06.20 [2]), Voice Activity Detector (GSM 06.42 [6]), comfort noise (GSM 06.22 [4]) and the discontinuous transmission (GSM 06.41 [5]).

### 5.1 File format

The test sequence files are provided in archive en\_300968v080001p0.ZIP which accompanies the present document.

Following decompression, by execution of the 11 "disk\*.exe" files, four types of file are provided:

- Files for input to the GSM half rate speech encoder: \*.INP
- Files for comparison with the encoder output: \*.COD
- Files for input to the GSM half rate speech decoder: \*.DEC
- Files for comparison with the decoder output: \*.OUT

Tables 1, 2, 3 and 4 define the formats of the four types of file. Each parameter in these tables is contained in a 16 bit word except for the samples of the 8 bit PCM test sequences, which are contained in an 8 bit word each. The left or right justification is indicated in the tables. The size and location of speech parameters in the encoder output (\*.COD) and decoder input files (\*.DEC) are described in GSM 06.20 [2].