

INTERNATIONAL STANDARD



**Universal serial bus interfaces for data and power –
Part 1-3: Common components – USB Type-C™ Cable and Connector
Specification**

(<https://standards.iteh.ai>)

Document Preview

[IEC 62680-1-3:2018](https://standards.iteh.ai/catalog/standards/iec/6b6fb5d9-ad77-4065-914c-9eb11e0ca9a7/iec-62680-1-3-2018)

<https://standards.iteh.ai/catalog/standards/iec/6b6fb5d9-ad77-4065-914c-9eb11e0ca9a7/iec-62680-1-3-2018>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 USB-IF

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from IEC, or USB-IF at the respective address given below. Any questions about USB-IF copyright should be addressed to the USB-IF. Enquiries about obtaining additional rights to this publication and other information requests should be addressed to the IEC or your local IEC member National Committee.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Tel. +41 22 919 02 11
info@iec.ch
www.iec.ch

USB Implementers Forum, Inc.
3855 S.W. 153rd Drive
Beaverton, OR 97003
United States of America
Tel. +1 503-619-0426
Admin@usb.org
www.usb.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

<https://standards.iteh.ai/catalog/standards/iec/6b6fb5d9-ad77-4065-914c-9eb11e0ca9a7/iec-62680-1-3-2018>

<https://standards.iteh.ai/catalog/standards/iec/6b6fb5d9-ad77-4065-914c-9eb11e0ca9a7/iec-62680-1-3-2018>

INTERNATIONAL STANDARD



Universal serial bus interfaces for data and power –
Part 1-3: Common components – USB Type-C™ Cable and Connector
Specification

<https://standards.iteh.ai/iec/62680-1-3:2018>

<https://standards.iteh.ai/catalog/standards/iec/6b6fb5d9-ad77-4065-914c-9eb11e0ca9a7/iec-62680-1-3-2018>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.20; 33.120.30; 35.200

ISBN 978-2-8322-5749-4

Warning! Make sure that you obtained this publication from an authorized distributor.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIVERSAL SERIAL BUS INTERFACES FOR DATA AND POWER –

Part 1-3: Common components – USB Type-C™ Cable and Connector Specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62680-1-3 has been prepared by technical area 14: Interfaces and methods of measurement for personal computing equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2017 and constitutes a technical revision.

The text of this standard was prepared by the USB Implementers Forum (USB-IF). The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

This bilingual version (2019-01) corresponds to the monolingual English version, published in 2018-05.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/3011/CDV	100/3099/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62680 series is based on a series of specifications that were originally developed by the USB Implementers Forum (USB-IF). These specifications were submitted to the IEC under the auspices of a special agreement between the IEC and the USB-IF.

This standard is the USB-IF publication USB Type-C™ Cable and Connector Specification Revision 1.3 as of July 14, 2017.

The USB Implementers Forum, Inc.(USB-IF) is a non-profit corporation founded by the group of companies that developed the Universal Serial Bus specification. The USB-IF was formed to provide a support organization and forum for the advancement and adoption of Universal Serial Bus technology. The Forum facilitates the development of high-quality compatible USB peripherals (devices), and promotes the benefits of USB and the quality of products that have passed compliance testing.

ANY USB SPECIFICATIONS ARE PROVIDED TO YOU "AS IS," WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE USB IMPLEMENTERS FORUM AND THE AUTHORS OF ANY USB SPECIFICATIONS DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OR INFORMATION IN THIS SPECIFICATION.

THE PROVISION OF ANY USB SPECIFICATIONS TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

Entering into USB Adopters Agreements may, however, allow a signing company to participate in a reciprocal, RAND-Z licensing arrangement for compliant products. For more information, please see:

<http://www.usb.org/developers/docs/>

http://www.usb.org/developers/devclass_docs#approved

IEC DOES NOT TAKE ANY POSITION AS TO WHETHER IT IS ADVISABLE FOR YOU TO ENTER INTO ANY USB ADOPTERS AGREEMENTS OR TO PARTICIPATE IN THE USB IMPLEMENTERS FORUM.

Universal Serial Bus Type-C Cable and Connector Specification

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

Release 1.3
July 14, 2017

[IEC 62680-1-3:2018](https://standards.iteh.ai/catalog/standards/iec/62680-1-3:2018)

<https://standards.iteh.ai/catalog/standards/iec/62680-1-3:2018>

**Copyright © 2014-2017, USB 3.0 Promoter Group:
Apple Inc., Hewlett-Packard Inc., Intel Corporation, Microsoft
Corporation, Renesas, STMicroelectronics, and Texas Instruments
All rights reserved.**

NOTE: Adopters may only use the USB Type-C™ cable and connector to implement USB or third party functionality as expressly described in this Specification; all other uses are prohibited.

LIMITED COPYRIGHT LICENSE: The USB 3.0 Promoters grant a conditional copyright license under the copyrights embodied in the USB Type-C Cable and Connector Specification to use and reproduce the Specification for the sole purpose of, and solely to the extent necessary for, evaluating whether to implement the Specification in products that would comply with the specification. Without limiting the foregoing, use of the Specification for the purpose of filing or modifying any patent application to target the Specification or USB compliant products is not authorized. Except for this express copyright license, no other rights or licenses are granted, including without limitation any patent licenses. In order to obtain any additional intellectual property licenses or licensing commitments associated with the Specification a party must execute the USB 3.0 Adopters Agreement. NOTE: By using the Specification, you accept these license terms on your own behalf and, in the case where you are doing this as an employee, on behalf of your employer.

INTELLECTUAL PROPERTY DISCLAIMER

THIS SPECIFICATION IS PROVIDED TO YOU "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE AUTHORS OF THIS SPECIFICATION DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION. THE PROVISION OF THIS SPECIFICATION TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

All implementation examples and reference designs contained within this Specification are included as part of the limited patent license for those companies that execute the USB 3.0 Adopters Agreement.

USB Type-C™ and USB-C™ are trademarks of the Universal Serial Bus Implementers Forum (USB-IF). All product names are trademarks, registered trademarks, or service marks of their respective owners.

CONTENTS

FOREWORD.....	2
INTRODUCTION.....	4
1 Introduction	20
1.1 Purpose	20
1.2 Scope	20
1.3 Related Documents.....	21
1.4 Conventions.....	21
1.4.1 Precedence	21
1.4.2 Keywords	21
1.4.3 Numbering.....	22
1.5 Terms and Abbreviations	22
2 Overview	25
2.1 Introduction.....	25
2.2 USB Type-C Receptacles, Plugs and Cables	26
2.3 Configuration Process.....	28
2.3.1 Source-to-Sink Attach/Detach Detection.....	28
2.3.2 Plug Orientation/Cable Twist Detection.....	28
2.3.3 Initial Power (Source-to-Sink) Detection and Establishing the Data (Host-to-Device) Relationship.....	29
2.3.4 USB Type-C VBUS Current Detection and Usage	30
2.3.5 USB PD Communication.....	30
2.3.6 Functional Extensions.....	30
2.4 VBUS.....	31
2.5 VCONN.....	31
2.6 Hubs.....	32
3 Mechanical	32
3.1 Overview	32
3.1.1 Compliant Connectors	32
3.1.2 Compliant Cable Assemblies	32
3.1.3 Compliant USB Type-C to Legacy Cable Assemblies.....	32
3.1.4 Compliant USB Type-C to Legacy Adapter Assemblies.....	33
3.2 USB Type-C Connector Mating Interfaces.....	34
3.2.1 Interface Definition	34
3.2.2 Reference Designs	56
3.2.3 Pin Assignments and Descriptions.....	64
3.3 Cable Construction and Wire Assignments.....	65
3.3.1 Cable Construction (Informative)	65
3.3.2 Wire Assignments.....	67
3.3.3 Wire Gauges and Cable Diameters (Informative)	68
3.4 Standard USB Type-C Cable Assemblies.....	70
3.4.1 USB Full-Featured Type-C Cable Assembly.....	70
3.4.2 USB 2.0 Type-C Cable Assembly	71
3.4.3 USB Type-C Captive Cable Assemblies.....	72

3.5	Legacy Cable Assemblies	72
3.5.1	USB Type-C to <i>USB 3.1</i> Standard-A Cable Assembly	73
3.5.2	USB Type-C to <i>USB 2.0</i> Standard-A Cable Assembly	75
3.5.3	USB Type-C to <i>USB 3.1</i> Standard-B Cable Assembly	76
3.5.4	USB Type-C to <i>USB 2.0</i> Standard-B Cable Assembly	78
3.5.5	USB Type-C to <i>USB 2.0</i> Mini-B Cable Assembly	79
3.5.6	USB Type-C to <i>USB 3.1</i> Micro-B Cable Assembly	80
3.5.7	USB Type-C to <i>USB 2.0</i> Micro-B Cable Assembly	82
3.6	Legacy Adapter Assemblies	83
3.6.1	USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly	83
3.6.2	USB Type-C to <i>USB 2.0</i> Micro-B Receptacle Adapter Assembly	85
3.7	Electrical Characteristics	86
3.7.1	Raw Cable (Informative)	86
3.7.2	USB Type-C to Type-C Passive Cable Assemblies (Normative)	87
3.7.3	Mated Connector (Informative)	101
3.7.4	USB Type-C to Legacy Cable Assemblies (Normative)	105
3.7.5	USB Type-C to USB Legacy Adapter Assemblies (Normative)	109
3.7.6	Shielding Effectiveness Requirements (Normative)	112
3.7.7	DC Electrical Requirements (Normative)	114
3.8	Mechanical and Environmental Requirements (Normative)	117
3.8.1	Mechanical Requirements	117
3.8.2	Environmental Requirements	123
3.9	Docking Applications (Informative)	125
3.10	Implementation Notes and Design Guides	126
3.10.1	EMC Management (Informative)	126
3.10.2	Stacked and Side-by-Side Connector Physical Spacing (Informative)	128
3.10.3	Cable Mating Considerations (Informative)	129
4	Functional	130
4.1	Signal Summary	130
4.2	Signal Pin Descriptions	131
4.2.1	SuperSpeed USB Pins	131
4.2.2	USB 2.0 Pins	131
4.2.3	Auxiliary Signal Pins	131
4.2.4	Power and Ground Pins	131
4.2.5	Configuration Pins	131
4.3	Sideband Use (SBU)	132
4.4	Power and Ground	132
4.4.1	IR Drop	132
4.4.2	VBUS	133
4.4.3	VCONN	134
4.5	Configuration Channel (CC)	138
4.5.1	Architectural Overview	138
4.5.2	CC Functional and Behavioral Requirements	153
4.5.3	USB Port Interoperability Behavior	182
4.6	Power	195

4.6.1	Power Requirements during USB Suspend	196
4.6.2	VBUS Power Provided Over a USB Type-C Cable.....	197
4.7	USB Hubs	201
4.8	Power Sourcing and Charging.....	201
4.8.1	DFP as a Power Source.....	202
4.8.2	Non-USB Charging Methods	205
4.8.3	Sinking Host	205
4.8.4	Sourcing Device	205
4.8.5	Charging a System with a Dead Battery.....	205
4.8.6	USB Type-C Multi-Port Chargers	205
4.9	Electronically Marked Cables	208
4.9.1	Parameter Values	209
4.9.2	Active Cables	209
4.10	VCONN-Powered Accessories (VPAs) and VCONN-Powered USB Devices (VPDs)	209
4.10.1	VCONN-Powered Accessories (VPAs).....	210
4.10.2	VCONN-Powered USB Devices (VPDs)	210
4.11	Parameter Values	210
4.11.1	Termination Parameters	210
4.11.2	Timing Parameters	213
4.11.3	Voltage Parameters	216
5	Functional Extensions	217
5.1	Alternate Modes.....	217
5.1.1	Alternate Mode Architecture	217
5.1.2	Alternate Mode Requirements.....	218
5.1.3	Parameter Values	222
5.1.4	Example Alternate Mode – USB DisplayPort™ Dock.....	223
5.2	Managed Active Cables	225
5.2.1	Requirements for Managed Active Cables that respond to SOP' and SOP" ..	225
5.2.2	Cable Message Structure	226
5.2.3	Modal Cable Management	226
A	Audio Adapter Accessory Mode	228
A.1.	Overview	228
A.2.	Detail	228
A.3.	Electrical Requirements	230
A.4.	Example Implementations	231
A.4.1.	Passive 3.5 mm to USB Type-C Adapter – Single Pole Detection Switch	231
A.4.2.	3.5 mm to USB Type-C Adapter Supporting 500 mA Charge-Through.....	231
B	Debug Accessory Mode	233
B.1.	Overview	233
B.2.	Functional.....	233
B.2.1.	Signal Summary	235
B.2.2.	Port Interoperability	235
B.2.3.	Debug Accessory Mode Entry	235
B.2.4.	Connection State Diagrams	236
B.2.5.	DTS Port Interoperability Behavior.....	246

B.2.6. Orientation Detection 257

B.3. Security/Privacy Requirements: 257

C USB Type-C Digital Audio 258

C.1. Overview 258

C.2. USB Type-C Digital Audio Specifications 258

FIGURES

Figure 2-1 USB Type-C Receptacle Interface (Front View)..... 26

Figure 2-2 USB Full-Featured Type-C Plug Interface (Front View) 26

Figure 3-1 USB Type-C Receptacle Interface Dimensions..... 37

Figure 3-2 Reference Design USB Type-C Plug External EMC Spring Contact Zones 40

Figure 3-3 USB Full-Featured Type-C Plug Interface Dimensions 41

Figure 3-4 Reference Footprint for a USB Type-C Vertical Mount Receptacle (Informative) . 44

Figure 3-5 Reference Footprint for a USB Type-C Dual-Row SMT Right Angle Receptacle (Informative) 45

Figure 3-6 Reference Footprint for a USB Type-C Hybrid Right-Angle Receptacle (Informative) 46

Figure 3-7 Reference Footprint for a USB Type-C Mid-Mount Dual-Row SMT Receptacle (Informative) 47

Figure 3-8 Reference Footprint for a USB Type-C Mid-Mount Hybrid Receptacle (Informative) 48

Figure 3-9 Reference Footprint for a USB 2.0 Type-C Through Hole Right Angle Receptacle (Informative)..... 49

Figure 3-10 Reference Footprint for a USB 2.0 Type-C Single Row Right Angle Receptacle (Informative)..... 50

Figure 3-11 *USB 2.0* Type-C Plug Interface Dimensions 52

Figure 3-12 USB Type-C Plug EMC Shielding Spring Tip Requirements 55

Figure 3-13 Reference Design of Receptacle Mid-Plate 56

Figure 3-14 Reference Design of the Retention Latch 57

Figure 3-15 Illustration of the Latch Soldered to the Paddle Card Ground 57

Figure 3-16 Reference Design of the USB Full-Featured Type-C Plug Internal EMC Spring . 58

Figure 3-17 Reference Design of the *USB 2.0* Type-C Plug Internal EMC Spring 59

Figure 3-18 Reference Design of Internal EMC Pad 61

Figure 3-19 Reference Design of a USB Type-C Receptacle with External EMC Springs 62

Figure 3-20 Reference Design for a USB Full-Featured Type-C Plug Paddle Card 63

Figure 3-21 Illustration of a USB Full-Featured Type-C Cable Cross Section, a Coaxial Wire Example with VCONN..... 66

Figure 3-22 Illustration of a USB Full-Featured Type-C Cable Cross Section, a Coaxial Wire Example without VCONN 66

Figure 3-23 USB Full-Featured Type-C Standard Cable Assembly 70

Figure 3-24 USB Type-C to USB 3.1 Standard-A Cable Assembly 73

Figure 3-25 USB Type-C to *USB 2.0* Standard-A Cable Assembly 75

Figure 3-26	USB Type-C to <i>USB 3.1</i> Standard-B Cable Assembly	76
Figure 3-27	USB Type-C to <i>USB 2.0</i> Standard-B Cable Assembly	78
Figure 3-28	USB Type-C to <i>USB 2.0</i> Mini-B Cable Assembly	79
Figure 3-29	USB Type-C to <i>USB 3.1</i> Micro-B Cable Assembly	80
Figure 3-30	USB Type-C to <i>USB 2.0</i> Micro-B Cable Assembly	82
Figure 3-31	USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly	83
Figure 3-32	USB Type-C to <i>USB 2.0</i> Micro-B Receptacle Adapter Assembly.....	85
Figure 3-33	Illustration of Test Points for a Mated Cable Assembly.....	87
Figure 3-34	Recommended Differential Insertion Loss Requirement	88
Figure 3-35	Recommended Differential Return Loss Requirement	88
Figure 3-36	Recommended Differential Crosstalk Requirement.....	89
Figure 3-37	Recommended Differential Near-End and Far-End Crosstalk Requirement between USB D+/D- Pair and USB SuperSpeed Pair.....	89
Figure 3-38	Illustration of Insertion Loss Fit at Nyquist Frequency	90
Figure 3-39	Input Pulse Spectrum.....	91
Figure 3-40	IMR Limit as Function of $IL_{fitatNq}$	92
Figure 3-41	IRL Limit as Function of $IL_{fitatNq}$	94
Figure 3-42	Differential-to-Common-Mode Conversion Requirement.....	95
Figure 3-43	Requirement for Differential Coupling between CC and D+/D-	96
Figure 3-44	Requirement for Single-Ended Coupling between CC and D- in USB 2.0 Type-C Cables.....	97
Figure 3-45	Requirement for Single-Ended Coupling between CC and D- in USB Full- Featured Type-C Cables.....	97
Figure 3-46	Requirement for Differential Coupling between VBUS and D+/D-	98
Figure 3-47	Requirement for Single-Ended Coupling between SBU_A and SBU_B	99
Figure 3-48	Requirement for Single-Ended Coupling between SBU_A/SBU_B and CC	99
Figure 3-49	Requirement for Coupling between SBU_A and differential D+/D-, and SBU_B and differential D+/D-.....	100
Figure 3-50	Illustration of USB Type-C Mated Connector	101
Figure 3-51	Recommended Impedance Limits of a USB Type-C Mated Connector.....	102
Figure 3-52	Recommended Ground Void Dimensions for USB Type-C Receptacle.....	103
Figure 3-53	Recommended Differential Near-End and Far-End Crosstalk Limits between D+/D- Pair and SuperSpeed Pairs.....	105
Figure 3-54	Recommended Limits for Differential-to-Common-Mode Conversion	105
Figure 3-55	IMR Limit as Function of $IL_{fitatNq}$ for USB Type-C to Legacy Cable Assembly	108
Figure 3-56	IRL Limit as Function of $IL_{fitatNq}$ for USB Type-C to Legacy Cable Assembly.	109
Figure 3-57	Cable Assembly Shielding Effectiveness Testing	112
Figure 3-58	Shielding Effectiveness Pass/Fail Criteria	113
Figure 3-59	LLCR Measurement Diagram	114
Figure 3-60	Temperature Measurement Point	116
Figure 3-61	Example Current Rating Test Fixture Trace Configuration.....	117

Figure 3-62 Example of 4-Axis Continuity Test Fixture 119

Figure 3-63 Example Wrenching Strength Test Fixture for Plugs without Overmold..... 121

Figure 3-64 Reference Wrenching Strength Continuity Test Fixture 122

Figure 3-65 Example of Wrenching Strength Test Mechanical Failure Point 123

Figure 3-66 Wrenching Strength Test with Cable in Fixture 123

Figure 3-67 USB Type-C Cable Receptacle Flange Example 126

Figure 3-68 EMC Guidelines for Side Latch and Mid-plate 127

Figure 3-69 EMC Finger Connections to Plug Shell..... 127

Figure 3-70 EMC Pad Connections to Receptacle Shell 128

Figure 3-71 Examples of Connector Apertures 128

Figure 3-72 Recommended Minimum Spacing between Connectors..... 129

Figure 3-73 Recommended Minimum Plug Overmold Clearance 129

Figure 3-74 Cable Plug Overmold and an Angled Surface..... 130

Figure 4-1 Cable IR Drop 132

Figure 4-2 Cable IR Drop for powered cables 133

Figure 4-3 Logical Model for Data Bus Routing across USB Type-C-based Ports..... 140

Figure 4-4 Logical Model for USB Type-C-based Ports for the Direct Connect Device..... 140

Figure 4-5 Pull-Up/Pull-Down CC Model 142

Figure 4-6 Current Source/Pull-Down CC Model 142

Figure 4-7 Source Functional Model for CC1 and CC2..... 145

Figure 4-8 Source Functional Model Supporting USB PD PR_Swap..... 146

Figure 4-9 Sink Functional Model for CC1 and CC2 147

Figure 4-10 Sink Functional Model Supporting USB PD PR_Swap and VCONN_Swap..... 148

Figure 4-11 DRP Functional Model for CC1 and CC2..... 149

Figure 4-12 Connection State Diagram: Source 154

Figure 4-13 Connection State Diagram: Sink..... 155

Figure 4-14 Connection State Diagram: Sink with Accessory Support 156

Figure 4-15 Connection State Diagram: DRP 157

Figure 4-16 Connection State Diagram: DRP with Accessory and Try.SRC Support..... 158

Figure 4-17 Connection State Diagram: DRP with Accessory and Try.SNK Support 159

Figure 4-18 Sink Power Sub-States 175

Figure 4-19 Passive Cable eMarker State Diagram..... 177

Figure 4-20 Active Cable eMarker State Diagram..... 177

Figure 4-21 Source to Sink Functional Model..... 182

Figure 4-22 Source to DRP Functional Model 183

Figure 4-23 DRP to Sink Functional Model..... 185

Figure 4-24 DRP to DRP Functional Model – CASE 1 186

Figure 4-25 DRP to DRP Functional Model – CASE 2 & 3..... 187

Figure 4-26 Source to Source Functional Model..... 190

Figure 4-27 Sink to Sink Functional Model..... 190