

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety –
Part 2-96: Particular requirements for flexible sheet heating elements for room
heating

IEC Standards
(<https://standards.iteh.ai>)

Document Preview

[IEC 60335-2-96:2019](#)

<https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC 60335-2-96:2019](https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019)

<https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019>



IEC 60335-2-96

Edition 2.0 2019-05
REDLINE VERSION

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-96: Particular requirements for flexible sheet heating elements for room
heating**

Document Preview

[IEC 60335-2-96:2019](https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019)

<https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 97.100.10; 13.120

ISBN 978-2-8322-6977-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	2
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 General requirement.....	10
5 General conditions for the tests	10
6 Classification.....	11
7 Marking and instructions.....	11
8 Protection against access to live parts.....	17
9 Starting of motor-operated appliances	17
10 Power input and current.....	17
11 Heating.....	17
12 Void.....	21
13 Leakage current and electric strength at operating temperature.....	21
14 Transient overvoltages	22
15 Moisture resistance	22
16 Leakage current and electric strength.....	22
17 Overload protection of transformers and associated circuits	23
18 Endurance	23
19 Abnormal operation	26
20 Stability and mechanical hazards.....	27
21 Mechanical strength	27
22 Construction	28
23 Internal wiring.....	31
24 Components	31
25 Supply connection and external flexible cords	31
26 Terminals for external conductors.....	31
27 Provision for earthing	32
28 Screws and connections	32
29 Clearances, creepage distances and solid insulation	32
30 Resistance to heat and fire.....	32
31 Resistance to rusting.....	33
32 Radiation, toxicity and similar hazards.....	33
Annexes	47
Annex AA (informative) Summary of installation instructions	48
Bibliography.....	50
Figure 101 – Arrangement for testing heating units in timber ceilings.....	34
Figure 102 – Arrangement for testing modular heating units	35
Figure 103 – Arrangement for testing heating units in timber floors.....	36

Figure 104 – Arrangement for testing heating units in below concrete floors	37
Figure 105 – Arrangement for testing heating units in timber floors and ceilings in combination	38
Figure 106 – Jig for locating the contact needle	39
Figure 107 – Arrangement for testing heating units above timber floors	40
Figure 108 – Arrangement for testing heating units above concrete floors.....	41
Figure 109 – Arrangement for measuring capacitive currents	42
Figure 110 – Arrangement for testing heating units in timber walls.....	43
Figure 111 – Arrangement for testing heating units in both sides of timber wall applications	44
Figure 112 – Arrangement for testing heating units intended to be installed in a wall of concrete or similar material.....	45
Figure 113 – Arrangement for testing heating units against wall of concrete or similar material	46
Table 101 – Temperature rise limits for surfaces.....	21
Table AA.1 – Summary of installation instructions.....	48

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60335-2-96:2019](https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019)

<https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-96: Particular requirements for flexible sheet heating elements for room heating

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60335-2-96 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This second edition cancels and replaces the first edition published in 2002, Amendment 1:2003 and Amendment 2:2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the first edition:

- aligns the text with IEC 60335-1:2010, and its Amendments 1 and 2;
- some notes have been converted to normative text or deleted (5.6, 7.12.1, 10.1, 11.2.103, 13.1, 13.2, 16.2, 16.3, 18.101, 18.102.5, 21.1, 22.103, 22.105, 22.106);
- the strength test for heating units incorporating insulated wires intended to be installed in floors has been modified a (21.103);
- the scope and specific requirements have been added for heating units installed in walls below a height of 1,2 m (6.2, 7.1, 7.12.1, 7.12.6, 7.101, 11.2, 19.2, 22.106, 24.102, Annex AA).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61/5789/FDIS	61/5806/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for flexible sheet heating elements for room heating.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following additional differences exist in the countries indicated below.

- 1: Flexible sheet heating elements that are cut on site are not allowed (France).
- 1: The intended installation is not to include walls (USA).
- 7.1: The intended installation is not to include walls (USA).
- 7.12.1 c): The instructions in timber floors shall state that the heating unit is to be covered with additional insulation, be supplied through an isolating transformer, or be class II (Sweden).
- 7.12.1 c): The instructions need not refer to residual current devices (USA).
- Clause 18: The tests are different (USA).
- 22.102: The test is different (USA).
- 22.103: The test is different (USA).
- 25.3: Heating units are not allowed to incorporate supply cords (USA).

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-96: Particular requirements for flexible sheet heating elements for room heating

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of **flexible sheet heating elements** intended to be incorporated into ~~the building to heat the room in which they are located~~ floors and walls below 1,2 m and above 2,3 m and in ceilings, their **rated voltage** being not more than 250 V for single-phase installations and 480 V for other installations.

Flexible sheet heating elements are converted into **heating units** that are incorporated in the building in accordance with the instructions after which the required level of protection against hazards is achieved.

NOTE 101 Attention is drawn to the fact that

- in many countries, different wiring rules apply;
- for **heating units** intended to be used in vehicles or on board ships or aircraft, additional requirements ~~may~~ can be necessary;
- in many countries, additional requirements are specified by the national authorities for fire protection, the national authorities for building regulations, the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 102 This standard does not apply to

- **heating units** intended exclusively for industrial purposes;
- **heating units** intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- blankets, pads, **clothing** and similar flexible heating appliances (IEC 60335-2-17);
- foot warmers and heating mats (IEC 60335-2-81);
- ~~heating appliances intended to be used under a carpet;~~
- heated carpets and for heating units for room heating installed under removable floor coverings (IEC 60335-2-106);
- **flexible sheet heating elements** incorporated in other appliances.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60364-7-701:2006, *Low-voltage electrical installations* ~~of buildings~~ – Part 7-701: *Requirements for special installations or locations* – ~~Section 701: Electrical installations in~~ *bathrooms* *Locations containing a bath or shower*

IEC 60884-1:1995/2002, *Plugs and socket-outlets for household and similar purposes* – Part 1: *General requirements*

IEC 60884-1:2002/AMD1:2006
IEC 60884-1:2002/AMD2:2013¹

ISO 3864-1, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

Replacement:

3.1.9

normal operation

operation of the **heating unit** after incorporation into the building in accordance with the instructions.

Flexible sheet heating elements, the current of which can vary depending on the length of the **flexible sheet heating elements** and those that can supply other **flexible sheet heating elements** are loaded so that the current marked on the **flexible sheet heating elements** flows through the **heating unit**.

Heating units for storage heating applications are charged for 75 % of the **rated charging period**.

3.1.101

rated charging period

longest uninterrupted charging period assigned to the **heating unit** by the manufacturer

3.2 Definitions relating to means of connection

Replacement:

3.2.1

supply leads

set of wires intended for connecting the appliance to fixed wiring

3.5 Definitions relating to types of appliances

3.5.4 *Addition:*

Heating units are considered to be **fixed appliances**.

3.5.101

flexible sheet heating element

heating element consisting of sheets of electrical insulation laminated with electrical resistance material, or a base material on which electrically insulated heating wires are fixed

Note 1 to entry: This definition does not preclude other methods of combining the insulation and resistance materials.

¹ There exists a consolidated edition 3.2:2013 that includes edition 3:2002, its Amendment 1:2006 and Amendment 2:2013.

3.5.102

heating unit

flexible sheet heating element equipped with means of connection to the supply and with insulation surrounding **live parts**

Note 1 to entry: The **heating unit** can be partly or completely prefabricated.

3.5.103

modular heating unit

prefabricated assembly consisting of a **heating unit** and other materials to form a rigid construction for mounting on a ceiling

3.5.104

storage heating application

use of **heating units** to heat thermal accumulating material

Note 1 to entry: The heat is discharged naturally, the heat output being varied by adjusting the energy input.

~~3.105~~

~~rated charging period~~

~~longest uninterrupted charging period assigned to the **heating unit** by the manufacturer~~

3.6 Definitions relating to parts of an appliance

~~3.106~~ 6.101

electrode

conductive part incorporated in a **flexible sheet heating element** for supplying the heating material

4 General requirement

This clause of Part 1 is applicable. [IEC 60335-2-96:2019](https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019)

<https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019>

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Replacement:

In general, eight samples are required for the tests.

The tests of 13.3 and of Clauses 15 and 16 are carried out on one sample.

The tests of 18.101 and of Clause 30 are carried out on one sample.

The test of 21.102 is carried out on two samples. One of these samples is also used for the test of 22.101.

The test of 22.103 is carried out on one sample.

The remaining tests are carried out on the sixth sample. The other two samples are required for incorporating into the test arrangement to create the necessary thermal environment.

NOTE 101 Additional samples ~~may~~ can be necessary if tests have to be repeated.

Nine samples of **modular heating units** are necessary for the tests of 11.2.102.

Additional samples are necessary if the tests of 18.102 are carried out.

Additional samples ~~may~~ can be necessary for testing different sizes of **heating units**.

The test of 22.105 is carried out on the same sample as that used for the test of 13.2.

*Two samples of the additional layer of material, of sufficient size to cover the **heating unit**, are required if the test of 21.104 is carried out.*

5.3 Addition:

The test of 22.105 is carried out after the test of 13.2.

5.6 Addition:

Thermostats sensitive to room air temperature or outdoor air temperature are short circuited. However, the **thermostat** is not short circuited if it can be set so that it does not cycle.

~~NOTE 101—For electronic controls, it may be necessary to render the sensing elements inoperative instead of short-circuiting the **thermostat**.~~

5.10 Addition:

However, for **flexible sheet heating elements** that are cut on site, the tests are carried out after connecting the **supply leads** and protecting the edges in accordance with the instructions.

5.101 Heating units intended to be installed in walls above a height of 2,3 m are subjected to the tests for installation in ceilings.

6 Classification

IEC 60335-2-96:2019

This clause of Part 1 is applicable except as follows.

6.1 Addition:

Heating units need not be classified. However, if a **heating unit** is classified, the relevant requirements apply.

6.2 Addition:

Heating units for installation in ~~a floor of~~ concrete or similar material shall be at least IPX7.

Other **heating units** shall be at least IPX1.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Modification:

Instead of the marking of **rated power input** or **rated current** the following applies:

- **heating units** shall be marked with their **rated power input**;

- **flexible sheet heating elements** without connection between adjacent elements shall be individually marked with their **rated power input**;
- other **flexible sheet heating elements** shall be marked with their **rated power input** per metre length.

Flexible sheet heating elements shall be marked with their maximum current if

- the current can vary depending on the length of the **flexible sheet heating element**;
- other **flexible sheet heating elements** can be supplied through them.

Addition:

Flexible sheet heating elements shall be marked with:

- the indication of orientation, unless **heating units** are symmetrical;
- the intended installation (ceilings, walls between 0,2 m and 1,2 m and/or above 2,3 m, or floors);
- the heating mode (direct heating or storage heating), unless intended for both modes.

If the **heating unit** is only intended for application in floors of concrete or similar materials, it shall be marked ~~accordingly~~ with the symbol for installation in concrete or similar materials.

~~NOTE 101—The marking may be in the form of symbols that are explained in the instructions.~~

The marking shall be repeated at least once every 0,5 m of the **flexible sheet heating element** or on every section that can be cut to form a **heating unit**.

Flexible sheet heating elements that can be cut on site and have to be cut at specified places shall be marked appropriately.

Appliances with separate controls, without a control, or with **detachable controls** shall be marked with the reference number or by other means of identification of the control.

<https://standards.iteh.ai/catalog/standards/iec/66e78f2b-bbb5-440b-8f1a-3bfb38f5123f/iec-60335-2-96-2019>


7.6 Addition:




direct ceiling heating



direct floor heating



floor storage heating



wall heating