INTERNATIONAL STANDARD

IEC 60335-2-35

Edition 4.1 2006-11

Edition 4:2002 consolidated with amendment 1:2006

Household and similar electrical appliances – Safety –

Part 2-35:

Particular requirements for instantaneous water heaters

Review 1

5-2-35:2002

ind&ds/Nc/d&944te-3820-4db3-93ad-9f8f/a/928bc/iec-60335-2-35-2002

This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Rease make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications

IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Customer Service Centre: www.jec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

1NC \(\)(33\)-2-35:200

https://standards.iteh.ai/



INTERNATIONAL STANDARD

IEC 60335-2-35

Edition 4.1 2006-11

Edition 4:2002 consolidated with amendment 1:2006

Household and similar electrical appliances – Safety –

Part 2-35:

Particular requirements for instantaneous water heaters

de Peview

5-2-35:2002

© IEC 2006 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

 CH

CONTENTS

FOREWORD		
INI	RODUCTION	11
1	Scope	13
2	Normative references	13
3	Definitions	15
4	General requirement	15
5	General conditions for the tests	15
6	Classification	17
7	Marking and instructions.	17
8	Protection against access to live parts	
9	A \ \ \ \ \ /	21
10		21
11	Heating	21
12	Void	21
13	Leakage current and electric strength at operating temperature	21
14	Transient overvoltages	23
15	Worsture resistance	7.3
16	Leakage current and electric strength	23
17	Overload protection of transformers and associated circuits	23
18	Abnormal operation	23
19	Abnormal operation	23
20	Stability and mechanical hazards	25
21	Mechanical strength	
22	Construction	35-2255-200
23		31
24	Components	33
25	Supply connection and external flexible cords	35
26	Terminals for external conductors	35
27	Provision for earthing	35
28	Screws and connections	35
29	Clearances, creepage distances and solid insulation	35
30	Resistance to heat and fire	
31	Resistance to rusting	37
32	Radiation, toxicity and similar hazards	37
۸۵۲	novos	45
	nexesliography	
טוט	mography	47
Figure 101 – Diagram for the leakage current measurement		
for single-phase bare-element water heaters		
	ure 102 – Diagram for the leakage current measurement three-phase bare-element water heaters	41
Figure 103 – Diagram for the leakage current measurement for single-phase		
bare-element water heaters supplied by a supply cord fitted with a plug43		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-35: Particular requirements for instantaneous water heaters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-35 consists of the fourth edition (2002) [documents 61/2170/FDIS and 61/2251/RVD] and its amendment 1 (2006) [documents 61/3088/FDIS and 61/3144/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 4.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric instantaneous water heaters.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- 6.1: Bare-element water heaters are not allowed (Greece, India, Indonesia, Israel, Malaysia, Singapore, and Turkey).
- 6.1: Class 0I appliances are allowed (Japan).
- 7.1: Closed water heaters having a rated pressure less than 1,0 MPa have to be marked with a statement that a
 pressure reducing valve is to be fitted in the installation (Sweden).
- 7.1: Marking of rated pressure is different and marking of water resistivity is not required (USA).
- 7.12: Information concerning the removal of air from bare-element water heaters has to be given (Poland).
- 7.12.1: The installation of bare element water heaters has to comply with particular conditions dependent on the supply system and which are to be included in the instructions (France, Poland and Spain).
- 19.4: Flow switches tested for reliability are not short-circuited (USA).
- 19.13. The water temperature in closed water heaters having a capacity in excess of 15 I is limited to 99 °C (Israel, Norway and United Kingdom).
- 19.13: The water temperatures are different (USA).
- 22.101: For closed water heaters, the minimum rated pressure is 1,0 MPa (Norway).
- 22.103: Closed water heaters having a capacity in excess of 15 I have to be provided with a pressure relief device (Israel).
- 22.103: Closed water heaters have to incorporate a temperature relief valve or a combined temperature and pressure relief valve that has to operate before the water temperature reaches 100 °C (United Kingdom).
- 22.103: The pressure relief valve is not required to be provided with the heater (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

The contents of the corrigendum of April 2007 have been included in this copy.

ITEN Syndayus

(https://slandards.iteh.ai)

Deuren Peview

https://standards.iteh.ai

vand don/on/or fe-3820-4db3-93ad-9f8f7a7928be/iee-60335-2-35-2002

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

5-2-35:2002

https://standards.iteh.ai/

y)-<u>2</u>-33.200

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-35: Particular requirements for instantaneous water heaters

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **instantaneous water heaters** for household and similar purposes and intended for heating water below boiling temperature, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Instantaneous water heaters incorporating bare heating elements are within the scope of this standard.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended for use in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances which are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities;
- in many countries regulations exist for the installation of equipment connected to the water mains.

NOTE 103 This standard does not apply to

- appliances for boiling water (JEC 60335-2-15);
- storage water heaters (IEC 60335-2-21);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- commercial dispensing appliances and vending machines (IEC 60335-2-75).

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance while supplied with water, the flow being adjusted to attain the highest outlet water temperature without operation of the **thermal cut-out**

3.101

instantaneous water heater

stationary appliance for heating water while it flows through the appliance

NOTE Instantaneous water heaters are referred to as water heaters.

3.102

closed water heater

instantaneous water heater intended to operate at the pressure of the water system, the flow of water being controlled by one or more valves in the outlet system

NOTE The operating pressure may be the output pressure of a reducing or boosting device.

3.103

open-outlet water heater

instantaneous water heater in which the flow of water is controlled by a valve in the inlet pipe, there being no valve in the outlet pipe

3.104

bare-element water heater

instantaneous water heater in which uninsulated heating elements are immersed in the water

https://3.105 rds.iteh.a

rated pressure

water pressure assigned to the appliance by the manufacturer

3.106

flow switch

switch that operates in response to a flow of water

3.107

pressure switch

switch that operates in response to a change in pressure

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.