



IEC 61800-5-1

Edition 3.0 2022-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Adjustable speed electrical power drive systems –
Part 5-1: Safety requirements – Electrical, thermal and energy

Entraînements électriques de puissance à vitesse variable –
Partie 5-1: Exigences de sécurité – Électrique, thermique et énergétique

<https://standards.iteh.ai/catalog/standards/sist/7ae569c4-c06d-4d12-8649-2d23fe5c1636/iec-61800-5-1-2022>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 61800-5-1

Edition 3.0 2022-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



iTECH STANDARD PREVIEW

Adjustable speed electrical power drive systems –

Part 5-1: Safety requirements – Electrical, thermal and energy

(standards.iteh.ai)

Entraînements électriques de puissance à vitesse variable –

Partie 5-1: Exigences de sécurité – Électrique, thermique et énergétique

<https://standards.iteh.ai/catalog/standards/sist/7ae569c4-c06d-4d12-8649-2d23fe5c1636/iec-61800-5-1-2022>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.110; 29.130.99; 29.200

ISBN 978-2-8322-4155-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	15
INTRODUCTION	17
0.1 General	17
0.2 Feedback from industry and national committees	19
0.3 Requirement covered by other relevant parts of the IEC 61800 series	19
1 Scope	20
2 Normative references	20
3 Terms and definitions	24
4 Protection against hazards	40
4.1 General	40
4.2 <i>Single-fault conditions and abnormal operating conditions</i>	41
4.3 Short-circuit and overload protection	42
4.3.1 General	42
4.3.2 Input short-circuit rating and available <i>output short-circuit current</i>	43
4.3.3 Short-circuit coordination (upstream protection)	44
4.3.4 Protection by several devices	44
4.3.5 Motor overload and overtemperature protection	45
4.3.6 <i>BDM/CDM providing current limiting control</i>	46
4.4 Protection against electric shock	46
4.4.1 General	46
4.4.2 <i>Decisive voltage class (DVC)</i>	46
4.4.3 Provision for <i>basic protection</i>	53
4.4.4 Provision for <i>fault protection</i>	56
4.4.5 Provisions for <i>enhanced protection</i>	64
4.4.6 Protective measures	65
4.4.7 <i>Insulation</i>	67
4.4.8 Compatibility with residual current-operated protective devices (RCD)	88
4.4.9 Capacitor discharge	89
4.4.10 Access conditions for high-voltage sections of <i>BDM/CDM/PDS (interlock)</i>	89
4.5 Protection against electrical energy hazards	91
4.5.1 General	91
4.5.2 Determination of hazardous electrical energy level	92
4.5.3 Limited power sources	92
4.6 Protection against fire and thermal hazards	94
4.6.1 General	94
4.6.2 Circuits and <i>components</i> representing a fire hazard	94
4.6.3 Selection of <i>components</i> to mitigate the risk of a fire hazard	94
4.6.4 Fire protection provided by <i>enclosures</i>	95
4.6.5 Temperature limits	96
4.7 Protection against mechanical hazards	98
4.7.1 General	98
4.7.2 Critical torsional speed	99
4.7.3 Transient torque analysis	99
4.7.4 Specific requirements for liquid cooled <i>BDM/CDM/PDS</i>	99
4.7.5 Mechanical hazards from rotating parts	101
4.7.6 Sharp edges	102

4.8	<i>BDM/CDM/PDS</i> with multiple sources of supply	102
4.8.1	General	102
4.8.2	<i>Low-voltage DC link sharing</i>	103
4.9	Protection against environmental stresses	103
4.9.1	General	103
4.9.2	Protection against corrosion	105
4.10	Protection against excessive acoustic noise hazards	105
4.10.1	General	105
4.10.2	Acoustic noise level	105
4.11	Wiring and connections	106
4.11.1	General	106
4.11.2	<i>Insulation</i> of conductors	107
4.11.3	Stranded wire	109
4.11.4	Routing and clamping	109
4.11.5	Identification of conductors and terminals of <i>mains supply</i> and <i>non-mains supply</i>	109
4.11.6	Splices and connections	110
4.11.7	Accessible connections	110
4.11.8	Interconnections between parts of the <i>PDS</i>	111
4.11.9	Supply connections for <i>permanently connected BDM/CDM/PDS</i>	111
4.11.10	Supply connections for <i>pluggable BDM/CDM/PDS</i>	111
4.11.11	Terminals	113
4.11.12	Provisions for connecting the shield of shielded wire or cable	116
4.12	Mechanical requirements for <i>enclosures</i>	117
4.12.1	General	117
4.12.2	Handles and manual controls	117
4.12.3	<i>Cast metal enclosure</i>	118
4.12.4	<i>Sheet metal enclosure</i>	118
4.12.5	Stability for floor-standing <i>BDM/CDM/PDS</i>	121
4.12.6	Wiring strain relief	121
4.12.7	<i>Polymeric enclosure</i> stress relief	122
4.12.8	Internal condensation or accumulation of water	122
4.12.9	<i>Polymeric outdoor enclosure</i> ultra-violet (UV) resistance	122
4.13	<i>Components</i>	123
4.13.1	<i>Components general</i>	123
4.13.2	<i>Components representing a fire hazard</i>	123
4.13.3	<i>Components being part of an enclosure</i>	123
4.13.4	<i>Components representing a mechanical hazard</i>	124
4.13.5	<i>Wound components</i>	124
4.13.6	Protective devices	124
4.14	Protection against electromagnetic fields	124
5	Test requirements	124
5.1	General	124
5.1.1	Test objectives and classification	124
5.1.2	Selection of test samples	125
5.1.3	Sequence of tests	125
5.1.4	Earthing conditions	125
5.1.5	General conditions for tests	125
5.1.6	Compliance	126

5.1.7	Test overview	126
5.2	Test specifications	129
5.2.1	<i>Visual inspections (type test, routine test and sample test)</i>	129
5.2.2	Mechanical tests.....	129
5.2.3	Electrical tests	138
5.2.4	<i>Abnormal operation and simulated faults tests</i>	157
5.2.5	Material tests.....	170
5.2.6	Environmental tests (<i>type tests</i>).....	174
5.2.7	Hydrostatic pressure test (<i>type test, routine test</i>)	180
5.2.8	Electromagnetic fields (EMF) test (<i>type test</i>)	181
6	Information and marking requirements	181
6.1	General.....	181
6.1.1	Overview	181
6.1.2	Documentation in electronic form.....	184
6.1.3	Installation Instructions	185
6.2	Information for selection	185
6.2.1	General	185
6.2.2	Instructions and markings pertaining to <i>accessories</i>	187
6.3	Information for installation and commissioning	187
6.3.1	General	187
6.3.2	Mechanical considerations.....	187
6.3.3	Environment	187
6.3.4	Handling and mounting	188
6.3.5	<i>Enclosure temperature</i>	188
6.3.6	Open type <i>BDM/CDM</i> IEC 61800-5-1:2022	188
6.3.7	https://teh.ai/catalog/standards/sist/7ae569c4-c06d-4d12-8649-	189
6.3.8	Commissioning IEC 61800-5-1:2022	191
6.3.9	Protection requirements.....	191
6.3.10	Motor and driven equipment	195
6.3.11	Field installed <i>components</i>	196
6.4	Information for intended use	196
6.4.1	General	196
6.4.2	Adjustment	196
6.4.3	Labels, signs, symbols and signals	196
6.4.4	Hot surface.....	198
6.4.5	Control and device marking	198
6.4.6	Stability for floor-standing <i>BDM/CDM/PDS</i>	199
6.5	Supplementary information	199
6.5.1	General	199
6.5.2	Capacitor discharge.....	199
6.5.3	Special operation mode – Auto restart/bypass connection	200
6.5.4	Other hazards.....	200
6.5.5	<i>BDM/CDM/PDS</i> with multiple sources of supply	200
6.5.6	PT/CT connection	200
6.5.7	Access conditions for <i>high-voltage BDM/CDM/PDS</i> during maintenance	200
Annex A (normative)	Additional information for protection against electric shock	202
A.1	General.....	202
A.2	Protection by means of <i>DVC As</i>	202
A.3	Protection by means of <i>protective impedance</i>	203

A.4 Protection by using limited voltages	204
A.5 Evaluation of the <i>working voltage</i> of circuits.....	204
A.5.1 General	204
A.5.2 Classification of the <i>working voltage</i>	205
A.5.3 AC <i>working voltage</i>	205
A.5.4 DC <i>working voltage</i>	206
A.5.5 Pulsating <i>working voltage</i>	207
A.6 The concept of protective measures according to 4.4.....	208
A.6.1 General	208
A.6.2 General concept of protection against electric shock	209
A.6.3 Examples of the use of elements of protective measures.....	210
Annex B (informative) Considerations for the reduction of the pollution degree	215
B.1 General.....	215
B.2 Factors influencing the pollution degree.....	215
B.3 Reduction of influencing factors	215
Annex C (informative) Symbols referred.....	216
C.1 Symbols used	216
C.2 Determination of contrast.....	218
Annex D (normative) Evaluation of <i>clearance</i> and <i>creepage distances</i>	219
D.1 Measurement.....	219
D.2 Relationship of measurement to pollution degree	219
D.3 Examples	219
Annex E (normative) Altitude correction for <i>clearances</i>	226
E.1 Correction factor for <i>clearances</i> at altitudes above 2 000 m	226
E.2 Test voltages for verifying <i>clearances</i> at different altitudes	226
Annex F (normative) Clearance and creepage distance determination for frequencies greater than 30 kHz	228
F.1 General influence of the frequency on the withstand characteristics	228
F.2 Clearance	228
F.2.1 General	228
F.2.2 Clearance for inhomogenous fields	229
F.2.3 Clearance for approximately homogenous fields	230
F.3 Creepage distance	231
F.4 Solid insulation	232
F.4.1 General	232
F.4.2 Approximately uniform field distribution without air gaps or voids.....	232
F.4.3 Other cases	233
Annex G (informative) Cross-sections of round conductors	234
Annex H (informative) Guidelines for RCD compatibility	235
H.1 Selection of RCD type.....	235
H.2 Fault current waveforms.....	236
Annex I (informative) Examples of overvoltage category reduction	240
I.1 General.....	240
I.2 Protection to the surroundings (see 4.4.7.2).....	240
I.2.1 Circuits connected directly to <i>mains supply</i> (see 4.4.7.2.3).....	240
I.2.2 Circuits connected to the <i>non-mains supply</i> (see 4.4.7.2.4)	243
I.2.3 Insulation between circuits (see 4.4.7.2.5)	243
I.3 Functional insulation (see 4.4.7.3)	244

I.4	Further examples	244
Annex J (informative)	Burn thresholds for touchable surfaces	246
J.1	General.....	246
J.2	Burn thresholds	246
Annex K (informative)	Table of electrochemical potentials	249
Annex L (informative)	Measuring instrument for touch current measurements	250
L.1	Measuring test circuit.....	250
L.2	Requirements for measuring instruments	250
Annex M (normative)	Test probes for determining access	251
Annex N (informative)	Guidance regarding short-circuit current	254
Annex O (informative)	Guidance for determination of <i>clearance</i> and <i>creepage distance</i>	255
O.1	Guideline for determination of <i>clearance</i>	255
O.2	Guideline for determination of <i>creepage distance</i>	256
O.3	Minimum <i>clearance</i> and <i>creepage distances</i> for material	257
Annex P (normative)	Protection of persons against electromagnetic fields for frequencies from 0 Hz up to 300 GHz	258
P.1	General influence of electromagnetic fields to persons.....	258
P.1.1	General	258
P.1.2	Low-frequency electric field effects (1 Hz to 100 kHz).....	258
P.1.3	Low-frequency magnetic field effects (1 Hz to 100 kHz).....	258
P.1.4	Low-frequency electric and magnetic field effects	258
P.1.5	High-frequency electromagnetic field effects (100 kHz to 300 GHz)	258
P.1.6	Current knowledge on low-level effects.....	259
P.1.7	Biological effects versus adverse health effects.....	259
P.1.8	Influence of EMF on passive and active medical implants	259
P.2	Recommendations from ICNIRP Guidelines against exposure to EMF.....	259
P.2.1	Adoption of exposure limits from ICNIRP	259
P.2.2	Limits of EMF exposure for transportation and storage	261
P.3	Protection of persons against exposure of EMF	261
P.3.1	General	261
P.3.2	EMF requirements for general public access areas	262
P.3.3	EMF requirements for <i>general-access areas, service-access areas and restricted-access areas</i>	262
P.3.4	EMF requirements for transportation and storage	262
P.4	Electromagnetic fields (EMF) test (<i>type test</i>).....	263
P.4.1	General test set up for EMF	263
P.4.2	EMF test.....	263
P.5	Electromagnetic fields (EMF) marking	263
Annex Q (informative)	Automatic disconnection of supply	264
Q.1	Maximum disconnection times	264
Q.2	Supplementary <i>protective equipotential bonding</i>	265
Annex R (informative)	Risk assessment according to IEC Guide 116	266
R.1	General.....	266
R.2	Risk assessment.....	266
Annex S (informative)	In-some-country requirements – United States of America voltages less than 1,5 kV AC or DC	268
S.0	General.....	268
S.1	Scope	268

S.2	Normative references	268
S.3	Terms and definitions	268
S.4	Protection against hazards	269
S.4.1	General	269
S.4.2	<i>Single-fault conditions and abnormal operating condition</i>	269
S.4.3	Short-circuit and overload protection	269
S.4.4	Protection against electric shock	271
S.4.5	Protection against electrical energy hazards	281
S.4.6	Protection against fire and thermal hazards	281
S.4.7	Protection against mechanical hazards	282
S.4.8	BDM/CDM/PDS with multiple sources of supply	284
S.4.9	Protection against environmental stresses	284
S.4.10	Protection against excessive acoustic noise hazards	284
S.4.11	Wiring and connections	284
S.4.12	Mechanical requirements for <i>enclosures</i>	294
S.4.200	Auxiliary device	306
S.4.201	Accessories	306
S.4.202	Provisions for mounting	306
S.4.203	Capacitors	306
S.5	Test requirements	307
S.5.1	General	307
S.5.2	Test specifications	308
S.6	Information and marking requirements	328
S.6.1	General	328
S.6.2	Information for selection	328
S.6.3	Information for installation and commissioning	329
S.6.4	Information for intended use	333
S.6.5	Supplementary information	333
S.200	Evaluation of clearance and <i>creepage distances</i>	334
S.200.1	<i>Clearance and creepage distances</i>	335
S.201	Normative references and component standards	337
S.202	IEC to USA standard references	340
S.203	Isolated secondary circuits and circuits supplied by battery	343
S.203.1	Isolated secondary circuits	343
S.203.2	Secondary circuits test	349
S.203.3	Circuits supplied by a battery	351
S.204	Full-load motor-running currents	351
Annex T (informative)	In-some-country requirements – Canada voltages up to 34,5 kV	354
T.0	General	354
T.1	Scope	354
T.2	Normative references	354
T.3	Terms and definitions	356
T.4	Protection against hazards	357
T.4.1	General	357
T.4.2	<i>Single-fault conditions and abnormal operating condition</i>	357
T.4.3	Short-circuit and overload protection	357
T.4.4	Protection against electric shock	358
T.4.5	Protection against electrical energy hazards	367
T.4.6	Protection against fire and thermal hazards	368

T.4.7	Protection against mechanical hazards	369
T.4.8	BDM/CDM/PDS with multiple sources of supply	369
T.4.9	Protection against environmental stresses	369
T.4.10	Protection against excessive acoustic noise hazards	369
T.4.11	Wiring and connections	369
T.4.12	Mechanical requirements for <i>enclosures</i>	382
T.4.13	<i>Components</i>	386
T.4.14	Protection against electromagnetic fields	391
T.5	Test requirements	391
T.5.1	General	391
T.5.2	Test specifications	391
T.6	Information and marking requirements	416
T.6.1	General	416
T.6.2	Information for selection	418
T.6.3	Information for installation and commissioning	419
T.6.4	Information for intended use	421
T.6.5	Supplementary information	423
T.200	IEC normative references replaced by CSA standards	423
	Bibliography	426

Figure 1 – <i>PDS</i> hardware configuration within an <i>installation</i>	35
Figure 2 – Time-voltage zones for <i>DVC A</i> and <i>DVC B</i> circuits – DC	50
Figure 3 – Time-voltage zones for <i>DVC A</i> and <i>DVC B</i> circuits – AC peak	51
Figure 4 – Time-voltage zones for conductive <i>accessible parts</i>	52
Figure 5 – Example of a <i>protective class I BDM/CDM</i> arrangement and its associated <i>protective equipotential bonding</i>	58
Figure 6 – Example of a <i>protective class I BDM/CDM</i> arrangement and its associated <i>protective equipotential bonding</i> through direct metallic contact	59
Figure 7 – Example for interconnections within <i>BDM/CDM</i> and between parts of the <i>PDS</i>	106
Figure 8 – Example for interconnections between parts of the <i>PDS</i> (<i>BDM/CDM</i> parts separated by field wiring)	107
Figure 9 – Example arrangement of insulated conductors in a cable	108
Figure 10 – Detachable <i>mains supply</i> cords and connections	112
Figure 11 – Wire bending space	116
Figure 12 – Supported and unsupported <i>enclosure parts</i>	119
Figure 13 – Impact test using a steel ball	135
Figure 14 – Voltage test procedures	146
Figure 15 – Partial discharge test procedure	148
Figure 16 – Electric strength test instrument	154
Figure 17 – Mandrel	155
Figure 18 – Initial position of mandrel	155
Figure 19 – Final position of mandrel	155
Figure 20 – Position of metal foil on insulating material	156
Figure 21 – <i>Protective equipotential bonding</i> test set up	160
Figure 22 – Example of short-circuit test between <i>BDM/CDM</i> motor power <i>port</i> and <i>protective earth</i> (motor separately earthed)	162

Figure 23 – Example of short-circuit test between <i>BDM/CDM</i> motor power <i>port</i> and protective earth (motor earthed through <i>BDM/CDM</i>).....	162
Figure 24 – Example of short-circuit test between <i>BDM/CDM</i> DC link power <i>port</i> and protective earth.....	163
Figure 25 – Interpolated values for Table 37	165
Figure 26 – Circuit for high-current arcing test	171
Figure 27 – Test fixture for hot-wire ignition test	172
Figure A.1 – Protection by <i>DVC As</i> with <i>enhanced protection</i>	202
Figure A.2 – Protection by means of <i>protective impedance</i>	203
Figure A.3 – Protection by using limited voltages	204
Figure A.4 – Typical waveform for AC <i>working voltage</i>	205
Figure A.5 – Typical waveform for DC <i>working voltage</i>	206
Figure A.6 – Typical waveform for pulsating <i>working voltage</i>	207
Figure A.7 – Protective measures according to 4.4.1 to 4.4.5 for protection against electric shock considering <i>protective class I</i> and <i>protective class II BDM/CDM/PDS</i>	209
Figure A.8 – Protective measures according to 4.4.1 to 4.4.5 for protection against electric shock considering <i>protective class III BDM/CDM/PDS</i> and <i>DVC As</i> circuits	210
Figure D.1 – Example of measurements including a groove	220
Figure D.2 – Example of measurements including a groove	220
Figure D.3 – Example of measurements including a groove	220
Figure D.4 – Example of measurements including a rib	220
Figure D.5 – Example of measurements providing protection of type 2.....	221
Figure D.6 – Example of measurements providing protection of type 1.....	221
Figure D.7 – Example of measurements providing protection of type 1.....	221
Figure D.8 – Example of measurements providing protection of type 1.....	222
Figure D.9 – Example of measurements including a barrier (cemented joint).....	222
Figure D.10 – Example of measurements including a barrier.....	222
Figure D.11 – Example of measurements including a gap	223
Figure D.12 – Example of measurements including a gap	223
Figure D.13 – Example of measurements including an floating conductive part.....	224
Figure D.14 – Example of measurements in inner layer of PWB	224
Figure D.15 – Example of measurements in an <i>enclosure</i> of insulating material.....	225
Figure F.1 – Diagram for dimensioning of <i>clearances</i> above 30 kHz	229
Figure F.2 – Diagram for dimensioning of <i>creepage distances</i> above 30 kHz	231
Figure F.3 – Permissible field strength for dimensioning of <i>solid insulation</i> according to Formula (F.1).....	233
Figure H.1 – Flow chart leading to selection of the RCD type upstream of a <i>PDS</i>	235
Figure H.2 – Symbols for marking depending on the type of RCD	236
Figure H.3 – Fault current waveforms in connections with <i>BDM/CDM/PDS</i>	239
Figure I.1 – <i>Basic protection</i> evaluation for circuits connected to the origin of the <i>installation mains supply</i>	240
Figure I.2 – <i>Basic protection</i> evaluation for circuits connected to the <i>mains supply</i>	241
Figure I.3 – <i>Basic protection</i> evaluation for single and three phase <i>BDM/CDM/PDS</i> not permanently connected to the <i>mains supply</i>	241
Figure I.4 – <i>Basic protection</i> evaluation for circuits connected to the origin of the <i>installation mains supply</i> where internal SPDs are used.....	241

Figure I.5 – <i>Basic protection</i> evaluation for circuits connected to the <i>mains supply</i> where internal SPDs are used.....	242
Figure I.6 – Example of <i>enhanced protection</i> evaluation for circuits connected to the <i>mains supply</i> where internal SPDs are used	242
Figure I.7 – Example of <i>enhanced protection</i> evaluation for circuits connected to the <i>mains supply</i> where internal SPDs are used	242
Figure I.8 – Example of <i>enhanced protection</i> evaluation for circuits connected to the <i>mains supply</i> where internal SPDs are used	243
Figure I.9 – <i>Basic protection</i> evaluation for circuits connected to the <i>non-mains supply</i>	243
Figure I.10 – <i>Basic protection</i> evaluation for circuits connected to the origin of the <i>installation non-mains supply</i>	243
Figure I.11 – <i>Functional insulation</i> evaluation within circuits affected by external transients.....	244
Figure I.12 – <i>Basic protection</i> evaluation for circuits connected to the <i>mains supply</i> and a non-mains circuit	244
Figure I.13 – <i>Insulation</i> evaluation for <i>accessible circuit</i> of DVC As	245
Figure J.1 – Burn threshold spread when the skin is in contact with a hot smooth surface made of bare (uncoated) metal.....	246
Figure J.2 – Rise in the burn threshold spread from Figure J.1 for metals which are coated by shellac varnish of a thickness of 50 µm, 100 µm and 150 µm.....	247
Figure J.3 – Rise in the burn threshold spread from Figure J.1 for metals coated with the specific materials	247
Figure J.4 – Burn threshold spread when the skin is in contact with a hot smooth surface made of ceramics, glass and stone materials	248
Figure J.5 – Burn threshold spread when the skin is in contact with a hot smooth surface made of plastics	248
Figure L.1 – Measuring test circuit.....	250
Figure M.1 – Sphere 50 mm probe according to IEC 61032:1997, test probe A	251
Figure M.2 – Jointed test finger according to IEC 61032:1997, test probe B	252
Figure M.3 – Test rod 2,5 mm according to IEC 61032:1997, test probe C	253
Figure M.4 – Sphere 12,5 mm test probe according to IEC 61032:1997, test probe 2	253
Figure O.1 – Flowchart <i>clearance</i>	255
Figure O.2 – Flowchart <i>creepage distance</i>	256
Figure S.1 – Articulate probe with web stop	298
Figure S.2 – Determination of current for circuits of 10 000 A and less	318
Figure S.3 – Peak let-through current	322
Figure S.4 – Application of Simpson's rule to fuse current oscillogram to obtain let-through I^2t	323
Figure S.5 – Clamped joint.....	334
Figure T.1 – Routing conductors through a metal barrier.....	376
Figure T.2 – Wire bending space	381
Figure T.3 – Test circuit using Formula T.1	400
Figure T.4 – Test circuit using Formula T.2	401
Figure T.5 – Test circuit using Formula T.3	401
Figure T.6 – Test circuit using Formula T.4	402
Figure T.7 – Typical test set sensitivity	403
Figure T.8 – Determination of current and power factor for circuits of 10 000 A and less....	412

Table 1 – Alphabetical list of terms	25
Table 2 – Voltage limits for the <i>decisive voltage classes</i>	49
Table 3 – Protection requirements for circuits under consideration	53
Table 4 – <i>PE conductor</i> cross-section	60
Table 5 – Definitions of pollution degrees	68
Table 6 – <i>Impulse withstand voltage</i> and <i>temporary overvoltage</i> versus <i>system voltage</i> for <i>low-voltage</i> circuits	71
Table 7 – <i>Impulse withstand voltage</i> and <i>temporary overvoltage</i> versus <i>system voltage</i> for <i>high-voltage</i> circuits	71
Table 8 – <i>Clearance for functional insulation, basic insulation or supplementary insulation</i>	76
Table 9 – Insulating materials classification	79
Table 10 – <i>Creepage distances</i>	80
Table 11 – <i>Insulation</i> material requirements	83
Table 12 – Distance to uninsulated <i>live parts</i> for consideration of HWI, HAI and CTI	83
Table 13 – Generic materials for <i>insulation</i> material	84
Table 14 – Requirements based on thin sheet material thickness	85
Table 15 – Limits for power sources without an <i>overcurrent protective device</i>	93
Table 16 – Limits for power sources with an <i>overcurrent protective device</i>	93
Table 17 – Maximum measured temperatures for internal materials and <i>components</i>	96
Table 18 – Maximum measured temperatures for accessible parts of <i>BDM/CDM/PDS</i>	98
Table 19 – Minimum tubing wall thickness	100
Table 20 – Environmental service conditions	104
Table 21 – Wire bending space from terminals to <i>enclosure</i>	115
Table 22 – Thickness of sheet metal for <i>enclosures</i> : carbon steel or stainless steel	120
Table 23 – Thickness of sheet metal for <i>enclosures</i> : aluminium, copper or brass	121
Table 24 – Environmental conditions for tests	126
Table 25 – Test overview	127
Table 26 – Pull values for handles and manual control securement	136
Table 27 – Values for physical tests on strain relief of <i>enclosure</i>	137
Table 28 – <i>Impulse withstand voltage</i> test	139
Table 29 – <i>Impulse withstand voltage</i> test voltage for <i>low-voltage</i> <i>BDM/CDM/PDS</i>	140
Table 30 – <i>Impulse withstand voltage</i> test voltage for <i>high-voltage</i> <i>BDM/CDM/PDS</i>	141
Table 31 – AC or DC test voltage for circuits connected directly to <i>low-voltage mains supply</i>	142
Table 32 – AC or DC test voltage for circuits connected directly to <i>high-voltage mains supply</i>	143
Table 33 – AC or DC test voltage for circuits connected to <i>non-mains supply</i> without <i>temporary overvoltages</i>	144
Table 34 – Parameter for <i>BDM/CDM/PDS</i> AC or DC voltage test	147
Table 35 – Partial discharge test	148
Table 36 – <i>Prospective short-circuit current</i> for test vs <i>BDM/CDM</i> rated input current	158
Table 37 – Maximum tripping time for <i>electronic motor overload protection</i> test	164
Table 38 – Environmental tests	175

Table 39 – Preconditioning or recovery procedure for climatic tests (<i>type test</i>)	176
Table 40 – Dry heat test (steady state) (<i>type test</i>).....	176
Table 41 – Cold test (<i>type test</i>)	177
Table 42 – Damp heat test (steady state) (<i>type test</i>)	177
Table 43 – Damp heat test (cyclic) (<i>type test</i>)	178
Table 44 – Vibration test.....	179
Table 45 – Salt mist test	179
Table 46 – Dust test.....	180
Table 47 – Sand test.....	180
Table 48 – Marking location	182
Table A.1 – Configurations for protection against electric shock.....	212
Table C.1 – Symbols used	216
Table D.1 – Width of grooves by pollution degree	219
Table E.1 – Correction factor for <i>clearances</i> at altitudes between 2 000 m and 20 000 m	226
Table E.2 – Test voltages for verifying <i>clearances</i> at different altitudes	227
Table F.1 – Minimum values of <i>clearances</i> in air at atmospheric pressure for inhomogeneous field conditions	230
Table F.2 – Multiplication factors for <i>clearances</i> in air at atmospheric pressure for approximately homogeneous field conditions	230
Table F.3 – Minimum values of <i>creepage distances</i> for different frequency ranges	232
Table G.1 – Standard cross-sections of round conductors	234
Table K.1 – Table of electrochemical potentials	249
Table O.1 – Minimum <i>clearance</i> and <i>creepage distances</i> for material 6d.4d12-8649-.....	257
Table P.1 – Limits of EMF for general public exposure.....	260
Table P.2 – Limits of EMF for occupational exposure.....	261
Table P.3 – Limits for magnetic flux density of static magnetic fields	261
Table P.4 – EMF test overview	263
Table 41.1 – Maximum disconnection times	264
Table R.1 – Risk assessment.....	266
Table S.1 – Size of bonding conductor.....	273
Table S.2 – Duration of current flow for bonding-conductor test	273
Table S.3 – Bonding conductor short-circuit test capacity	273
Table S.4 – Maximum rating of <i>overcurrent</i> device	275
Table S.5 – Dimensions of bushings	277
Table S.6 – <i>BDM/CDM/PDS</i> intended for installation in a feeder circuit.....	277
Table S.7 – <i>Generic materials for barriers</i>	279
Table S.8 – Tubing wall thickness	283
Table S.9 – Ampacity of flexible cord	286
Table S.10 – Ampacities of insulated conductors	289
Table S.11 – Wire bending space at the terminals of enclosed power conversion equipment.....	291
Table S.12 – <i>Overcurrent</i> protective device	292
Table S.13 – Branch-circuit <i>short-circuit</i> protective device	293

Table S.14 – Openings in <i>enclosures</i>	299
Table S.15 – Addition to Table 3 of UL 50:2015: Thickness of sheet metal for <i>enclosures</i> – Carbon steel or stainless steel	301
Table S.16 – Addition to Table 4 of UL 50:2015: Thickness of sheet metal for <i>enclosures</i> – Aluminum, copper or brass.....	301
Table S.17 – Dimensions of knockout	304
Table S.18 – Values of voltage for tests.....	307
Table S.19 – AC or DC voltage test voltages	310
Table S.20 – Width of copper bus bars	311
Table S.21 – Production-line test conditions	312
Table S.22 – Power factor of test circuits for devices rated 600 V or less.....	326
Table S.23 – Minimum <i>clearances</i> and <i>creepage distances</i> at <i>field wiring terminals</i> up to 600 V	335
Table S.24 – Minimum <i>clearances</i> and <i>creepage distances</i> for <i>field wiring terminals</i> over 600 V	336
Table S.25 – <i>Clearances</i> and <i>creepage distances</i> at <i>field wiring terminals</i> for pollution degree 2 environments	337
Table S.26 – IEC normative reference standards that do not apply	341
Table S.27 – IEC normative references replaced by USA standards	342
Table S.28 – Secondary circuits, differences in evaluation	344
Table S.29 – Full-load motor-running currents in amperes corresponding to various AC horsepower ratings	352
Table S.30 – Full-load motor-running currents in amperes corresponding to various DC horsepower ratings	353
Table T.1 – Size and number of bonding conductors per termination	359
Table T.2 – Size of bonding conductor	359
Table T.3 – Minimum <i>clearance</i> and <i>creepage distances</i> on <i>field wiring terminals</i>	361
Table T.4 – Dimensions of bushings	362
Table T.5 – Test voltages for verifying <i>clearances</i>	365
Table T.6 – Test voltages for verifying <i>clearances</i> using AC RMS	365
Table T.7 – Generic material acceptable as a barrier	366
Table T.8 – Allowable ampacities of insulated copper conductors inside industrial control equipment <i>enclosures</i> (based on a <i>ambient temperature</i> of 40 °C)	370
Table T.9 – Ampacity correction factors for multiple conductor groupings	370
Table T.10 – Wiring space	371
Table T.11 – Wire-bending space	372
Table T.12 – Full-load motor-running currents in amperes corresponding to AC horsepower ratings	373
Table T.13 – Full-load motor-running currents in amperes corresponding to DC horsepower ratings	374
Table T.14 – Wire-bending space	376
Table T.15 – Test values for <i>BDM/CDM/PDS</i> wiring terminals	378
Table T.16 – Ampacity of conductors based on resistor duty cycle ratings	379
Table T.17 – Thickness of sheet metal for <i>enclosures</i> – Carbon steel or stainless steel	383
Table T.18 – Thickness of sheet metal for <i>enclosures</i> – Aluminum, copper, or brass	384
Table T.19 – Maximum acceptable rating of primary <i>overcurrent device</i>	388