

TECHNICAL SPECIFICATION



**Wind energy generation systems –
Part 11-2: Acoustic noise measurement techniques – Measurement of wind
turbine sound characteristics in receptor position**

Document Preview

[IEC TS 61400-11-2:2024](https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024>





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International
Standards
Document Preview
standards.iteh.ai

[IEC TS 61400-11-2:2024](https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024>



TECHNICAL SPECIFICATION



**Wind energy generation systems –
Part 11-2: Acoustic noise measurement techniques – Measurement of wind
turbine sound characteristics in receptor position**

Document Preview

[IEC TS 61400-11-2:2024](https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.180

ISBN 978-2-8322-8405-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD..... 7

INTRODUCTION..... 9

1 Scope..... 10

2 Normative references 10

3 Terms and definitions 11

4 Symbols and units 15

5 Outline of method 16

6 Instrumentation..... 17

6.1 Acoustic instruments..... 17

6.1.1 General 17

6.1.2 Equipment for the determination of the equivalent continuous A-weighted sound pressure level 17

6.1.3 Equipment for the determination of A-weighted or Z-weighted 1/3-octave band spectra 17

6.1.4 Equipment for the determination of narrow band spectra 17

6.1.5 Acoustical calibrator 17

6.1.6 Audio recording and playback systems 18

6.2 Non-acoustic instruments..... 18

6.2.1 General 18

6.2.2 Wind speed measurement systems..... 18

6.2.3 Other instrumentation (temperature, humidity, rain, pressure, distance, temperature gradient, satellite positioning system) 18

6.3 Traceable calibration 18

6.4 Acoustic field calibration 19

6.5 Time synchronization 19

7 Test planning..... 20

7.1 General..... 20

7.2 Planning acoustic measurements 20

7.2.1 Sound characteristics 20

7.2.2 Sound sources to be considered..... 20

7.3 Determination of representative conditions 21

7.4 Effects of site conditions on measurements 22

7.5 Acoustic measurements 22

8 Setup of acoustic measurements 23

8.1 Measurement locations 23

8.1.1 General 23

8.1.2 Proxy location..... 23

8.1.3 Mounting 23

9 Non-acoustic measurements..... 24

9.1 General comments..... 24

9.2 Data sampling..... 24

9.3 Wind speed..... 24

9.3.1 General 24

9.3.2 Binning wind speed related to wind farm operation, V_{bin} 26

9.3.3 Binning wind speed related to background sound 27

9.4 Wind direction..... 28

| | | |
|--------|--|----|
| 9.5 | Precipitation..... | 28 |
| 9.6 | Temperature, humidity, etc | 29 |
| 9.7 | Wind turbine parameters (optional if necessary for assessment) | 29 |
| 10 | Data reduction | 29 |
| 10.1 | Bin analysis | 29 |
| 10.2 | Data recommendations | 29 |
| 10.3 | Uncertainty | 30 |
| 10.3.1 | General | 30 |
| 10.3.2 | Calculation of average sound pressure level and uncertainty per bin based on measurements..... | 30 |
| 10.3.3 | Calculation of average values and uncertainty per bin based on measurements – Arithmetic averaging | 32 |
| 10.3.4 | Calculation of average sound pressure level and uncertainty per bin when using the sound power level based regulatory scheme | 32 |
| 11 | Sound pressure level..... | 33 |
| 11.1 | Outline..... | 33 |
| 11.2 | Instrumentation..... | 33 |
| 11.3 | Acoustic measurements | 34 |
| 11.3.1 | General | 34 |
| 11.3.2 | Equivalent continuous A-weighted sound pressure level, L_{Aeq} | 34 |
| 11.3.3 | Statistical level, L_{Axx} | 34 |
| 11.4 | Non-acoustic measurements (SCADA, wind speed, temperature, humidity)..... | 34 |
| 11.5 | Data processing and analysis | 35 |
| 11.5.1 | Data requirements | 35 |
| 11.5.2 | Data binning | 35 |
| 11.5.3 | Handling extraneous sound data..... | 35 |
| 11.5.4 | Determination of representative conditions | 36 |
| 11.6 | Measurement methods..... | 36 |
| 11.6.1 | Long term measurements of wind turbine operation without shut down | 36 |
| 11.6.2 | Short term measurements including periods of wind turbine operation and shut down | 36 |
| 11.6.3 | Long term measurements including periods of wind turbine operation and shut down | 37 |
| 11.6.4 | High background sound situation | 38 |
| 11.7 | Guidance on background sound correction | 38 |
| 11.8 | Sound power level based regulatory scheme | 39 |
| 11.8.1 | General | 39 |
| 11.8.2 | ISO 9613-2..... | 39 |
| 11.8.3 | Nord2000..... | 40 |
| 11.9 | Reporting of results..... | 42 |
| 12 | Tonal audibility | 42 |
| 12.1 | Outline..... | 42 |
| 12.2 | Overview of the ISO/TS 20065 method | 43 |
| 12.3 | Instrumentation..... | 43 |
| 12.4 | Acoustic measurements | 44 |
| 12.5 | Non-acoustic measurements | 44 |
| 12.5.1 | General | 44 |
| 12.5.2 | Implementation specifics | 44 |
| 12.5.3 | Data binning | 47 |

| | | |
|-----------------------|---|----|
| 12.5.4 | Uncertainty | 47 |
| 12.6 | Reporting | 47 |
| 13 | Amplitude modulation | 48 |
| 13.1 | General..... | 48 |
| 13.2 | Outline | 48 |
| 13.3 | Instrumentation | 49 |
| 13.4 | Acoustic measurements | 49 |
| 13.5 | Non-acoustic measurements | 49 |
| 13.6 | Data reduction procedures | 49 |
| 13.6.1 | General methodology..... | 49 |
| 13.6.2 | 10 s methodology | 50 |
| 13.6.3 | Signal analysis – 10 min results..... | 54 |
| 13.6.4 | Signal analysis – Binned results | 55 |
| 13.6.5 | Uncertainty | 55 |
| 13.7 | Reporting | 55 |
| 14 | Impulsivity | 56 |
| 14.1 | Outline | 56 |
| 14.2 | Instrumentation | 56 |
| 14.3 | Acoustic measurements | 57 |
| 14.4 | Non-acoustic measurements | 57 |
| 14.5 | Data reduction | 57 |
| 14.6 | Uncertainty | 57 |
| 14.7 | Reporting | 57 |
| 15 | Reporting..... | 57 |
| 15.1 | Information to be reported..... | 57 |
| 15.1.1 | General | 57 |
| 15.1.2 | Description of the test scope and measurement concept..... | 57 |
| 15.1.3 | Characterization of the wind turbine(s) | 58 |
| 15.1.4 | Physical environment..... | 58 |
| 15.1.5 | Instrumentation..... | 59 |
| 15.1.6 | Data | 59 |
| 15.1.7 | Uncertainty | 59 |
| Annex A (informative) | Rating level | 60 |
| A.1 | Rating of sound characteristics | 60 |
| A.2 | Examples of adjustments to the determined sound pressure levels for tonal audibility | 60 |
| A.3 | Examples of adjustments to the determined sound pressure levels for amplitude modulation..... | 61 |
| A.4 | Examples of adjustments to the determined sound pressure levels for impulsivity | 61 |
| Annex B (informative) | Infrasound and wind turbines..... | 62 |
| Annex C (informative) | Low frequency sound evaluation | 63 |
| C.1 | Outline | 63 |
| C.2 | Standardised prediction approach | 63 |
| C.3 | Data reduction | 65 |
| C.4 | Uncertainty | 65 |
| C.5 | Reporting | 65 |
| C.6 | Examples of sound criteria in Scandinavian countries | 66 |
| C.6.1 | Denmark..... | 66 |

| | | |
|-----------------------|---|----|
| C.6.2 | Sweden | 66 |
| Annex D (informative) | Examples for test plan and other considerations | 67 |
| D.1 | General..... | 67 |
| D.2 | Understanding the test scope and setting up a test plan – Example 1 | 67 |
| D.3 | Understanding the test scope and setting up a test plan – Example 2 | 67 |
| D.4 | Advantages and disadvantages of different measurement methodologies for L_p | 68 |
| D.4.1 | Long term measurements of wind turbine operation without shut down | 68 |
| D.4.2 | Short term measurements including periods of wind turbine operation and shut down | 68 |
| D.4.3 | Long term measurements including periods of wind turbine operation and shut down | 69 |
| Annex E (informative) | Objective method for assessing the audibility of tones in sound – Survey method..... | 70 |
| Annex F (informative) | Data exclusion tools | 71 |
| F.1 | General..... | 71 |
| F.2 | General data exclusion tools and methods | 71 |
| Annex G (informative) | Amplitude modulation adaptations | 73 |
| G.1 | General..... | 73 |
| G.2 | Faster rotor speeds..... | 73 |
| G.3 | Higher frequency bands | 73 |
| Annex H (informative) | Additional analysis tools..... | 75 |
| H.1 | General..... | 75 |
| H.2 | L_p tools..... | 75 |
| H.2.1 | Using statistical descriptors to remove transient events | 75 |
| H.2.2 | Band limited analysis | 75 |
| H.2.3 | Identify periods of turbine-only noise | 76 |
| Annex I (informative) | Secondary wind screens, façade mounted microphone and proxy location..... | 77 |
| I.1 | General..... | 77 |
| I.2 | Oversize or secondary wind screens | 77 |
| I.3 | Façade mounted microphone | 77 |
| I.4 | Proxy location | 78 |
| Annex J (informative) | Sound emergence..... | 79 |
| J.1 | General..... | 79 |
| J.2 | Ambient sound | 79 |
| J.3 | Particular sound..... | 79 |
| J.4 | Background sound | 79 |
| J.5 | Calculation of the “émergence” criterion $E(j)$ | 79 |
| Annex K (informative) | Meteorological effects | 80 |
| K.1 | Motivation | 80 |
| K.2 | Reminder on ground-based sound sources | 80 |
| K.3 | Sound sources at high heights | 81 |
| K.4 | Meteorological conditions for acoustic measurements | 82 |
| K.4.1 | General | 82 |
| K.4.2 | Temperature gradient | 82 |
| K.4.3 | Wind shear | 82 |
| K.4.4 | Potential temperature difference | 84 |

K.4.5 Cloud cover 84

K.4.6 3D sonic anemometers 84

K.4.7 SoDAR and LiDAR systems 85

K.4.8 Reanalysis weather data 85

K.4.9 Roughness length 85

K.5 Outlook 86

Annex L (informative) ISO/TS 20065 implementation – Areas for further consideration 87

L.1 General 87

L.2 Combining 3 s tonal audibilities 87

L.3 Audibility threshold 87

L.4 Critical bands not centred on tones 88

Bibliography 89

Figure 1 – Power spectrum for a 10 s block 54

Figure A.1 – Examples of adjustments to the determined sound pressure levels for amplitude modulation 61

Table 1 – Example 1: Wind speed data categorization – Maximum sound power level emissions 25

Table 2 – Example 2: Wind speed data categorization – Maximum sound power level emissions 25

Table 3 – Examples of possible values of type B uncertainty components relevant for apparent sound power spectra 32

Table 4 – Quantities as required for analysis 35

Table 5 – ISO 9613-2 modelling parameters 40

Table 6 – Nord2000 modelling parameters 41

Table 7 – Upper tone search frequencies based on a range of distance and meteorological conditions 45

Table A.1 – Example of tonal adjustment K_T from the mean audibility ΔL 60

Table C.1 – Impedance class descriptions 64

Table C.2 – Equation coefficients for a rural setting at 70 % humidity and 10 °C 64

Table C.3 – Examples of façade insulation values ΔL_σ 65

Table C.4 – Low frequency measurements reporting table 66

Table C.5 – Z-weighted sound levels in individual 1/3-octave bands from 31,5 Hz to 200 Hz 66

Table K.1 – Example of wind speed at 10 m and 120 m considering different vertical profiles (alpha) 83

Table K.2 – Example of shear factor (α) calculations considering wind speed measurements at 10 m and 120 m 84

Table K.3 – Roughness length 85

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS –

**Part 11-2: Acoustic noise measurement techniques –
Measurement of wind turbine sound characteristics in receptor position**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61400-11-2 has been prepared by IEC technical committee 88: Wind energy generation systems. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

| | |
|------------|------------------|
| Draft | Report on voting |
| 88/995/DTS | 88/1009/RVDTS |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 61400-11-2:2024](https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024>

INTRODUCTION

The primary objective of this document is to establish uniform measurement and data analysis techniques to facilitate the evaluation of the A-weighted sound pressure level, or other acoustical properties, attributable to wind turbines at representative far-field locations. While this is a seemingly simple objective, wind turbines require wind to operate and the presence of wind complicates reliable acoustical measurements, either directly through wind induced microphone noise or indirectly through wind induced vegetative rustling sound. The presence of other common environmental sounds (planes, trains, road traffic, industrial, agricultural activities, etc.) can complicate or adversely influence the measured sound level. Owing to the distance of sound propagation, the meteorological conditions have a significant impact on the measurement results and the influence should be considered.

Given that the regulatory requirements and history vary from country to country (and even within the same country), this document does not dictate regulatory metrics, but provides guidance on how best to isolate the sound attributable to wind turbines alone in the presence of other environmental sounds. It also provides guidance for those whose regulatory history for wind or other sources require the evaluation of specific acoustical aspects that have historically been subject to highly varying methodologies. Some countries have substantial experience with wind turbines while other countries are new to the special requirements of wind turbine sound measurements. Both can find guidance on how to standardise their approaches.

In general, the document can be used by regulators and authorities, measurement laboratories, developers, operators and manufacturers for

- comparison with local regulation;
- comparison with guarantee values;
- where no tradition for regulations of wind turbine sound immissions is available it can be used to aid the decision process;
- assessment of the sound characteristics in wind turbine sound as well as the sound level.

[IEC TS 61400-11-2:2024](https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/cd7fa7f8-a1fa-4d86-bc3e-28a7e38f43d8/iec-ts-61400-11-2-2024>

WIND ENERGY GENERATION SYSTEMS –

Part 11-2: Acoustic noise measurement techniques – Measurement of wind turbine sound characteristics in receptor position

1 Scope

This part of IEC 61400-11 presents measurement procedures, that enable the sound characteristics of a wind turbine to be determined at receptor (immission) locations. This involves using measurement methods appropriate to sound immission assessment at far-field locations of a wind turbine or wind farm. The procedures described are different in some respects from those that would be used for noise assessment from other industrial sound sources in environmental noise impact assessments. They are intended to facilitate characterization of wind turbine sound with respect to a range of wind speeds and directions.

The procedures present methodologies that will enable the sound immission and sound characteristics of wind turbines to be described in a consistent and accurate manner. These procedures include the following aspects:

- location of acoustic measurement positions (receptor position);
- requirements for the acquisition of acoustic, meteorological, and associated wind turbine operational data;
- analysis of the data obtained and the content for the data report; and
- definition of specific acoustic parameters, and associated descriptors which are used for making environmental assessments.

This document is not restricted to wind turbines of a particular size or type. The procedures described in this document allow for the thorough description of the sound characteristics and sound immissions from wind turbines.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60942, *Electroacoustics – Sound calibrators*

IEC 61400-11:2012, *Wind turbines – Part 11: Acoustic noise measurement techniques*
IEC 61400-11:2012/AMD1:2018

IEC 61400-12-1, *Wind energy generation systems – Part 12-1: Power performance measurements of electricity producing wind turbines*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO 1996-2:2017, *Acoustics – Description, measurement and assessment of environmental noise – Part 2: Determination of sound pressure levels*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

apparent sound power level

L_{WA}

A-weighted sound power level re. 1 pW of a point source at the rotor centre with the same emission in the downwind direction as the wind turbine being measured, L_{WA} is determined at bin centre wind speeds at hub height as described

Note 1 to entry: Apparent sound power level is expressed in dB re. 1 pW.

[SOURCE: IEC 61400-11:2012, 3.1]

3.2

apparent sound power level with reference to wind speed at 10 m height

$L_{WA,10m}$

A-weighted sound power level re. 1 pW of a point source at the rotor centre with the same emission in the downwind direction as the wind turbine being measured, $L_{WA,10m}$ is determined at integer wind speeds at 10 m height within the wind speed range achieved during measurements

Note 1 to entry: Apparent sound power level with reference to wind speed at 10 m height is expressed in dB re. 1 pW.

[SOURCE: IEC 61400-11:2012, 3.2, modified – “achieved during measurements has been added to the definition.”]

3.3

A-weighted sound pressure level

L_A

sound pressure level measured with the A frequency weighting networks as specified in IEC 61672-1

Note 1 to entry: A-weighted sound pressure level is expressed in dB re. 20 μ Pa.

3.4

bin centre

centre value of a wind speed bin or wind direction bin

3.5

time-weighted and frequency-weighted sound pressure level

ten times the logarithm to the base 10 of the ratio of the time-mean-square of the sound pressure to the square of a reference value, being obtained with a standard frequency weighting and standard time weighting

Note 1 to entry: Sound pressure is expressed in pascal (Pa).

Note 2 to entry: The reference value is 20 μ Pa.

Note 3 to entry: Time-weighted and frequency-weighted sound pressure level is expressed in decibels (dB).

Note 4 to entry: The standard frequency weightings are A-weighting and C-weighting as specified in IEC 61672-1, and the standard time weightings are F-weighting and S-weighting as specified in IEC 61672-1

3.6

background sound

contribution from all sources of acoustic sound other than the source of interest (i.e. wind turbine)

3.7

total sound

totally encompassing sound composed of sound from many sources near and far (including background sound and sound source of interest)

3.8

low frequency sound

sound containing frequency components of interest within the range generally covering the 1/3-octave bands 10 Hz to 200 Hz

Note 1 to entry: This definition is specific for this document. Other definitions can apply in different national regulations.

3.9

tonality

ΔL_k

difference between the tone level and the level of the masking noise in the critical band around the tone in each wind speed bin where k is the centre value of the wind speed bin

3.10

tone frequency

f_T

frequency of the spectral line (or mid band frequency of the narrow band filter), to the level of which the tone contributes most strongly

3.11

tone level

L_T

energy summation of the narrow-band level with the tone frequency, f_T , and the lateral lines about f_T , assignable to this tone

Note 1 to entry: If the critical band for the frequency, f_T , under consideration contains a number of tones, then the tone level, L_T , is the energy sum of these tones. This level, L_T , is then assigned to the frequency of the participating tone that has the maximal value of audibility, ΔL .

3.12

audibility

ΔL

difference between the tonality and the audibility criterion, a_v in each wind speed bin

Note 1 to entry: Tonal audibility is expressed in dB.

3.13

bandwidth

frequency range of a number of neighbouring spectral lines

Note 1 to entry: If the width of a frequency band is calculated, for which its beginning or end does not correspond to the boundary between two spectral lines, then only the spectral lines that lie in their full width within the calculated frequency range are assigned to the frequency band.