

INTERNATIONAL STANDARD



**Internet of things (IoT) – Underwater acoustic sensor network (UWASN) –
Network management system overview and requirements**

(standards.iteh.ai)

ISO/IEC 30142:2020

<https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[ISO/IEC 30142:2020](https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020)

<https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020>

iTeh STANDARDS (Standards.iteh.ai)

INTERNATIONAL STANDARD



**Internet of things (IoT) – Underwater acoustic sensor network (UWASN) –
Network management system overview and requirements**

<https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.110

ISBN 978-2-8322-8484-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Abbreviated terms	8
5 U-NMS overview.....	8
5.1 General.....	8
5.2 Problem statements	9
5.3 Description of the U-NMS	10
5.4 Purpose and advantages of the U-NMS	10
6 Functions of the U-NMS.....	11
6.1 Overview.....	11
6.2 U-NMS fault management.....	11
6.3 U-NMS configuration management.....	12
6.4 U-NMS account management.....	14
6.5 U-NMS performance management	14
6.5.1 General.....	14
6.5.2 The challenges in performance management	14
6.5.3 Functions of performance management.....	15
6.6 U-NMS security management.....	16
6.7 U-NMS constrained management.....	17
6.7.1 General.....	17
6.7.2 Constrained network management.....	17
6.7.3 Constrained device management.....	18
7 U-NMS components.....	19
7.1 Management station.....	19
7.2 U-NMS agent	20
7.2.1 General	20
7.2.2 Types of agents.....	21
7.2.3 Elements of agent.....	22
7.2.4 Underwater Management Information Base (u-MIB).....	22
7.3 Managed elements.....	23
7.4 Management protocol	24
8 Requirements of U-NMS	25
8.1 U-NMS general requirements	25
8.2 U-NMS functional requirements	25
8.3 U-NMS constrained requirements.....	27
9 Model for underwater network management.....	28
9.1 FCAPSC modelling for the U-NMS	28
9.2 U-NMS architectural model	28
9.3 U-NMS specific architecture.....	29
Annex A (informative) U-NMS use cases.....	31
A.1 General.....	31
A.2 Environmental management use case.....	31
A.2.1 Description	31

A.2.2	Actors	32
A.2.3	Potential requirements	32
A.2.4	Environmental monitoring and management use case diagram	32
A.3	Underwater pipeline management use case	35
A.3.1	General	35
A.3.2	Actors	35
A.3.3	Potential requirements	35
A.3.4	Pipeline leakage detection and management use case diagram	36
A.4	Underwater natural resource management use case	37
A.5	Underwater fish farm management use case	37
A.6	Harbour security management use case	38
	Bibliography	39
Figure 1	– Stack of layers in a U-NMS	9
Figure 2	– Functions of the U-NMS	11
Figure 3	– Fault management in the U-NMS	12
Figure 4	– Configuration management in the U-NMS	13
Figure 5	– Account management in U-NMS	14
Figure 6	– Performance management in U-NMS	15
Figure 7	– Security management in U-NMS	16
Figure 8	– Constrained network management in U-NMS	18
Figure 9	– Constrained device management in U-NMS	19
Figure 10	– Management station	20
Figure 11	– U-NMS agent architecture	21
Figure 12	– Components of Agent	22
Figure 13	– u-MIB in different devices	23
Figure 14	– Managed elements	23
Figure 15	– Management protocol in U-NMS system	24
Figure 16	– FCAPSC modelling for the U-NMS	28
Figure 17	– U-NMS architectural model	29
Figure 18	– U-NMS specific architecture	30
Figure A.1	– Environmental management use case	31
Figure A.2	– Environmental management use case diagram	33
Figure A.3	– Use case for network management station	34
Figure A.4	– Use case for agents in environmental management	34
Figure A.5	– Underwater pipeline management use case	35
Figure A.6	– Underwater pipeline leakage management use case	36
Figure A.7	– Underwater natural resource management use case	37
Figure A.8	– Underwater fish farm management use case	37
Figure A.9	– Harbour security management use case	38

Table 1 – Types of agents in different devices of U-NMS	21
Table 2 – General requirements of U-NMS.....	25
Table 3 – Functional requirements of U-NMS.....	26
Table 4 – Constrained requirements of the U-NMS	27
Table A.1 – Potential U-NMS requirements of environmental monitoring application	32
Table A.2 – Potential U-NMS requirements of pipeline monitoring application	36

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 30142:2020](https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020)

<https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020>

INTERNET OF THINGS (IoT) – UNDERWATER ACOUSTIC SENSOR NETWORK (UWASN) – NETWORK MANAGEMENT SYSTEM OVERVIEW AND REQUIREMENTS

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 30142 was prepared by subcommittee 41: Internet of Things and related technologies, of ISO/IEC joint technical committee 1: Information technology.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
JTC1-SC41/149/FDIS	JTC1-SC41/160/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Water covers approximately 70 % of the surface of the Earth. Modern technologies introduce new methods to monitor the body of water, such as pollution monitoring and detection. Underwater data gathering techniques require exploring the water environment, which can be most effectively performed by underwater acoustic sensor networks (UWASNs). Applications developed for the UWASNs can record underwater climate, detect and control water pollution, monitor marine biology, discover natural resources, detect pipeline leakages, monitor and find underwater intruders, perform strategic surveillance, and so on.

In order to build and apply the UWASN technology, most suitable methods for managing the network have been developed based on the ISO/IEC 30140 series. This document describes the network management outline and requirements appropriate to the UWASN under the constraints of underwater physical environment.

The ISO/IEC 30140 series provides general requirements, reference architecture (RA) including the entity models and high-level interface guidelines supporting interoperability among UWASNs in order to provide the essential UWASN construction information to help and guide architects, developers and implementers of UWASNs.

This document provides the information such as requirements of an underwater network management system (U-NMS), functions supporting U-NMS and components required for U-NMS in UWASN.

Various technical standards derived from the R&D results of the technical areas under the UWASN and underwater communication fields not covered by the ISO/IEC 30140 series are continuously proposed and developed.

[ISO/IEC 30142:2020](https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020)

<https://standards.iteh.ai/catalog/standards/sist/091131bf-5d29-4f71-9d63-1c670ca37607/iso-iec-30142-2020>

INTERNET OF THINGS (IoT) – UNDERWATER ACOUSTIC SENSOR NETWORK (UWASN) – NETWORK MANAGEMENT SYSTEM OVERVIEW AND REQUIREMENTS

1 Scope

This document provides the overview and requirements of a network management system in underwater acoustic sensor network (UWASN) environment. It specifies the following:

- functions which support underwater network management system;
- entities required for underwater network management system;
- data about the communication between elements in underwater network management system;
- guidelines to model the underwater network management system;
- general and functional requirements of underwater network management system.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

agent

software program that manages the devices installed in underwater

3.2

u-MIB

collection of managed objects, which acts as the database for the management of each device in the underwater environment

3.3

manager

program installed in the management station, which is used for the management of devices in underwater networks

4 Abbreviated terms


UUV	unmanned underwater vehicle
UWASN	underwater acoustic sensor network
UWA-GW	underwater acoustic gateway
UWA-SNode	underwater acoustic sensor node
U-NMS	underwater network management system
UWA-CH	underwater acoustic cluster head
u-MIB	underwater management information base
OID	object identifier
FCAPS	fault-management, configuration, accounting, performance and security
FCAPSC	fault, configuration, accounting, performance, security and constrained management
MO	managed object
UUV	unmanned underwater vehicle
AUV	autonomous underwater vehicle

5 U-NMS overview

5.1 General

The UWASN operates in a constrained environment as compared to terrestrial network's operating environment. Hence, the UWASN needs an efficient network management system to handle and compensate for phenomenological difficulties encountered in the underwater environments. This system can be termed an "underwater network management system" or "U-NMS".

Figure 1 shows the diagrammatic representation of a U-NMS module residing within the UWA-Application Layer.



IEC

ISO/IEC 30142:2020

<https://standards.iteh.ai/catalog/standards/sist/30142-2020/iso-iec-30142-2020>
Figure 1 – Stack of layers in a U-NMS

5.2 Problem statements

As the conditions of the underwater environment differ significantly from terrestrial networks, it becomes mandatory to have an appropriate network management system designed uniquely for the underwater environments.

The specific challenges or issues for the UWASNs to operate with the help of U-NMS are given below.

- Low data rate: In UWASN, the total amount of data collected during the monitoring process by each sensor is less, when compared to terrestrial networks. This is because of the limitation in memory, battery power, etc. in underwater devices.
- Transmission range: In UWASN, the nodes can cover only less distance when considering the network coverage and battery power planning. On the other hand, signals are usually transmitted in low frequencies under water, in order to avoid being absorbed by water. This in turn allows longer transmission ranges, but at the same time increases the chances for interference and collision.
- Battery charge level: As battery backup is limited for all devices in the underwater environment, energy efficiency turns out to be a major challenge when considering the cost of battery recharging.
- Attenuation: In UWASN, the transmission loss can occur based on an absorption in the underwater environments.
- Deployment depth: In UWASN, the node deployment and the node management encounter difficulties due to the depth of sea.
- Size of the antenna: In UWASN, the size of the antenna is designed as small for short range communication and bigger for long range communication. So, it faces difficulties during deployment in underwater communication.

- Data delivery rate: In UWASN, the total packets delivered to the receiver can be influenced by various factors such as time, traffic, etc.
- Delay of data transmission: In UWASN, as the underwater environment is heavily congested with acoustic signals, this situation can cause delays during data transmission.
- Bit errors: In UWASN, the increased bit errors at receivers are caused by various factors such as noise, attenuation, interference, etc.

5.3 Description of the U-NMS

The U-NMS is a program or collection of programs that allows the administrators to independently manage and control every component in an underwater network system.

Operations performed by the U-NMS are the following:

- configuring underwater networks;
- monitoring the performance of components;
- identifying and controlling traffic;
- dealing with problems like device failure, attacks, etc.

5.4 Purpose and advantages of the U-NMS

The main purposes of the U-NMS are to

- monitor the network systems and functions of UWASNs, and
- ensure that the generated data can be transmitted and received at the destination efficiently through the network.

The advantages of using the U-NMS include, but are not limited to, the following.


- Cost reduction: In a constrained environment, it is difficult to manage the devices physically at all times. For example, power, memory, deployment, fouling cleaning, etc. require efficient management mechanisms. Also, the cost is very high for direct management. If a proper management system is employed, then the operational cost, installation cost, etc. can be reduced.
- Easy network monitoring: Each device and the network can be used for monitoring the connection between the devices and network in the underwater environments.
- Error handling: In the underwater environment, the errors can occur in both the devices and network sides and this can be easily handled using the U-NMS.
- Automatic software updates: In the U-NMS, the automatic updating of software over the underwater network is essential.
- Network configuration flexibility: The U-NMS provides easy configuration support among the hardware, software, devices, network, etc. In this way, flexible connections can be made between devices and network.
- Service improvement: The U-NMS can provide the high-quality services such as data collection, processing, predicting, communicating, etc.
- Data control over network: The U-NMS can control the status of devices such as memory, power, network range, etc. Also, the U-NMS can control each underwater management device by collecting and processing dynamic data.
- Security solutions: The U-NMS consists of a security module which can protect the underwater devices from authorization and authentication related issues. Also, the U-NMS can manage the security level of the system based on the security rules.
- Log data analysis: In the U-NMS, log data is the set of underwater activity observation data captured by underwater devices, underwater networks, operating system, etc. Log data can be used to analyse user behaviour, security risks, audit, etc.

6 Functions of the U-NMS

6.1 Overview

In UWASN, the network management system utilizes different methods and tools to assist a human operator in order to manage underwater devices, networks or systems. The functions of U-NMS are modelled using Fault, Configuration, Accounting, Performance, Security and Constrained management (FCAPSC).

FCAPSC functions of U-NMS are described in Figure 2.



IEC

Figure 2 – Functions of the U-NMS

6.2 U-NMS fault management

The main goal of fault management in U-NMS is to notify the faults and abnormal operations in the UWASN. U-NMS fault management functionality includes examining and maintaining the error logs, responding to notifications, finding the faults, performing the diagnostic tests and correcting the faults.

Network problems are detected, isolated and corrected at the fault management level in the U-NMS. As a fault may occur in various components of the system, it is important to identify the relationship between these components. The network always stays operational with the help of the fault management mechanism. The fault management shows how to design and install the services of faults in the U-NMS.

The U-NMS fault management steps are as follows.

- Detect the fault: In U-NMS, the fault detection is indicated by notification messages. The u-MIB has the information related to types of fault that will correlate and find the reasons for the occurrence of faults such as device faults, battery faults, etc.
- Isolate the problem: The source of fault occurring in the U-NMS such as device, battery, network, etc. can be identified.