

# INTERNATIONAL STANDARD



Energy management system application program interface (EMS-API) –  
Part 301: Common information model (CIM) base  
**ITU STANDARD PREVIEW**  
(standards.iteh.ai)

IEC 61970-301:2020

<https://standards.iteh.ai/catalog/standards/sist/1ef3f0d8-c0a0-476a-80f5-ac0800becbc5/iec-61970-301-2020>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2020 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC 61970-301:2020](https://standards.iec.ch/catalog/standards/sist/1ef310d8-c0a0-476a-80f5-ac0800becbc5/iec-61970-301-2020)

<https://standards.iec.ch/catalog/standards/sist/1ef310d8-c0a0-476a-80f5-ac0800becbc5/iec-61970-301-2020>



IEC 61970-301

Edition 7.0 2020-06

# INTERNATIONAL STANDARD



**Energy management system application program interface (EMS-API) –  
Part 301: Common information model (CIM) base**

<https://standards.iteh.ai/catalog/standards/sist/1ef3f0d8-c0a0-476a-80f5-ac0800becbc5/iec-61970-301-2020>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 33.200

ISBN 978-2-8322-8502-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	35
INTRODUCTION.....	37
1 Scope.....	39
2 Normative references .....	39
3 Terms and definitions .....	40
4 CIM specification .....	40
4.1 Overview.....	40
4.2 CIM modelling notation .....	41
4.3 CIM packages.....	41
4.4 CIM classes and relationships.....	43
4.4.1 Classes .....	43
4.4.2 Generalization .....	44
4.4.3 Simple association.....	45
4.4.4 Aggregation.....	46
4.5 CIM model concepts and examples.....	46
4.5.1 Concepts .....	46
4.5.2 Containment, equipment hierarchies and naming.....	47
4.5.3 Names model .....	48
4.5.4 Connectivity model .....	49
4.5.5 Inheritance hierarchy.....	52
4.5.6 Transformer model .....	54
4.5.7 Transformer tap modelling.....	56
4.5.8 Phase wire modelling.....	69
4.5.9 Grounding devices modelling.....	71
4.5.10 Cuts, clamps and jumpers model .....	75
4.5.11 Measurements and controls.....	79
4.5.12 Regulating control models .....	84
4.5.13 DC model for CIM.....	85
4.5.14 Static Var Compensator Voltage Regulation .....	107
4.5.15 ICCP Configuration Model .....	108
4.5.16 Feeder Model .....	115
4.5.17 Control area modelling.....	115
4.6 Modelling guidelines .....	117
4.6.1 Modelling for change .....	117
4.6.2 Process for amendments to the CIM .....	117
4.6.3 Changes to the CIM UML model .....	118
4.6.4 Changes to the CIM standards documents.....	118
4.6.5 Deprecations .....	118
4.6.6 CIM profiles .....	118
4.7 Modelling tools.....	119
4.8 User implementation conventions.....	119
4.8.1 Conventions beyond UML.....	119
4.8.2 Number of terminals for ConductingEquipment objects .....	119
4.8.3 Nominal quantities .....	120
4.8.4 Datatypes .....	120
4.9 CIM modelling examples .....	120
5 Detailed model .....	120

5.1	Overview.....	120
5.2	Context.....	120
6	Package Base.....	122
6.1	General.....	122
6.2	Package Domain.....	122
6.2.1	General.....	122
6.2.2	ActivePower datatype.....	128
6.2.3	ActivePowerChangeRate datatype.....	129
6.2.4	ActivePowerPerCurrentFlow datatype.....	129
6.2.5	ActivePowerPerFrequency datatype.....	129
6.2.6	Admittance datatype.....	129
6.2.7	AngleDegrees datatype.....	130
6.2.8	AngleRadians datatype.....	130
6.2.9	ApparentPower datatype.....	130
6.2.10	Area datatype.....	130
6.2.11	Boolean primitive.....	131
6.2.12	Capacitance datatype.....	131
6.2.13	CapacitancePerLength datatype.....	131
6.2.14	Classification datatype.....	131
6.2.15	Conductance datatype.....	131
6.2.16	ConductancePerLength datatype.....	132
6.2.17	CostPerEnergyUnit datatype.....	132
6.2.18	CostPerHeatUnit datatype.....	132
6.2.19	CostPerVolume datatype.....	132
6.2.20	CostRate datatype.....	133
6.2.21	Currency enumeration.....	133
6.2.22	CurrentFlow datatype.....	137
6.2.23	Damping datatype.....	137
6.2.24	Date primitive.....	137
6.2.25	DateInterval compound.....	137
6.2.26	DateTime primitive.....	138
6.2.27	DateTimeInterval compound.....	138
6.2.28	Decimal primitive.....	138
6.2.29	DecimalQuantity compound.....	138
6.2.30	Displacement datatype.....	138
6.2.31	Duration primitive.....	139
6.2.32	Emission datatype.....	139
6.2.33	Float primitive.....	139
6.2.34	FloatQuantity compound.....	139
6.2.35	Frequency datatype.....	139
6.2.36	HeatRate datatype.....	140
6.2.37	Hours datatype.....	140
6.2.38	Impedance datatype.....	140
6.2.39	Inductance datatype.....	140
6.2.40	InductancePerLength datatype.....	141
6.2.41	Integer primitive.....	141
6.2.42	IntegerQuantity compound.....	141
6.2.43	KiloActivePower datatype.....	141
6.2.44	Length datatype.....	142

6.2.45	Mass datatype .....	142
6.2.46	Minutes datatype .....	142
6.2.47	Money datatype .....	142
6.2.48	MonthDay primitive .....	143
6.2.49	MonthDayInterval compound .....	143
6.2.50	PU datatype .....	143
6.2.51	PerCent datatype .....	143
6.2.52	Pressure datatype .....	143
6.2.53	Reactance datatype .....	144
6.2.54	ReactancePerLength datatype .....	144
6.2.55	ReactivePower datatype .....	144
6.2.56	RealEnergy datatype .....	144
6.2.57	Resistance datatype .....	145
6.2.58	ResistancePerLength datatype .....	145
6.2.59	RotationSpeed datatype .....	145
6.2.60	Seconds datatype .....	146
6.2.61	Speed datatype .....	146
6.2.62	String primitive .....	146
6.2.63	StringQuantity compound .....	146
6.2.64	Susceptance datatype .....	146
6.2.65	SusceptancePerLength datatype .....	147
6.2.66	Temperature datatype .....	147
6.2.67	Time primitive .....	147
6.2.68	TimeInterval compound .....	147
6.2.69	UnitMultiplier enumeration .....	148
6.2.70	UnitSymbol enumeration .....	149
6.2.71	Voltage datatype .....	154
6.2.72	VoltagePerReactivePower datatype .....	154
6.2.73	Volume datatype .....	154
6.2.74	VolumeFlowRate datatype .....	155
6.2.75	WaterLevel datatype .....	155
6.3	Package Core .....	155
6.3.1	General .....	155
6.3.2	ACDCTerminal .....	160
6.3.3	BaseFrequency .....	161
6.3.4	BasePower .....	162
6.3.5	BaseVoltage .....	162
6.3.6	BasicIntervalSchedule .....	163
6.3.7	Bay .....	163
6.3.8	BreakerConfiguration enumeration .....	164
6.3.9	BusbarConfiguration enumeration .....	165
6.3.10	ConductingEquipment .....	165
6.3.11	ConnectivityNode .....	166
6.3.12	ConnectivityNodeContainer .....	167
6.3.13	Curve .....	167
6.3.14	CurveData root class .....	168
6.3.15	CurveStyle enumeration .....	169
6.3.16	Equipment .....	169
6.3.17	EquipmentContainer .....	170

ITeH STANDARD PREVIEW

(standards.iteh.ai)

IEC 61970-301:2020

<https://standards.iteh.ai/catalog/standards/sist/1e510d8-c0a0-476a-8015->

<acc500becbe5/iec-61970-301-2020>

6.3.18	Feeder .....	171
6.3.19	GeographicalRegion .....	172
6.3.20	IdentifiedObject root class .....	173
6.3.21	IrregularIntervalSchedule .....	174
6.3.22	IrregularTimePoint root class .....	174
6.3.23	Name root class .....	175
6.3.24	NameType root class .....	175
6.3.25	NameTypeAuthority root class .....	176
6.3.26	OperatingParticipant .....	176
6.3.27	OperatingShare root class .....	177
6.3.28	PSRType .....	177
6.3.29	PhaseCode enumeration .....	178
6.3.30	PowerSystemResource .....	179
6.3.31	RegularIntervalSchedule .....	179
6.3.32	RegularTimePoint root class .....	180
6.3.33	ReportingGroup .....	181
6.3.34	ReportingSuperGroup .....	181
6.3.35	SubGeographicalRegion .....	182
6.3.36	Substation .....	183
6.3.37	Terminal .....	184
6.3.38	VoltageLevel .....	185
6.4	Package Wires .....	186
6.4.1	General .....	186
6.4.2	AsynchronousMachineKind enumeration .....	201
6.4.3	ACLineSegment .....	202
6.4.4	ACLineSegmentPhase .....	203
6.4.5	AsynchronousMachine .....	204
6.4.6	Breaker .....	206
6.4.7	BusbarSection .....	208
6.4.8	Clamp .....	209
6.4.9	CompositeSwitch .....	210
6.4.10	Conductor .....	211
6.4.11	Connector .....	212
6.4.12	CoolantType enumeration .....	213
6.4.13	Cut .....	213
6.4.14	Disconnecter .....	215
6.4.15	DisconnectingCircuitBreaker .....	216
6.4.16	EarthFaultCompensator .....	217
6.4.17	EnergyConnection .....	218
6.4.18	EnergyConsumer .....	219
6.4.19	EnergyConsumerPhase .....	221
6.4.20	EnergySchedulingType .....	222
6.4.21	EnergySource .....	222
6.4.22	EnergySourcePhase .....	224
6.4.23	ExternalNetworkInjection .....	225
6.4.24	FrequencyConverter .....	227
6.4.25	Fuse .....	228
6.4.26	Ground .....	229
6.4.27	GroundingImpedance .....	230

6.4.28	GroundDisconnector .....	231
6.4.29	Jumper .....	232
6.4.30	Junction .....	234
6.4.31	Line .....	234
6.4.32	LinearShuntCompensator .....	235
6.4.33	LinearShuntCompensatorPhase .....	237
6.4.34	LoadBreakSwitch .....	237
6.4.35	MutualCoupling .....	239
6.4.36	NonlinearShuntCompensator .....	240
6.4.37	NonlinearShuntCompensatorPhase .....	241
6.4.38	NonlinearShuntCompensatorPhasePoint root class .....	242
6.4.39	NonlinearShuntCompensatorPoint root class .....	243
6.4.40	PerLengthImpedance .....	243
6.4.41	PerLengthLineParameter .....	244
6.4.42	PerLengthPhaseImpedance .....	244
6.4.43	PerLengthSequenceImpedance .....	245
6.4.44	PetersenCoil .....	246
6.4.45	PetersenCoilModeKind enumeration .....	247
6.4.46	PhaseImpedanceData root class .....	247
6.4.47	PhaseShuntConnectionKind enumeration .....	248
6.4.48	PhaseTapChanger .....	249
6.4.49	PhaseTapChangerAsymmetrical .....	250
6.4.50	PhaseTapChangerLinear .....	251
6.4.51	PhaseTapChangerNonLinear .....	252
6.4.52	PhaseTapChangerSymmetrical .....	254
6.4.53	PhaseTapChangerTable .....	255
6.4.54	PhaseTapChangerTablePoint .....	255
6.4.55	PhaseTapChangerTabular .....	256
6.4.56	Plant .....	257
6.4.57	PowerElectronicsConnection .....	258
6.4.58	PowerElectronicsConnectionPhase .....	259
6.4.59	PowerTransformer .....	260
6.4.60	PowerTransformerEnd .....	262
6.4.61	ProtectedSwitch .....	264
6.4.62	RatioTapChanger .....	266
6.4.63	RatioTapChangerTable .....	267
6.4.64	RatioTapChangerTablePoint .....	267
6.4.65	ReactiveCapabilityCurve .....	268
6.4.66	Recloser .....	269
6.4.67	RegulatingCondEq .....	270
6.4.68	RegulatingControl .....	271
6.4.69	RegulatingControlModeKind enumeration .....	273
6.4.70	RegulationSchedule .....	273
6.4.71	RotatingMachine .....	274
6.4.72	Sectionalizer .....	276
6.4.73	SeriesCompensator .....	277
6.4.74	ShortCircuitRotorKind enumeration .....	278
6.4.75	ShuntCompensator .....	278
6.4.76	ShuntCompensatorPhase .....	280



6.4.77	SinglePhaseKind enumeration .....	281
6.4.78	StaticVarCompensator .....	282
6.4.79	SVCControlMode enumeration .....	283
6.4.80	Switch .....	283
6.4.81	SwitchPhase .....	285
6.4.82	SwitchSchedule .....	286
6.4.83	SynchronousMachine .....	287
6.4.84	SynchronousMachineOperatingMode enumeration .....	290
6.4.85	SynchronousMachineKind enumeration .....	290
6.4.86	TapChanger .....	290
6.4.87	TapChangerControl .....	292
6.4.88	TapChangerTablePoint root class .....	293
6.4.89	TapSchedule .....	294
6.4.90	TransformerControlMode enumeration .....	295
6.4.91	TransformerCoreAdmittance .....	295
6.4.92	TransformerEnd .....	296
6.4.93	TransformerMeshImpedance .....	297
6.4.94	TransformerStarImpedance .....	298
6.4.95	TransformerTank .....	299
6.4.96	TransformerTankEnd .....	299
6.4.97	VoltageControlZone .....	300
6.4.98	WireSegment .....	301
6.4.99	WireSegmentPhase .....	302
6.4.100	WindingConnection enumeration .....	303
6.5	Package LoadModel .....	303
6.5.1	General .....	303
6.5.2	ConformLoad .....	304
6.5.3	ConformLoadGroup .....	306
6.5.4	ConformLoadSchedule .....	306
6.5.5	DayType .....	307
6.5.6	EnergyArea .....	308
6.5.7	LoadArea .....	308
6.5.8	LoadGroup .....	309
6.5.9	LoadResponseCharacteristic .....	309
6.5.10	NonConformLoad .....	311
6.5.11	NonConformLoadGroup .....	312
6.5.12	NonConformLoadSchedule .....	313
6.5.13	PowerCutZone .....	314
6.5.14	Season .....	314
6.5.15	SeasonDayTypeSchedule .....	315
6.5.16	StationSupply .....	315
6.5.17	SubLoadArea .....	317
6.6	Package Generation .....	317
6.6.1	General .....	317
6.6.2	Package GenerationTrainingSimulation .....	318
6.6.3	Package Production .....	334
6.7	Package DC .....	386
6.7.1	General .....	386
6.7.2	ACDCCConverter .....	390

6.7.3	ACDCConverterDCTerminal .....	393
6.7.4	CsConverter .....	394
6.7.5	DCTopologicalNode .....	396
6.7.6	CsOperatingModeKind enumeration .....	397
6.7.7	CsPpccControlKind enumeration .....	397
6.7.8	DCBaseTerminal .....	397
6.7.9	DCBreaker .....	398
6.7.10	DCBusbar .....	399
6.7.11	DCChopper .....	400
6.7.12	DCConductingEquipment .....	401
6.7.13	DCConverterOperatingModeKind enumeration .....	402
6.7.14	DCConverterUnit .....	402
6.7.15	DCDisconnecter .....	403
6.7.16	DCEquipmentContainer .....	404
6.7.17	DCGround .....	405
6.7.18	DCLine .....	406
6.7.19	DCLineSegment .....	407
6.7.20	DCNode .....	408
6.7.21	DCPolarityKind enumeration .....	409
6.7.22	DCSeriesDevice .....	409
6.7.23	DCShunt .....	410
6.7.24	DCSwitch .....	411
6.7.25	DCTerminal .....	412
6.7.26	DCTopologicalIsland .....	413
6.7.27	PerLengthDCLineParameter .....	413
6.7.28	VsCapabilityCurve .....	414
6.7.29	VsConverter .....	414
6.7.30	VsPpccControlKind enumeration .....	417
6.7.31	VsQpccControlKind enumeration .....	417
6.8	Package Equivalents .....	418
6.8.1	General .....	418
6.8.2	EquivalentBranch .....	419
6.8.3	EquivalentEquipment .....	422
6.8.4	EquivalentInjection .....	423
6.8.5	EquivalentNetwork .....	425
6.8.6	EquivalentShunt .....	426
6.9	Package AuxiliaryEquipment .....	427
6.9.1	General .....	427
6.9.2	AuxiliaryEquipment .....	428
6.9.3	CurrentTransformer .....	429
6.9.4	FaultIndicator .....	430
6.9.5	PostLineSensor .....	431
6.9.6	PotentialTransformer .....	432
6.9.7	PotentialTransformerKind enumeration .....	433
6.9.8	Sensor .....	434
6.9.9	SurgeArrester .....	435
6.9.10	WaveTrap .....	435
6.10	Package Meas .....	436
6.10.1	General .....	436

STANDARD PREVIEW  
(standards.iteh.ai)

IEC 61970-301:2020

<https://standards.iteh.ai/catalog/standards/sist/1e510d8-c0a0-476a-8015->

ac0800becbe5/iec-61970-301-2020

6.10.2	Accumulator .....	440
6.10.3	AccumulatorLimit .....	441
6.10.4	AccumulatorLimitSet .....	441
6.10.5	AccumulatorReset .....	442
6.10.6	AccumulatorValue .....	443
6.10.7	Analog .....	444
6.10.8	AnalogControl .....	444
6.10.9	AnalogLimit .....	445
6.10.10	AnalogLimitSet .....	446
6.10.11	AnalogValue .....	446
6.10.12	Command .....	447
6.10.13	Control .....	448
6.10.14	Discrete .....	449
6.10.15	DiscreteValue .....	450
6.10.16	IOPoint .....	451
6.10.17	Limit .....	452
6.10.18	LimitSet .....	452
6.10.19	Measurement .....	453
6.10.20	MeasurementValue .....	454
6.10.21	MeasurementValueQuality .....	455
6.10.22	MeasurementValueSource .....	456
6.10.23	Quality61850 root class .....	456
6.10.24	RaiseLowerCommand .....	457
6.10.25	SetPoint .....	458
6.10.26	StringMeasurement .....	459
6.10.27	StringMeasurementValue .....	460
6.10.28	Validity enumeration .....	460
6.10.29	ValueAliasSet .....	461
6.10.30	ValueToAlias .....	462
6.11	Package Topology .....	462
6.11.1	General .....	462
6.11.2	BusNameMarker .....	464
6.11.3	TopologicalIsland .....	464
6.11.4	TopologicalNode .....	465
6.12	Package DiagramLayout .....	466
6.12.1	General .....	466
6.12.2	Diagram .....	467
6.12.3	DiagramObject .....	468
6.12.4	DiagramObjectGluePoint root class .....	469
6.12.5	DiagramObjectPoint root class .....	470
6.12.6	DiagramObjectStyle .....	470
6.12.7	DiagramStyle .....	471
6.12.8	OrientationKind enumeration .....	471
6.12.9	TextDiagramObject .....	472
6.12.10	VisibilityLayer .....	473
6.13	Package OperationalLimits .....	473
6.13.1	General .....	473
6.13.2	ActivePowerLimit .....	475
6.13.3	ApparentPowerLimit .....	476

6.13.4	BranchGroup .....	476
6.13.5	BranchGroupTerminal root class .....	477
6.13.6	CurrentLimit .....	478
6.13.7	OperationalLimit .....	478
6.13.8	OperationalLimitDirectionKind enumeration .....	479
6.13.9	OperationalLimitSet .....	479
6.13.10	OperationalLimitType .....	480
6.13.11	VoltageLimit .....	481
6.14	Package ControlArea .....	481
6.14.1	General .....	481
6.14.2	AltGeneratingUnitMeas .....	483
6.14.3	AltTieMeas .....	484
6.14.4	ControlArea .....	485
6.14.5	ControlAreaGeneratingUnit .....	486
6.14.6	ControlAreaTypeKind enumeration .....	487
6.14.7	TieFlow .....	487
6.15	Package Contingency .....	488
6.15.1	General .....	488
6.15.2	Contingency .....	488
6.15.3	ContingencyElement .....	489
6.15.4	ContingencyEquipment .....	489
6.15.5	ContingencyEquipmentStatusKind enumeration .....	490
6.16	Package StateVariables .....	490
6.16.1	General .....	490
6.16.2	StateVariable root class .....	491
6.16.3	SvInjection .....	491
6.16.4	SvPowerFlow .....	492
6.16.5	SvShuntCompensatorSections .....	492
6.16.6	SvStatus .....	493
6.16.7	SvSwitch .....	493
6.16.8	SvTapStep .....	494
6.16.9	SvVoltage .....	494
6.17	Package Protection .....	495
6.17.1	General .....	495
6.17.2	CurrentRelay .....	496
6.17.3	ProtectionEquipment .....	497
6.17.4	RecloseSequence .....	498
6.17.5	SynchrocheckRelay .....	499
6.18	Package Faults .....	500
6.18.1	General .....	500
6.18.2	EquipmentFault .....	501
6.18.3	Fault .....	501
6.18.4	FaultCauseType .....	502
6.18.5	FaultImpedance compound .....	502
6.18.6	LineFault .....	503
6.18.7	PhaseConnectedFaultKind enumeration .....	503
6.19	Package SCADA .....	504
6.19.1	General .....	504
6.19.2	CommunicationLink .....	505

6.19.3	RemoteControl .....	506
6.19.4	RemotePoint.....	506
6.19.5	RemoteSource.....	507
6.19.6	RemoteUnit .....	508
6.19.7	RemoteUnitType enumeration.....	508
6.19.8	Source enumeration .....	509
6.20	Package ICCPConfiguration.....	509
6.20.1	General .....	509
6.20.2	ApplicationSecurityKind enumeration.....	511
6.20.3	BilateralExchangeActor .....	512
6.20.4	BilateralExchangeAgreement.....	512
6.20.5	ICCPAccessPrivilegeKind enumeration.....	513
6.20.6	ICCPInformationMessage .....	513
6.20.7	ICCPPointKind enumeration .....	514
6.20.8	ICCPProvidedPoint.....	514
6.20.9	ICCPQualityKind enumeration .....	515
6.20.10	ICCPScopeKind enumeration.....	516
6.20.11	ICCPVCC .....	516
6.20.12	ICCPVirtualControlCentre .....	517
6.20.13	IOPointSource .....	518
6.20.14	IPAccessPoint .....	519
6.20.15	IPAddressKind enumeration.....	520
6.20.16	ISOUpperLayer.....	520
6.20.17	ProvidedBilateralPoint .....	521
6.20.18	PublicX509Certificate root class .....	521
6.20.19	TASE2BilateralTable.....	522
6.20.20	TCPAccessPoint.....	523
Annex A	(normative) Custom extensions.....	525
A.1	Overview.....	525
A.2	European extensions .....	525
A.2.1	General .....	525
A.2.2	Package ExtEuCore.....	525
A.2.3	Package ExtEuOperationalLimits .....	528
A.2.4	Package ExtEuGeneration .....	531
Annex B	(Informative) Examples of PST transformer modelling.....	534
B.1	General.....	534
B.2	Detailed calculations and examples .....	534
B.2.1	Symmetrical phase shifters with two cores.....	534
B.2.2	Quadrature boosters.....	538
B.2.3	Asymmetrical phase shifter.....	542
Annex C	(informative) Use cases HVDC representation .....	549
C.1	Overview.....	549
C.2	Back-to-back installations .....	549
C.3	Monopole with ground return.....	550
C.4	Monopole with metallic return .....	551
C.5	Voltage source converter .....	552
Bibliography	.....	554

Figure 1 – Defined dependencies between CIM packages and packages' versions information.....	42
Figure 2 – CIM IEC 61970-301 package diagram .....	43
Figure 3 – Example of generalization .....	45
Figure 4 – Example of simple association .....	46
Figure 5 – Example of aggregation .....	46
Figure 6 – Equipment containers.....	48
Figure 7 – Names .....	49
Figure 8 – Connectivity model.....	50
Figure 9 – Simple network example .....	51
Figure 10 – Simple network connectivity modelled with CIM Topology .....	52
Figure 11 – Equipment inheritance hierarchy .....	53
Figure 12 – Transformer and Tank model.....	54
Figure 13 – Transformer model.....	56
Figure 14 – Transformer tap model .....	57
Figure 15 – Phasor diagram and equations .....	60
Figure 16 – Symmetrical phase shifter impedance variation .....	61
Figure 17 – Core organization.....	62
Figure 18 – Phasor diagram and equations.....	62
Figure 19 – Core organization.....	63
Figure 20 – Phasor diagram and equations .....	64
Figure 21 – Core organization.....	65
Figure 22 – Phasor diagram and equations.....	65
Figure 23 – Phasor diagrams and equations .....	67
Figure 24 – Core organization.....	68
Figure 25 – Phase wire data model.....	70
Figure 26 – Phase connectivity .....	71
Figure 27 – Grounding device data model.....	73
Figure 28 – Station including Petersen coils drawing example .....	74
Figure 29 – Instance diagram objects with one terminal coil.....	75
Figure 30 – Cuts, clamps, and jumpers UML model .....	76
Figure 31 – Example before cuts and jumpers are applied .....	77
Figure 32 – Example after cuts and jumpers are applied .....	78
Figure 33 – Example of jumper without cut or clamp .....	79
Figure 34 – Navigating from PSR to MeasurementValue .....	81
Figure 35 – Measurement placement .....	84
Figure 36 – Regulating control models.....	85
Figure 37 – Simplified example of HVDC model representation.....	87
Figure 38 – Detailed example of HVDC model representation with fictitious HVDC substations .....	88
Figure 39 – Detailed example of HVDC model representation with no fictitious HVDC substations .....	89
Figure 40 – HVDC bi-polar link from IEC 60633 .....	90
Figure 41 – A point-to-point VSC transmission scheme.....	90

Figure 42 – HVDC power flow model.....	91
Figure 43 – Detailed HVDC power flow model.....	92
Figure 44 – Current Source Converter power flow.....	92
Figure 45 – Voltage Source Converter power flow.....	93
Figure 46 – Power flow cases.....	94
Figure 47 – VSC transmission with a symmetrical monopole illustrated with capacitive earthing on the DC side (IEC 62747).....	95
Figure 48 – VSC P-Q capability curve.....	95
Figure 49 – Bipolar VSC transmission with earth return (IEC 62747).....	96
Figure 50 – Object instances for a bi-polar current source HVDC line.....	97
Figure 51 – Object instances for symmetric monopole VSC HVDC data model.....	98
Figure 52 – Containment structure for a bipolar HVDC line.....	99
Figure 53 – Containment structure for a bipolar back-to-back HVDC station.....	100
Figure 54 – The Basic topology in package Core.....	101
Figure 55 – DC and AC topology.....	102
Figure 56 – Equipment model.....	103
Figure 57 – HVDC line model.....	104
Figure 58 – Legend.....	105
Figure 59 – Simple monopole with measurements.....	105
Figure 60 – Simple bipolar.....	106
Figure 61 – Monopole one side with detailed model.....	106
Figure 62 – V-I Characteristic of SVC.....	107
Figure 63 – ICCP measurements and network models.....	109
Figure 64 – ICCP configuration and start up.....	109
Figure 65 – Measurement value provider and consumer example.....	110
Figure 66 – Generalized bilateral exchange agreement data model.....	112
Figure 67 – ICCP bilateral exchange agreement data model.....	114
Figure 68 – Feeder data model.....	115
Figure 69 – Orientation of the Terminal flow.....	116
Figure 70 – Several ways to describe control area ties.....	117
Figure 71 – CIM top level packages.....	121
Figure 72 – Class diagram Domain::CombinedElectricalDatatypes.....	123
Figure 73 – Class diagram Domain::BasicDatatypes.....	123
Figure 74 – Class diagram Domain::ElectricityDatatypes.....	124
Figure 75 – Class diagram Domain::EnumeratedUnitDatatypes.....	125
Figure 76 – Class diagram Domain::GeneralDatatypes.....	126
Figure 77 – Class diagram Domain::MonetaryDatatypes.....	127
Figure 78 – Class diagram Domain::TimeDatatypes.....	128
Figure 79 – Class diagram Core::Main.....	156
Figure 80 – Class diagram Core::Names.....	157
Figure 81 – Class diagram Core::CurveSchedule.....	157
Figure 82 – Class diagram Core::Datatypes.....	158
Figure 83 – Class diagram Core::FeederContainment.....	159