

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Digital audio interface –
Part 3: Consumer applications

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Interface audionumérique –
Partie 3: Applications grand public

IEC 60958-3:2021
<https://standards.iteh.ai/catalog/standards/sist/e027efe2-dc8c-40ba-a1f8-004f2925c196/iec-60958-3-2021>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 60958-3

Edition 4.0 2021-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Digital audio interface –
Part 3: Consumer applications

Interface audionumérique –
Partie 3: Applications grand public

STANDARD PREVIEW
(standards.iteh.ai)

IEC 60958-3:2021
https://standards.iteh.ai/catalog/standards/sist/e027efe2-dc8c-40ba-a1f8-004f2925c196/iec-60958-3-2021

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.160.01

ISBN 978-2-8322-1052-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	9
4 Interface format	9
5 Channel status	9
5.1 General	9
5.2 Application	10
5.2.1 Channel status general format	10
5.2.2 Mode 0 channel status format for digital audio equipment for consumer use	13
5.3 Copyright management guidelines for consumer application of the digital audio interface	18
5.3.1 General	18
5.3.2 Category code groups	19
6 User data	22
6.1 General	22
6.2 Application	22
6.2.1 User data bitstream	22
6.2.2 User data message structure	22
6.2.3 Equipment classification	23
6.2.4 User data message length and contents	24
6.3 Information for synchronization	26
6.3.1 General	26
6.3.2 SMPTE time code information	26
6.3.3 Latency information	27
6.3.4 Loudness information	28
Annex A (normative) Application of the digital audio interface in the compact disc digital audio system	30
A.1 Overview	30
A.2 General: application-specific details	30
A.3 Channel status: application-specific details	30
A.4 User data: application-specific details	30
Annex B (normative) Application of the digital interface in the 2-channel PCM encoder/decoder	32
B.1 Overview	32
B.2 General: application-specific details	32
B.3 Channel status: application-specific details	32
B.4 User data: application-specific details	32
Annex C (normative) Application of the digital interface in the 2-channel digital audio tape recorder in the consumer mode	33
C.1 Overview	33
C.2 General: application-specific details	33
C.3 Channel status: application-specific details	33
C.4 User data: application-specific details	34
Annex D (normative) Application of the digital interface in laser optical digital audio systems for which no other category code is defined	37

D.1	Overview.....	37
D.2	General: application-specific details.....	37
D.3	Channel status: application-specific details.....	37
D.4	User data: application-specific details.....	37
Annex E (normative) Application of the digital interface in a digital audio mixer in the consumer mode		38
E.1	Overview.....	38
E.2	General: application-specific details.....	38
E.3	Channel status: application-specific details.....	38
E.4	User data: application specific details	38
Annex F (normative) Application of the digital interface with a sampling rate converter in the consumer mode.....		39
F.1	Overview.....	39
F.2	General: application-specific details.....	39
F.3	Channel status: application-specific details.....	39
F.4	User data: application-specific details	39
Annex G (normative) Application of the digital interface with a digital sound sampler in the consumer mode.....		40
G.1	Overview.....	40
G.2	General: application-specific details.....	40
G.3	Channel status: application-specific details.....	40
G.4	User data: application specific details	40
Annex H (normative) Application of the digital interface in a digital broadcast receiver (Japan) in the consumer mode.....		41
H.1	Overview.....	41
H.2	General: application-specific details.....	41
H.3	Channel status: application-specific details.....	41
H.4	User data: application-specific details	41
Annex I (normative) Application of the digital interface in a digital broadcast receiver (Europe) in the consumer mode		42
I.1	Overview.....	42
I.2	General: application-specific details.....	42
I.3	Channel status: application-specific details.....	42
I.4	User data: application-specific details	42
Annex J (normative) Application of the digital interface in a digital broadcast receiver (USA) in the consumer mode		43
J.1	Overview.....	43
J.2	General: application-specific details.....	43
J.3	Channel status: application-specific details.....	43
J.4	User data: application-specific details	43
Annex K (normative) Application of the digital interface for electronic software delivery in the consumer mode		44
K.1	Overview.....	44
K.2	General: application-specific details.....	44
K.3	Channel status: application-specific details.....	44
K.4	User data: application-specific details	44
Annex L (normative) Application of the digital interface in the digital compact cassette system in the consumer mode.....		45
L.1	Overview.....	45
L.2	General: application-specific details.....	45

L.3	Channel status: application-specific details	45
L.4	User data: application-specific details	45
L.4.1	General	45
L.4.2	Marker mode	45
L.4.3	Extended mode.....	46
Annex M (normative)	Application of the digital interface in the mini-disc system in the consumer mode	50
M.1	Overview.....	50
M.2	General: application-specific details	50
M.3	Channel status: application-specific details	50
M.4	User data: application-specific details	50
Annex N (normative)	Application of the digital interface in a digital sound processor in the consumer mode	51
N.1	Overview.....	51
N.2	General: application-specific details	51
N.3	Channel status: application-specific details	51
N.4	User data: application-specific details	51
Annex O (normative)	Application of the digital interface in the digital versatile disc system (DVD) in the consumer mode	52
O.1	Overview.....	52
O.2	General: application-specific details	52
O.3	Channel status: application-specific details	52
O.4	User data: application-specific details	52
Annex P (informative)	Use of original sampling frequency, sampling frequency and clock accuracy	53
Annex Q (normative)	Application of the digital interface in magnetic disc digital audio systems in the consumer mode	55
Q.1	Overview.....	55
Q.2	General: application-specific details	55
Q.3	Channel status: application-specific details	55
Q.4	User data: application-specific details	55
Annex R (normative)	Explanations of category code implementation	56
R.1	Multi-media player	56
R.2	Home-recorded medium player	56
R.3	Monitoring output from a recorder	57
R.3.1	Real-time monitoring (direct monitoring)	57
R.3.2	Monitoring after recording.....	57
R.4	Integrated products	58
R.5	Implementation rule of category code groups for digital/digital converter and signal-processing products	58
R.5.1	Discrete product worked as a digital/digital converter or a signal processing unit	58
R.5.2	Integrated product including a digital/digital converter or a signal processing unit	58
R.6	Magnetic disc recorder unit inside an integrated product.....	59
R.7	Category code assignment.....	59
R.7.1	No category code in a corresponding category code group	59
R.7.2	No category code group for a corresponding product.....	59
R.8	Other assignment of integrated products	60

Annex S (informative) Application of the digital audio interface for synchronization of audio, video and multi-media equipment	61
S.1 General.....	61
S.2 Lip-sync system model.....	61
S.3 How to compensate lip-sync	61
S.3.1 General	61
S.3.2 Detection methods.....	62
S.4 Use of time code	63
S.5 Use of latency information.....	64
S.6 Example of latency parameter transmission method with TL_V	64
S.6.1 An example for solving lip-sync problems	64
S.6.2 Another example for solving lip-sync problems	65
Annex T (normative) MPEG Surround over PCM.....	66
T.1 Format of MPEG Surround buried data frames.....	66
T.2 MPEG Surround detection.....	66
Bibliography.....	67
Figure 1 – Example of message structure using information units	23
Figure 2 – First UI contents.....	24
Figure 3 – Second UI contents.....	24
Figure 4 – Third UI contents.....	25
Figure 5 – User information.....	25
Figure 6 – SMPTE time code information.....	26
Figure 7 – LTC information alignment.....	26
Figure 8 – VITC information alignment.....	27
Figure 9 – Loudness information.....	27
Figure 10 – Loudness information alignment.....	28
Figure 11 – Loudness information	28
Figure 12 – Loudness information alignment.....	29
Figure C.1 – Example of different combinations of start-ID and shortening-ID	36
Figure L.1 – Marker mode.....	45
Figure L.2 – Extended mode	46
Figure P.1 – Player and interface model	53
Figure R.1 – Multi-media player	56
Figure R.2 – Home-recorded medium player.....	57
Figure R.3 – Direct monitoring	57
Figure R.4 – Monitoring after recording.....	57
Figure R.5 – Integrated product	58
Figure R.6 – Digital/digital converter	58
Figure R.7 – Integrated product including digital/digital converter	59
Figure R.8 – Integrated product including magnetic disc recorder	59
Figure S.1 – Lip-sync system model.....	61
Figure S.2 – Lip-sync compensation	62
Figure S.3 – Time-code transmission	62
Figure S.4 – Latency parameter transmission	63

Figure S.5 – Latency parameter transmission with TLV	63
Figure S.6 – Example of latency parameter transmission	64
Figure S.7 – Another example for solving lip-sync problems	65
Figure T.1 – Relation between MPEG Surround buried data frame and IEC 60958-3 frame	66
Table 1 – Channel status general format for consumer use	11
Table 2 – Mode 0 channel status format for consumer use	13
Table 3 – Category code groups	19
Table 4 – Category code groups for laser optical products	20
Table 5 – Category code groups for digital/digital converter and signal-processing products	20
Table 6 – Category code groups for magnetic tape or magnetic disc based products	20
Table 7 – Category code groups for broadcast reception of digitally encoded audio with/without video signals	21
Table 8 – Category code groups for musical instruments, microphones and other sources that create original sound	21
Table 9 – Category code groups for A/D converters for analogue signals without copyright information	21
Table 10 – Category code groups for A/D converters for analogue signals with copyright information	21
Table 11 – Category code groups for solid state memory based products	22
Table A.1 – Example of 2-channel compact disc format	31
Table C.1 – Use of Cp-bit, L-bit and category code for DAT	33
Table C.2 – User data application in the DAT system	35
Table L.1 – Layout of message number "000000"	46
Table L.2 – Deck status codes	47
Table L.3 – ITTS packet extended message example	48
Table P.1 – Term definitions	53
Table P.2 – Cases	54
Table P.3 – Example	54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIGITAL AUDIO INTERFACE –

Part 3: Consumer applications

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60958-3 has been prepared by technical area 20: Analogue and digital audio, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2006, Amendment 1:2009 and Amendment 2:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The relevant part of IEC 60958-5 is supported.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/3543/CDV	100/3594/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60958 series, published under the general title *Digital audio interface*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/e027efe2-dc8c-40ba-a1f8-004f2925c196/iec-60958-3-2021>

DIGITAL AUDIO INTERFACE –

Part 3: Consumer applications

1 Scope

This part of IEC 60958 specifies the consumer application of the interface for the inter-connection of digital audio equipment defined in IEC 60958-1.

NOTE When used in a consumer digital processing environment, the interface is primarily intended to carry stereophonic programmes, with a resolution of up to 20 bits per sample, an extension to 24 bits per sample being possible.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-5, *Digital audio interface – Part 5: Consumer application enhancement*

3 Terms and definitions

IEC 60958-3:2021
<https://standards.iteh.ai/catalog/standards/sist/e027efe2-dc8c-40ba-a1f8-004f2925c196/iec-60958-3-2021>

For the purposes of this document, the terms and definitions given in IEC 60958-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Interface format

The interface format as defined in IEC 60958-1 shall be used.

Unless otherwise specified in Annex A to Annex T, the following specification is applicable.

- Audio sample word has a length of 20 bits/sample. The auxiliary sample bits are an optional expansion of the audio sample, if not used = "0".
- User data is not used, all bits = "0".
- Channel status is identical for both subframes of the interface, with the exception of the channel number, if that is not equal to zero.

5 Channel status

5.1 General

For every subframe, the channel status bit provides information related to the audio channel that is carried in that same subframe.

Channel status information is organized in a 192-bit block, subdivided into 24 bytes, numbered 0 to 23 (see Table 1). The first bit of each channel status block is carried in the frame with preamble "B".

The individual bits of a channel status block are numbered 0 to 191.

The primary application is indicated by channel status bit 0.

As stated in IEC 60958-1, for the consumer digital audio applications described in this document and IEC 60958-5, this first channel status bit equals "0".

NOTE As stated in IEC 60958-1, for professional applications, this first channel status bit equals "1".

Secondary applications may be defined within the framework of these primary applications.

5.2 Application

5.2.1 Channel status general format

For each channel, the channel status block provides the information described in this clause and summarized in Table 1.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60958-3:2021](https://standards.iteh.ai/catalog/standards/sist/e027efe2-dc8c-40ba-a1f8-004f2925c196/iec-60958-3-2021)

<https://standards.iteh.ai/catalog/standards/sist/e027efe2-dc8c-40ba-a1f8-004f2925c196/iec-60958-3-2021>

Table 1 – Channel status general format for consumer use

Byte		a = "0"	b	c	d			Mode	
0	bit	0	1	2	3	4	5	6	7
1	bit	8	9	10	11	12	13	14	15
2	bit	16	17	18	19	20	21	22	23
3	bit	24	25	26	27	28	29	30	31
4	bit	32	33	34	35	36	37	38	39
5	bit	40	41	42	43	44	45	46	47
6	bit	48	49	50	51	52	53	54	55
7	bit	56	57	58	59	60	61	62	63
8	bit	64	65	66	67	68	69	70	71
9	bit	72	73	74	75	76	77	78	79
10	bit	80	81	82	83	84	85	86	87
11	bit	88	89	90	91	92	93	94	95
12	bit	96	97	98	99	100	101	102	103
13	bit	104	105	106	107	108	109	110	111
14	bit	112	113	114	115	116	117	118	119
15	bit	120	121	122	123	124	125	126	127
16	bit	128	129	130	131	132	133	134	135
17	bit	136	137	138	139	140	141	142	143
18	bit	144	145	146	147	148	149	150	151
19	bit	152	153	154	155	156	157	158	159
20	bit	160	161	162	163	164	165	166	167
21	Bit	168	169	170	171	172	173	174	175
22	Bit	176	177	178	179	180	181	182	183
23	Bit	184	185	186	187	188	189	190	191

a: use of channel status block

b: linear PCM identification

c: copyright information

d: additional format information

Byte 0: General control and mode information

Control:

Bit 0	"0"	Consumer use of channel status block (Notes 1 and 2)
-------	-----	--

NOTE 1 The significance of byte 0, bit 0 is such that transmission from an interface conforming to IEC 60958-4 can be identified.

Bit 1	"0"	Audio sample word represents linear PCM samples (Note 2)
	"1"	Audio sample word used for other purposes

NOTE 2 The functions of channel status bits 0 and 1 are defined in IEC 60958-1.

Bit 2	"0"	Software for which copyright is asserted (Note 3)
	"1"	Software for which no copyright is asserted

NOTE 3 Bit 2 is referred to as the "Cp-bit". It indicates whether copyright protection has been asserted.

The copyright status can be unknown for certain applications. The above interpretation is therefore not valid in combination with some category codes (as indicated in the annex associated with the category code). The Cp-bit can alternate between 0 and 1 at a rate between 4 Hz and 10 Hz (see Annex A).

Bits 3 to 5 Additional format information, meaning depends on bit 1.

When bit 1 = "0", linear PCM audio mode:

Bit	3 4 5	
State	"0 0 0"	2 audio channels without pre-emphasis
	"1 0 0"	2 audio channels with 50 µs/15 µs pre-emphasis
	"0 1 0"	Reserved (for 2 audio channels with pre-emphasis)
	"1 1 0"	Reserved (for 2 audio channels with pre-emphasis)
	"0 0 1"	Assigned for IEC 60958-5
	"0 1 1"	Assigned for IEC 60958-5

All other states of bits 3 to 5 are reserved and shall not be used until further defined.

NOTE 4 The single and dual channel operating modes are defined with the frame format in IEC 60958-1.

When bit 1 = "1", other than linear PCM applications:

Bit	3 4 5	
State	"0 0 0"	Default state for applications other than linear PCM

All other states of bits 3 to 5 are reserved and shall not be used until further defined.

Bits 6 to 7 Channel status mode, indicates one of four possible channel status formats (bytes 1 to 23). There are four possible modes for each of the states of bit 1.

Bit	6 7	
State	"0 0"	Mode 0, refer to 5.2.2

All other states of bits 6 and 7 are reserved and shall not be used until further defined.

The contents of bits 8 to 191 depend on the mode as indicated by bits 6 and 7. If not defined otherwise, the default value is "0".

5.2.2 Mode 0 channel status format for digital audio equipment for consumer use

When the audio sample word represents linear PCM and the channel status mode is mode 0, the channel status format shown in Table 2 should be applied.

Table 2 – Mode 0 channel status format for consumer use

Byte	0	a = "0"	b = "0"	c	d			Mode = "0 0"	
bit	1	0	1	2	3	4	5	6	7
1	bit	Category code							
2	bit	8	9	10	11	12	13	14	15
3	bit	Source number				Channel number			
4	bit	16	17	18	19	20	21	22	23
5	bit	Sampling frequency				Clock accuracy		Sampling frequency extension	
6	bit	24	25	26	27	28	29	30	31
7	bit	Word length				Original sampling frequency			
8	bit	32	33	34	35	36	37	38	39
9	bit	CGMS-A		CGMS-A validity		Auto sampling frequency coefficient			
10	bit	40	41	42	43	44	45	46	47
11	bit	Information hidden in PCM signal	General channel assignment channel number for A channel						General channel assignment channel number for B channel
12	bit	48	49	50	51	52	53	54	55
13	bit	General channel assignment channel number for B channel					LFE Playback level		
14	bit	56	57	58	59	60	61	62	63
15	bit	64	65	66	67	68	69	70	71
16	bit	72	73	74	75	76	77	78	79
17	bit	80	81	82	83	84	85	86	87
18	bit	88	89	90	91	92	93	94	95
19	bit	96	97	98	99	100	101	102	103
20	bit	104	105	106	107	108	109	110	111
21	bit	112	113	114	115	116	117	118	119
22	bit	120	121	122	123	124	125	126	127
23	bit	128	129	130	131	132	133	134	135
24	bit	136	137	138	139	140	141	142	143
25	bit	144	145	146	147	148	149	150	151
26	bit	152	153	154	155	156	157	158	159
27	bit	160	161	162	163	164	165	166	167
28	bit	168	169	170	171	172	173	174	175
29	bit	176	177	178	179	180	181	182	183
30	bit	184	185	186	187	188	189	190	191

a: use of channel status block
b: linear PCM identification

c: copyright information
d: additional format information