

# INTERNATIONAL STANDARD



**Railway applications – Fixed installations – Electronic power converters for substations**

(<https://standards.iteh.ai>)  
Document Preview

[IEC 62590:2019](#)

<https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2019 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

[IEC 62590:2019](https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019)

<https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019>



IEC 62590

Edition 2.0 2019-08  
REDLINE VERSION

# INTERNATIONAL STANDARD



---

**Railway applications – Fixed installations – Electronic power converters for substations**

**(<https://standards.iteh.ai>)  
Document Preview**

[IEC 62590:2019](https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019)

<https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 45.060.01

ISBN 978-2-8322-7357-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	5
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	9
3.1 Semiconductor devices and combinations .....	10
3.2 Arms and connections .....	10
3.3 Controllability of converter arms <del>and quadrants of operation</del> .....	12
3.4 Commutation, quenching and commutation circuitry .....	12
3.5 Commutation characteristics .....	13
3.6 Rated values .....	17
3.7 Load capabilities .....	18
3.8 Specific voltages, currents and factors .....	19
3.9 Definitions related to virtual junction temperature .....	21
3.10 Cooling .....	21
3.11 Electromagnetic compatibility and harmonic distortion .....	22
4 Symbols .....	22
5 Operation of semiconductor power equipment and valve devices .....	23
5.1 Classification of traction supply power converters and valves .....	23
5.1.1 Types of traction supply power converters .....	23
5.1.2 Purpose of conversion .....	24
5.1.3 Classification of semiconductor valve devices .....	24
5.2 Basic calculation factors for line commutated converters .....	25
5.2.1 Voltage .....	25
5.2.2 Voltage characteristics and transition current .....	25
6 Service conditions .....	26
6.1 Code of identification of cooling method .....	26
6.1.1 Letter symbols to be used .....	26
6.1.2 Arrangement of letter symbols .....	27
6.2 Environmental conditions .....	27
6.2.1 Ambient air circulation .....	27
6.2.2 Normal service conditions .....	28
6.2.3 Special service conditions .....	29
6.3 Electrical service conditions .....	29
6.3.1 General .....	29
6.3.2 Limiting values as basis of rating .....	29
6.3.3 DC traction supply voltage .....	31
7 Converter equipment and assemblies .....	31
7.1 Losses and efficiency .....	31
7.1.1 General .....	31
7.1.2 Included losses .....	31
7.2 Power factor .....	31
<del>7.3 Direct voltage harmonic content .....</del>	<del>31</del>
7.3 Electromagnetic compatibility (EMC) .....	32
7.4 Rated values for converters .....	32

7.4.1	General .....	32
7.4.2	Current values .....	33
7.4.3	Capability for unsymmetrical load of a 12-pulse converter in parallel connection .....	35
7.4.4	Semiconductor device failure conditions .....	35
7.5	Mechanical characteristics .....	35
7.5.1	General .....	35
7.5.2	Earthing .....	36
7.5.3	Degree of protection .....	36
7.6	Insulation coordination .....	36
7.7	Specifics of line commutated rectifiers .....	37
7.7.1	Electrical connections .....	37
7.7.2	Calculation factors .....	38
7.7.3	Direct voltage harmonic content .....	39
8	Tests .....	39
8.1	General .....	39
8.1.1	Overview .....	39
8.1.2	Performance of tests .....	39
8.1.3	Test schedule .....	40
8.2	Test specifications .....	40
8.2.1	Insulation tests .....	40
8.2.2	Light load functional test .....	43
8.2.3	Load test .....	43
8.2.4	Power loss determination .....	43
8.2.5	Temperature-rise test .....	43
8.2.6	Checking of auxiliary devices .....	45
8.2.7	Checking of the properties of the control equipment .....	45
8.2.8	Checking of the protective devices .....	45
8.2.9	Short-time withstand current test .....	45
8.2.10	EMC test .....	46
8.2.11	Additional tests .....	46
9	Marking .....	46
9.1	Rating plate .....	46
9.2	Main circuit terminals .....	47
Annex A (informative)	Information required .....	48
A.1	General .....	48
A.2	Diode rectifiers .....	48
A.2.1	Procurement specification .....	48
A.2.2	Supplier's tender specification .....	49
A.2.3	Information and data to be given by the supplier during the delivery stage .....	49
A.3	Controlled converters and inverters .....	50
A.3.1	Procurement specification .....	50
A.3.2	Supplier's tender specification .....	51
A.4	Frequency converters (direct and DC link converters) .....	51
A.4.1	Procurement specification .....	51
A.4.2	Supplier's tender specification .....	52
A.5	DC converters .....	53
A.5.1	Procurement specification .....	53

A.5.2	Supplier's tender specification .....	54
Annex B (informative)	Determination of the current capability through calculation of the virtual junction temperature .....	56
B.1	General .....	56
B.2	Approximation of the shape of power pulses applied to the semiconductor device .....	56
B.3	Superposition method for the calculation of temperature .....	57
B.4	Calculation of virtual junction temperature for continuous load .....	58
B.4.1	General .....	58
B.4.2	Calculation of mean value of virtual junction temperature .....	58
B.4.3	Calculation of maximum instantaneous virtual junction temperature .....	58
B.5	Calculation of virtual junction temperature for cyclic loads .....	59
B.6	Examples for typical applications .....	60
Annex C (informative)	Index of definitions .....	62
Bibliography	.....	64
Figure 1	– Illustration of angles .....	16
Figure 2	– Voltage <del>drop</del> regulation .....	26
Figure 3	– AC voltage waveform .....	30
Figure B.1	– Approximation of the shape of power pulses .....	57
Figure B.2	– Calculation of the virtual junction temperature for continuous load .....	58
Figure B.3	– Calculation of the virtual junction temperature for cyclic load .....	59
Table 1	– Letter symbols for cooling mediums and heat transfer agents .....	26
Table 2	– Letter symbols for methods of circulation .....	26
Table 3	– Standardized duty classes .....	33
Table 4	– Semiconductor device failure conditions .....	35
Table 5	– Insulation levels for AC/DC and DC converters .....	37
Table 6	– Connections and calculation factors for line commutated converters .....	37
Table 7	– Summary of tests .....	40
Table 8	– Insulation levels for AC/DC and DC converters .....	42
Table B.1	– Examples for typical applications .....	60

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**RAILWAY APPLICATIONS – FIXED INSTALLATIONS –  
ELECTRONIC POWER CONVERTERS FOR SUBSTATIONS****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.**

International Standard IEC 62590 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This standard is based on EN 50328.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Incorporation of DC converters.
- b) Correction of the clearances and withstand voltages due to erroneous use of PD in former edition.
- c) Adaption to current ISO/IEC directive part 2, adaption of structure, adaption of vocabulary, removal of unused term and abbreviations.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/2502/FDIS	9/2516/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**



## INTRODUCTION

Semiconductor converters for traction power supply differ from other converters for industrial use due to special electrical service conditions and due to the large range of load variation and the peculiar characteristics of the load.

For these reasons IEC 60146-1-1 does not fully cover the requirements of railway applications and the decision was taken to have a specific standard for this use.

Converter transformers for fixed installations of railway applications are covered by ~~EN 50329~~ IEC 62695.

Harmonization of the rated values and tests of the whole converter group are covered by IEC 62589.

**iTeh Standards**  
**(<https://standards.itih.ai>)**  
**Document Preview**

[IEC 62590:2019](#)

<https://standards.itih.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019>

# RAILWAY APPLICATIONS – FIXED INSTALLATIONS – ELECTRONIC POWER CONVERTERS FOR SUBSTATIONS

## 1 Scope

This document specifies the requirements for the performance of all fixed installations electronic power converters, using controllable and/or non-controllable electronic valves, intended for traction power supply.

The devices can be controlled by means of current, voltage or light. Non-bistable devices are assumed to be operated in the switched mode.

This document applies to fixed installations of the following electric traction systems:

- railways,
- guided mass transport systems such as: tramways, light rail systems, elevated and underground railways, mountain railways, trolleybuses.

This document does not apply to:

- cranes, transportable platforms and similar transportation equipment on rails,
- suspended cable cars,
- funicular railways.

This document applies to diode rectifiers, controlled rectifiers, DC converters, inverters and frequency converters.

The equipment covered in this document is the converter itself.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60050-551:1998, International Electrotechnical Vocabulary (IEV) – Part 551: Power Electronics~~

IEC 60050-811:1994/2017, International electrotechnical vocabulary – Part 811: Electric traction

IEC 60146 (all parts), Semiconductor convertors

IEC TR 60146-1-2:1994/2011, Semiconductor converters – General requirements and line commutated converters – Part 1-2: Application guide

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60721 (all parts), Classification of environmental conditions

IEC 60721-3-3:1994, Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 3: Stationary use at

*weatherprotected locations*

AMD1:1995

AMD2:1996

IEC 60721-3-4:1995, *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 4: Stationary use at non-weatherprotected locations*

AMD1:1996

IEC 60850:2007/2014, *Railway applications – Supply voltages of traction systems*

IEC 61000-2-4:2002, *Electromagnetic compatibility (EMC) – Part 2-4: Environment – Compatibility levels in industrial plants for low-frequency conducted disturbances*

IEC 61000-2-12:2003, *Electromagnetic compatibility (EMC) – Part 2-12: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public medium-voltage power supply systems*

IEC 61992-7-1:2006, *Railway applications – Fixed installations – DC switchgear – Part 7-1: Measurement, control and protection devices for specific use in DC traction systems – Application guide*

IEC 62236 (all parts), *Railway applications – Electromagnetic compatibility*

IEC 62236-5:2008/2018, *Railway applications – Electromagnetic compatibility – Part 5: Emission and immunity of fixed power supply installations and apparatus*

IEC 62497-1:2010, *Railway applications – Insulation coordination – Part 1: Basic requirements – Clearances and creepage distances for all electrical and electronic equipment*

~~EN 50329:2003, *Railway applications – Fixed installations – Traction transformers*~~

~~<https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019>~~

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply. ~~In this standard, IEC definitions are used wherever possible, particularly those in IEC 60050-551.~~

~~The policy adopted is as follows:~~

- ~~a) when a suitable IEC definition exists, the term and the reference are given without repeating the text;~~
- ~~b) when an existing IEC definition needs amplification or additional information, the term, the reference and the additional text are given;~~
- ~~c) when no IEC definition exists, the term and the text are given.~~

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE An alphabetical index is given in Annex C.

### 3.1 Semiconductor devices and combinations

#### 3.1.1

##### **semiconductor device**

device whose essential characteristics are due to the flow of charge carriers within a semiconductor

[SOURCE: IEC 60050-521: 2002, 521-04-01, modified – note omitted]

#### 3.1.2

##### **(valve device) stack**

a single structure of one or more electronic valve devices with its (their) associated mounting(s) and auxiliaries if any

[SOURCE: IEC 60050-551:1998, 551-14-12]

#### 3.1.3

##### **(valve device) assembly**

an electrically and mechanically combined assembly of electronic valve devices or stacks, complete with all its connections and auxiliaries in its own mechanical structure

[SOURCE: IEC 60050-551:1998, 551-14-13]

#### 3.1.4

##### **electronic power converter**

operative unit for power conversion comprising one or more assemblies of semiconductor devices

Note 1 to entry: The transformers are described in IEC 62695

[SOURCE: IEC 60050-551:1998, 551-12-01, modified – “electronic” has been omitted. “electronic valve devices, transformers and filters if necessary and auxiliaries if any” has been replaced with “assemblies of semiconductor devices”. The note 1 to entry has been omitted.]

<https://standards.iteh.ai/catalog/standards/iec/99b5230e-2314-4afd-abfa-4cec3c3fbd27/iec-62590-2019>

#### 3.1.5

##### **trigger equipment ~~(gating equipment)~~**

equipment which provides suitable trigger pulses from a control signal for controllable valve devices in a converter or power switch including timing or phase shifting circuits, pulse generating circuits and usually power supply circuits

#### 3.1.6

##### **system control equipment**

equipment associated with a converter equipment or system which performs automatic adjustment of the output characteristics as a function of a controlled quantity

### 3.2 Arms and connections

#### 3.2.1

##### **(valve) arm**

a part of the circuit of an electronic power converter or switch bounded by any two AC or DC terminals and including one or more simultaneously conducting electronic valve devices connected together and other components if any

[SOURCE: IEC 60050-551:1998, 551-15-01]

#### 3.2.2

##### **principal arm**

a valve arm involved in the major transfer of power from one side of the converter or electronic switch to the other

Note 1 to entry: Depending on the mode of operation a principal arm may act as an auxiliary arm or vice versa.

[SOURCE: IEC 60050-551:1998, 551-15-02]

### 3.2.3

#### **converter connection**

the electrical arrangement of valve arms and other components essential for the function of the main power circuit of a converter

[SOURCE: IEC 60050-551:1998, 551-15-10]

### ~~3.2.4~~

#### ~~basic converter connection~~

~~[[EV 551-15-11]]~~

### ~~3.2.5~~

#### ~~single-way connection (of a converter)~~

~~[[EV 551-15-12]]~~

### ~~3.2.6~~

#### ~~double-way connection (of a converter)~~

~~[[EV 551-15-13]]~~

### 3.2.4

#### **uniform connection**

a connection with either all principal arms controllable or all principal arms non-controllable

[SOURCE: IEC 60050-551:1998, 551-15-15]

### 3.2.5

#### **non-uniform connection**

a connection with both controllable and non-controllable principal arms

[SOURCE: IEC 60050-551:1998, 551-15-18]

### ~~3.2.9~~

#### ~~series connection~~

~~connection in which two or more converters are connected in such a way that their voltages add~~

### ~~3.2.10~~

#### ~~boost and buck connection~~

~~series connection in which the converters are controlled independently~~

~~[[EV 551-15-21, modified]]~~

### 3.2.6

#### **parallel connection <for converters>**

connection in which two or more converters are connected in such a way that their currents add

**3.3 Controllability of converter arms ~~and quadrants of operation~~**

**3.3.1**

**~~controllable arm~~**

~~converter arm including controllable semiconductor element(s) as valve device(s)~~

**3.3.2**

**~~non-controllable arm~~**

~~converter arm including non-controllable semiconductor element(s) as valve device(s)~~

**3.3.3**

**~~quadrant of operation (on the d.c. side)~~**

~~quadrant of the voltage-current plane defined by the d.c. voltage polarity and the current direction~~

**3.3.4**

**~~one quadrant converter~~**

~~[IEV 551-12-34]~~

**3.3.5**

**~~two quadrant (single) converter~~**

~~[IEV 551-12-35]~~

**3.3.6**

**~~four quadrant (double) converter~~**

~~[IEV 551-12-36]~~

**3.3.7**

**~~reversible converter~~**

~~[IEV 551-12-37]~~

**3.3.8**

**~~single converter~~**

~~[IEV 551-12-38]~~

**3.3.9**

**~~double converter~~**

~~[IEV 551-12-39]~~

**3.3.10**

**~~converter section of a double converter~~**

~~[IEV 551-12-40]~~

**3.3.1**

**controllable valve device**

a valve device the current path of which is bistably controlled in its conducting direction

[SOURCE: IEC 60050-551:1998, 551-14-03]

**3.4 Commutation, quenching and commutation circuitry**

**3.4.1**

**commutation**

~~transfer of current from one conducting arm to the next to conduct in sequence, without interruption of the d.c. current. During a finite interval of time both arms are conducting simultaneously~~