



SLOVENSKI STANDARD
SIST EN 301 931-2 V1.1.2:2005
01-januar-2005

Inteligentno omrežje (IN) – Tretji nabor zmožnosti inteligentnega omrežja (CS3) – Aplikacijski protokol inteligentnega omrežja (INAP) – Specifikacija protokola – 2. del: Vmesnik SCF-SSF

Intelligent Network (IN); Intelligent Network Capability Set 3 (CS3); Intelligent Network Application Protocol (INAP); Protocol specification; Part 2: SCF-SSF interface

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 931-2 V1.1.2:2005](https://standards.iteh.ai/catalog/standards/sist/dad4c472-7215-4632-ab92-c1ac717db6/sist-en-301-931-2-v1-1-2-2005)

Ta slovenski standard je istoveten z: **EN 301 931-2 Version 1.1.2**

ICS:

33.040.40	Podatkovna komunikacijska omrežja	Data communication networks
-----------	-----------------------------------	-----------------------------

SIST EN 301 931-2 V1.1.2:2005 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 931-2 V1.1.2:2005

<https://standards.iteh.ai/catalog/standards/sist/dad4c472-7215-4632-ab92-cf0ae717f9b0/sist-en-301-931-2-v1-1-2-2005>

ETSI EN 301 931-2 V1.1.2 (2001-09)

European Standard (Telecommunications series)

**Intelligent Network (IN);
Intelligent Network Capability Set 3 (CS3);
Intelligent Network Application Protocol (INAP);
Protocol specification;
Part 2: SCF-SSF interface**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 931-2 V1.1.2:2005](https://standards.iteh.ai/catalog/standards/sist/dad4c472-7215-4632-ab92-cf0ae717f9b0/sist-en-301-931-2-v1-1-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/dad4c472-7215-4632-ab92-cf0ae717f9b0/sist-en-301-931-2-v1-1-2-2005>



Reference

DEN/SPAN-03063/1-2

Keywords

CS3, CTM, IN, INAP, protocol, UPT

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 931-2 V1.1.2:2005<https://standards.iteh.ai/catalog/standards/sist/dad4c472-7215-4632-ab92-cf0ae717f9b0/sist-en-301-931-2-v1-1-2-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:

editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2001.
All rights reserved.

Contents

Intellectual Property Rights	20
Foreword	20
1 Scope	21
2 References	21
3 Definitions and abbreviations	21
3.1 Definitions	21
3.2 Abbreviations	21
4 Introduction	21
5 Relationships	21
5.1 SSF-CCF relationship	21
5.2 SSF-SCF relationship	22
6 CCF/SSF Model	22
6.1 CCF/SSF Functional Model Components	24
6.1.1 Basic Call Manager (BCM)	25
6.1.2 Feature Interaction Manager/Call Manager (FIM/CM)	25
6.1.3 IN-Switching Manager (IN-SM)	25
6.1.4 CCF/SSF Model components relationships	26
6.1.4.1 Relationship between SCF and IN-SM	26
6.1.4.2 Relationship between IN-SM and FIM/CM	26
6.1.4.3 Relationship between FIM/CM and BCM	26
6.1.4.4 Relationship between FIM/CM and non-IN FM	26
6.1.5 Typical Sequence of Model Actions	27
6.2 Call Control Function	28
6.2.1 Basic Call Controller Process	29
6.2.1.1 Overview	29
6.2.1.2 Creation and deletions of BCSM instances	29
6.2.2 Signalling Terminations	30
6.2.2.1 Overview	30
6.2.2.2 Abstract Signalling Primitives	31
6.2.2.3 Signalling Terminations	33
6.2.2.4 Signalling Configurations	33
6.2.3 FSM for Call Control Signalling Termination	33
6.2.3.1 Overview	33
6.2.3.2 FSM states	33
6.2.3.2.1 Idle	33
6.2.3.2.2 Requested Path	34
6.2.3.2.3 Progressed Path	34
6.2.3.2.4 Acknowledged Path	35
6.2.3.2.5 Confirmed Path	35
6.2.3.3 Example mapping	36
6.2.4 Signalling Interworking	36
6.2.4.1 General Objectives	36
6.3 Functional Interface between the CCF and the SSF	37
6.4 Basic call manager (BCM)	38
6.4.1 BCSM Model	38
6.4.2 BCSM description	39
6.4.2.1 Originating BCSM	41
6.4.2.1.1 O_Null	42
6.4.2.1.2 Authorize_Origination_Attempt	42
6.4.2.1.3 Collect_Information	43
6.4.2.1.4 Analyse_Information	45
6.4.2.1.5 Select Route	46
6.4.2.1.6 Authorize_Call_Setup	47

6.4.2.1.7	Send_Call	48
6.4.2.1.8	O_Alerting.....	49
6.4.2.1.9	O_Active	50
6.4.2.1.10	O_Suspended.....	51
6.4.2.1.11	O_Exception	52
6.4.2.2	Terminating BCSM	53
6.4.2.2.1	T_Null	54
6.4.2.2.2	Authorize_Termination_Attempt.....	55
6.4.2.2.3	Select Facility	55
6.4.2.2.4	Present Call.....	56
6.4.2.2.5	T_Alerting	57
6.4.2.2.6	T_Active.....	58
6.4.2.2.7	T_Suspended.....	59
6.4.2.2.8	T_Exception.....	59
6.4.3	BCSM Resume Points and BCSM Transitions in the IN CS-3 Call Model.....	61
6.4.3.1	Originating BCSM: Detailed Set of O_BCSM Transitions.....	61
6.4.3.2	Terminating BCSM: Detailed Set of T_BCSM Transitions.....	65
6.4.4	BCSM indications for the CS-3 Call Model.....	68
6.4.4.1	User - O_BCSM Access Signalling Indications (Category 1).....	68
6.4.4.2	T_BCSM - User Access Signalling Indications (Category 2)	70
6.4.4.3	Intra Local Exchange BCSM Indications (Category 3).....	71
6.4.5	Mapping from Cause to DP	75
6.4.5.1	O_BCSM: Mapping Table from Cause to DP.....	75
6.4.5.2	T_BCSM: Mapping Table from Cause to DP	78
6.4.6	BCSM Detection Point.....	80
6.4.7	DP Criteria.....	82
6.5	Feature interactions manager (FIM)/call manager (CM)	90
6.5.1	DP Handling.....	91
6.5.1.1	FIM mechanisms	92
6.5.1.1.1	Service logic instance interactions considerations.....	93
6.5.1.2	DP and Event Distribution and Filtering.....	96
6.5.1.2.1	General Rules.....	97
6.5.1.2.2	Single Point of Control (SPC) Rules.....	97
6.5.1.2.3	Multiple Points of Control (MPC) Rules.....	98
6.5.1.3	TDP and EDP Processing Scenarios for Single Point of Control	100
6.5.1.4	Implicit EDP Disarming Rules.....	101
6.6	IN-switching manager (IN-SM)	103
6.6.1	IN-switching state model (IN-SSM)	103
6.6.2	The Connection View Model.....	107
6.6.2.1	Connection View Objects	108
6.6.2.1.1	Call Segment Association Object.....	108
6.6.2.1.2	Call Segment Object.....	109
6.6.2.1.3	Leg Object	109
6.6.2.1.4	Connection Point Object.....	110
6.6.2.2	Relationship of BCSM to Connection View CS States.....	110
6.6.3	Connection View State Transitions.....	111
6.6.3.1	Introduction.....	111
6.6.3.2	SSME-Control.....	111
6.6.3.2.1	Introduction	111
6.6.3.2.2	Transition table for SSME-Control	111
6.6.3.3	Call Segment Association Connection View (CSACV) Transitions.....	112
6.6.3.3.1	Introduction	112
6.6.3.3.2	Functional Procedures for Call Segment Association (CSA).....	112
6.6.3.3.3	Transition diagram for Call Segment Association (CSA).....	113
6.6.3.3.4	Transition table for Call Segment Association (CSA).....	113
6.6.3.4	Call Segment Connection View (CSCV) Transitions	115
6.6.3.4.1	Introduction	115
6.6.3.4.2	Functional Procedures for Call Segment (CS)	117
6.6.3.4.3	Call Segment Connection View (CSCV) State Description.....	126
6.6.3.5	Examples of CV Configurations, Composite Transitions	148
6.6.3.5.1	Examples of Composite Transitions from the "Originating_Setup" CSCV state	148
6.6.3.5.2	Examples of Composite Transitions from the "Stable_2_Party" CSCV state.....	149

6.6.3.5.3	Examples of Composite Transitions from the "Stable_Multi_Passive_Party" CSCV state provided the CS has only 2 pending legs.....	150
6.6.3.6	Overview of Transitions of DP Events to the CSCV states.....	151
6.7	Out-Channel Call-Related User Interaction (OCCRUI)	159
6.7.1	Description of the OCCRUI at the CCF/SSF "Call Model" level	159
6.7.1.1	First case: the USI information is considered as a "notification previously requested by the SCF" ...	159
6.7.1.2	Second case: the USI information is an additional and optional information.....	160
6.7.1.3	Synthesis.....	160
7	SCF Model	161
7.1	Introduction.....	161
7.2	SCF Model Components.....	161
7.2.1	Service Logic Processing program Instance (SLPI).....	162
7.2.2	Functional Routine Categories.....	162
7.2.2.1	SLPI management functional routines	162
7.2.2.2	SLPI communication functional routines.....	162
7.2.2.3	Timer management functional routines.....	162
7.2.2.4	Data management interface functional routines	162
7.2.2.5	Asynchronous event handling functional routines.....	162
7.2.2.6	Connection management functional routines	162
7.2.2.7	Specialized resource management functional routines.....	162
7.2.2.8	OAM functional routines	163
8	FSM for SSF	163
8.1	SSF management finite state model (SSME FSM).....	165
8.2	IN SSF switching state model (IN -SSM) FSM	166
8.2.1	Finite State Model for Call Segment Association (CSA)	170
8.2.1.1	State a: Idle.....	171
8.2.1.2	State b: Active.....	172
8.2.2	Finite State Model for Call Segment	175
8.2.2.1	State a: Idle	180
8.2.2.2	State c: Waiting For Instructions.....	181
8.2.2.3	State d: Waiting For End Of User Interaction (WFI).....	182
8.2.2.4	State e: Waiting For End Of Temporary Connection (WFI).....	183
8.2.2.5	State f: Monitoring.....	184
8.2.2.6	State h: Waiting For End Of User Interaction (Monitoring).....	185
8.2.2.7	State i: Waiting For End Of Temporary Connection (Monitoring).....	186
8.3	Assisting SSF FSM	187
8.3.1	State aa: Idle	188
8.3.2	State ab: Waiting For Instructions.....	188
8.3.3	State ac: Waiting For End Of User Interaction	189
8.4	Handed-off SSF FSM	190
8.4.1	State ha: Idle.....	191
8.4.2	State hb: Waiting For Instructions	191
8.4.3	State hc: Waiting For End Of User Interaction	192
9	FSM for SCF.....	193
9.1	Relationship between the SLP and the inter SCF call state model	193
9.2	The SCF FSM structure.....	193
9.3	Partial SCF Management Entity (SCME) State Transition Diagram.....	194
9.3.1	The Status Report FSM	194
9.3.1.1	State M1: "Status Report Idle"	195
9.3.1.2	State M2: "Waiting for SSF Resource Status Report"	195
9.3.2	The Service Filtering FSM	195
9.3.2.1	State M3: "Service filtering idle".....	196
9.3.2.2	State M4: "Waiting for SSF service filtering response"	196
9.3.3	The Activity Test FSM.....	196
9.3.3.1	State M5: "Activity test idle"	196
9.3.3.2	State M6: "Waiting for activity test response"	197
9.3.4	The Manage Trigger Data FSM.....	197
9.3.4.1	State M7: "ManageTriggerData idle"	197
9.3.4.2	State M8: "Waiting for ManageTriggerData response"	197
9.3.5	The Resource Control Object	198

9.4	SSF/SRF Related States (SCSM-SSF/SRF).....	198
9.4.1	Finite State Model for SSF/SRF interface	200
9.4.1.1	State S1: "Idle"	200
9.4.1.2	State S2: "Preparing SSF/SRF Instructions"	201
9.4.1.2.1	State S2.1: "Assist Request Idle"	202
9.4.1.2.2	State S2.2: "Waiting for Assist Request"	202
9.4.2	Finite State Model for CSA	203
9.4.2.1	State I1: "SSF Control Idle"	204
9.4.2.2	State I2: "Preparing SSF Instructions"	204
9.4.3	Finite State Model for Call Segment.....	206
9.4.3.1	State C1: "CS Control Idle".....	208
9.4.3.2	State C2: "Preparing CS Instructions"	208
9.4.3.2.1	State C2.1: "Preparing CS Instructions"	210
9.4.3.2.2	State C2.2: "Waiting for Notification or Request"	212
9.4.3.2.3	State C2.3: "Queuing"	214
9.4.3.3	State C3: "Suspended and User Interaction"	216
9.4.3.3.1	State C3.1: "Determine Mode".....	217
9.4.3.3.2	State C3.2: "User Interaction"	218
9.4.3.3.3	State C3.3: "Establishing Temporary Connection"	221
9.4.3.4	State C4: "Not Suspended and User Interaction"	223
9.4.3.4.1	State C4.1: "Determine Mode Monitoring"	224
9.4.3.4.2	State C4.2: "User Interaction Monitoring"	225
9.4.3.4.3	State C4.3: "Establishing Temporary Connection Monitoring"	227
9.4.4	Finite State Model for Assisting SSF.....	228
9.4.4.1	State A1: "Assisting SSF Idle"	230
9.4.4.2	State A2: "Preparing SSF Instructions"	230
9.4.4.3	State A3: "User Interaction"	231
9.4.5	Finite State Model for Handed-off SSF.....	232
9.4.5.1	State H1: "Handed-off SSF Idle".....	233
9.4.5.2	State H2: "Preparing SSF Instructions"	233
9.4.5.3	State H3: "User Interaction"	234
10	FSM for USI.....	235
10.1	USI FSM for SSF	235
10.2	USI FSM for SCF.....	236
11	Operation Procedures.....	237
11.1	ActivateServiceFiltering procedure.....	237
11.1.1	General description	237
11.1.1.1	Parameters.....	237
11.1.1.1.1	Argument Parameters.....	237
11.1.1.1.2	Result Parameters.....	238
11.1.2	Invoking entity (SCF)	238
11.1.2.1	Normal procedure.....	238
11.1.2.2	Error handling	239
11.1.3	Responding entity (SSF)	239
11.1.3.1	Normal procedure.....	239
11.1.3.2	Error handling	240
11.2	ActivityTest procedure	240
11.2.1	General description	240
11.2.1.1	Parameters.....	241
11.2.1.1.1	Argument Parameters.....	241
11.2.1.1.2	Result Parameters.....	241
11.2.2	Invoking entity (SCF)	241
11.2.2.1	Normal procedure.....	241
11.2.2.2	Error handling	241
11.2.3	Responding entity (SSF)	241
11.2.3.1	Normal procedure.....	241
11.2.3.2	Error handling	241
11.2.4	Invoking entity (SSF).....	242
11.2.4.1	Normal procedure.....	242
11.2.4.2	Error handling	242

SIST EN 301 931-2 V1.1.2:2005

<https://standards.iteh.ai/catalog/standards/sist/dad4e472-7215-4632-ab92->[cf0ae717b9b0/sist-en-301-931-2-v1-1-2-2005](https://standards.iteh.ai/catalog/standards/sist/dad4e472-7215-4632-ab92-cf0ae717b9b0/sist-en-301-931-2-v1-1-2-2005)

11.2.5	Responding entity (SCF)	242
11.2.5.1	Normal procedure	242
11.2.5.2	Error handling	242
11.3	ApplyCharging procedure	242
11.3.1	General description	242
11.3.1.1	Parameters	243
11.3.1.1.1	Argument Parameters	243
11.3.2	Invoking entity (SCF)	243
11.3.2.1	Normal procedure	243
11.3.2.2	Error handling	244
11.3.3	Responding entity (SSF)	244
11.3.3.1	Normal procedure	244
11.3.3.2	Error handling	245
11.4	ApplyChargingReport procedure	245
11.4.1	General description	245
11.4.1.1	Parameters	246
11.4.1.1.1	Argument Parameters	246
11.4.2	Invoking entity (SSF)	246
11.4.2.1	Normal procedure	246
11.4.2.2	Error handling	248
11.4.3	Responding entity (SCF)	248
11.4.3.1	Normal procedure	248
11.4.3.2	Error handling	248
11.5	AssistRequestInstructions procedure	248
11.5.1	General description	248
11.5.1.1	Parameters	249
11.5.1.1.1	Argument Parameters	249
11.5.2	Invoking entity (SSF)	249
11.5.2.1	Normal procedure	249
11.5.2.2	Error handling	249
11.5.3	Responding entity (SCF)	249
11.5.3.1	Normal procedure	249
11.5.3.2	Error handling	250
11.6	CallGap procedure	250
11.6.1	General description	250
11.6.1.1	Parameters	250
11.6.1.1.1	Argument Parameters	250
11.6.2	Invoking entity (SCF)	251
11.6.2.1	Normal procedure	251
11.6.2.2	Error handling	251
11.6.3	Responding entity (SSF)	251
11.6.3.1	Normal procedure	251
11.6.3.2	Error handling	253
11.7	CallInformationReport procedure	253
11.7.1	General description	253
11.7.1.1	Parameters	253
11.7.1.1.1	Argument Parameters	253
11.7.2	Invoking entity (SSF)	254
11.7.2.1	Normal procedure	254
11.7.2.2	Error handling	254
11.7.3	Responding entity (SCF)	255
11.7.3.1	Normal procedure	255
11.7.3.2	Error handling	255
11.8	CallInformationRequest procedure	255
11.8.1	General description	255
11.8.1.1	Parameters	255
11.8.1.1.1	Argument Parameters	255
11.8.2	Invoking entity (SCF)	256
11.8.2.1	Normal procedure	256
11.8.2.2	Error handling	256
11.8.3	Responding entity (SSF)	256
11.8.3.1	Normal procedure	256

11.8.3.2	Error handling	256
11.9	Cancel procedure.....	257
11.9.1	General description	257
11.9.1.1	Parameters.....	257
11.9.1.1.1	Argument Parameters.....	257
11.9.2	Invoking entity (SCF)	257
11.9.2.1	Normal procedure.....	257
11.9.2.2	Error handling	257
11.9.3	Responding entity (SSF)	257
11.9.3.1	Normal procedure.....	258
11.9.3.2	Error handling	258
11.10	CancelStatusReportRequest Procedure.....	258
11.10.1	General description	258
11.10.1.1	Parameters.....	258
11.10.1.1.1	Argument Parameters.....	258
11.10.2	Invoking entity (SCF)	259
11.10.2.1	Normal procedure.....	259
11.10.2.2	Error handling	259
11.10.3	Responding entity (SSF)	259
11.10.3.1	Normal procedure.....	259
11.10.3.2	Error handling	259
11.11	CollectInformation procedure	259
11.11.1	General description	259
11.11.1.1	Parameters.....	259
11.11.1.1.1	Argument Parameters.....	259
11.11.2	Invoking entity (SCF)	260
11.11.2.1	Normal procedure.....	260
11.11.2.2	Error handling	260
11.11.3	Responding entity (SSF)	260
11.11.3.1	Normal procedure.....	260
11.11.3.2	Error handling	260
11.12	Connect procedure.....	261
11.12.1	General description.....	261
11.12.1.1	Parameters.....	261
11.12.1.1.1	Argument Parameters.....	261
11.12.2	Invoking entity (SCF)	262
11.12.2.1	Normal procedure.....	262
11.12.2.2	Error handling	263
11.12.3	Responding entity (SSF)	263
11.12.3.1	Normal procedure.....	263
11.12.3.2	Error handling	265
11.13	ConnectToResource procedure	265
11.13.1	General description	265
11.13.1.1	Parameters.....	265
11.13.1.1.1	Argument Parameters.....	265
11.13.2	Invoking entity (SCF)	266
11.13.2.1	Normal procedure.....	266
11.13.2.2	Error handling	266
11.13.3	Responding entity (SSF)	266
11.13.3.1	Normal procedure.....	266
11.13.3.2	Error handling	267
11.14	Continue procedure	267
11.14.1	General description	267
11.14.1.1	Parameters.....	267
11.14.1.1.1	Argument Parameters.....	267
11.14.2	Invoking entity (SCF)	267
11.14.2.1	Normal procedure.....	267
11.14.2.2	Error handling	267
11.14.3	Responding entity (SSF)	268
11.14.3.1	Normal procedure.....	268
11.14.3.2	Error handling	268
11.15	ContinueWithArgument procedure	269

11.15.1	General description	269
11.15.1.1	Parameters.....	269
11.15.1.1.1	Argument Parameters.....	269
11.15.2	Invoking entity (SCF)	270
11.15.2.1	Normal procedure.....	270
11.15.2.2	Error handling	270
11.15.3	Responding entity (SSF)	270
11.15.3.1	Normal procedure.....	270
11.15.3.2	Error handling	271
11.16	CreateCallSegmentAssociation procedure.....	271
11.16.1	General description	271
11.16.1.1	Parameters.....	271
11.16.1.1.1	Argument Parameters.....	271
11.16.1.1.2	Result Parameters.....	271
11.16.2	Invoking entity (SCF)	272
11.16.2.1	Normal procedure.....	272
11.16.2.2	Error handling	272
11.16.3	Responding entity (SSF)	272
11.16.3.1	Normal procedure.....	272
11.16.3.2	Error handling	272
11.17	CreateOrRemoveTriggerData Procedure.....	272
11.17.1	General description	272
11.17.1.1	Parameters.....	273
11.17.1.1.1	Argument Parameters.....	273
11.17.1.1.2	Result Parameters.....	273
11.17.2	Invoking entity (SCF)	274
11.17.2.1	Normal procedure.....	274
11.17.2.2	Error handling	274
11.17.3	Responding entity (SSF)	274
11.17.3.1	Normal procedure.....	274
11.17.3.2	Error handling	274
11.18	DisconnectForwardConnection procedure.....	275
11.18.1	General Description.....	275
11.18.1.1	Parameters.....	275
11.18.1.1.1	Argument Parameters.....	275
11.18.2	Invoking entity (SCF)	275
11.18.2.1	Normal procedure.....	275
11.18.2.2	Error handling	275
11.18.3	Responding entity (SSF)	276
11.18.3.1	Normal procedure.....	276
11.18.3.2	Error handling	276
11.19	DisconnectForwardConnectionWithArgument procedure.....	277
11.19.1	General Description	277
11.19.1.1	Parameters.....	277
11.19.1.1.1	Argument Parameters.....	277
11.19.2	Invoking entity (SCF)	277
11.19.2.1	Normal procedure.....	277
11.19.2.2	Error handling	278
11.19.3	Responding entity (SSF)	278
11.19.3.1	Normal procedure.....	278
11.19.3.2	Error handling	278
11.20	DisconnectLeg procedure	278
11.20.1	General description	278
11.20.1.1	Parameters.....	279
11.20.1.1.1	Argument Parameters.....	279
11.20.1.1.2	Result Parameters.....	279
11.20.2	Invoking entity (SCF)	279
11.20.2.1	Normal procedure.....	279
11.20.2.2	Error handling	279
11.20.3	Responding entity (SSF)	279
11.20.3.1	Normal procedure.....	279
11.20.3.2	Error handling	282

11.21	EntityReleased procedure	282
11.21.1	General description	282
11.21.1.1	Parameters.....	282
11.21.1.1.1	Argument Parameters	282
11.21.2	Invoking entity (SSF).....	282
11.21.2.1	Normal procedure.....	282
11.21.2.2	Error handling	282
11.21.3	Responding entity (SCF).....	283
11.21.3.1	Normal procedure.....	283
11.21.3.2	Error handling	283
11.22	EstablishTemporaryConnection procedure	283
11.22.1	General Description	283
11.22.1.1	Parameters.....	283
11.22.1.1.1	Argument Parameters	283
11.22.2	Invoking entity (SCF)	284
11.22.2.1	Normal procedure.....	284
11.22.2.2	Error handling	284
11.22.3	Responding entity (SSF)	284
11.22.3.1	Normal procedure.....	284
11.22.3.2	Error handling	285
11.23	EventNotificationCharging procedure	285
11.23.1	General description	285
11.23.1.1	Parameters.....	285
11.23.1.1.1	Argument Parameters	285
11.23.2	Invoking entity (SSF).....	286
11.23.2.1	Normal procedure.....	286
11.23.2.2	Error handling	286
11.23.3	Responding entity (SCF).....	286
11.23.3.1	Normal procedure.....	286
11.23.3.2	Error handling	286
11.24	EventReportBCSM procedure.....	287
11.24.1	General description	287
11.24.1.1	Parameters.....	287
11.24.1.1.1	Argument Parameters	287
11.24.2	Invoking entity (SSF).....	288
11.24.2.1	Normal procedure.....	288
11.24.2.2	Error handling	288
11.24.3	Responding entity (SCF).....	288
11.24.3.1	Normal procedure.....	288
11.24.3.2	Error handling	289
11.25	FurnishChargingInformation procedure	289
11.25.1	General description	289
11.25.1.1	Parameters.....	289
11.25.1.1.1	Argument Parameters	289
11.25.2	Invoking entity (SCF)	290
11.25.2.1	Normal procedure.....	290
11.25.2.2	Error handling	290
11.25.3	Responding entity (SSF)	290
11.25.3.1	Normal procedure.....	290
11.25.3.2	Error handling	292
11.26	InitialDP procedure	293
11.26.1	General description	293
11.26.1.1	Parameters.....	293
11.26.1.1.1	Argument Parameters	293
11.26.2	Invoking entity (SSF).....	295
11.26.2.1	Normal procedure.....	295
11.26.2.2	Error handling	295
11.26.3	Responding entity (SCF).....	295
11.26.3.1	Normal procedure.....	295
11.26.3.2	Error handling	296
11.27	InitiateCallAttempt procedure.....	296
11.27.1	General description	296

11.27.1.1	Parameters.....	296
11.27.1.1.1	Argument Parameters.....	296
11.27.2	Invoking entity (SCF).....	297
11.27.2.1	Normal procedure.....	297
11.27.2.2	Error handling.....	298
11.27.3	Responding entity (SSF).....	298
11.27.3.1	Normal procedure.....	298
11.27.3.2	Error handling.....	299
11.28	ManageTriggerData Procedure.....	299
11.28.1	General description.....	299
11.28.1.1	Parameters.....	299
11.28.1.1.1	Argument Parameters.....	299
11.28.1.1.2	Result Parameters.....	299
11.28.2	Invoking Entity (SCF).....	299
11.28.2.1	Normal Procedure.....	299
11.28.2.2	Error Handling.....	300
11.28.3	Responding Entity (SSF).....	300
11.28.3.1	Normal Procedure.....	300
11.28.3.2	Error Handling.....	300
11.29	MergeCallSegments procedure.....	300
11.29.1	General description.....	300
11.29.1.1	Parameters.....	301
11.29.1.1.1	Argument Parameters.....	301
11.29.1.1.2	Result Parameters.....	301
11.29.2	Invoking entity (SCF).....	301
11.29.2.1	Normal procedure.....	301
11.29.2.2	Error handling.....	301
11.29.3	Responding entity (SSF).....	301
11.29.3.1	Normal procedure.....	301
11.29.3.2	Error handling.....	303
11.30	MoveCallSegments procedure.....	303
11.30.1	General description.....	303
11.30.1.1	Parameters.....	304
11.30.1.1.1	Argument Parameters.....	304
11.30.1.1.2	Result Parameters.....	304
11.30.2	Invoking entity (SCF).....	304
11.30.2.1	Normal procedure.....	304
11.30.2.2	Error handling.....	304
11.30.3	Responding entity (SSF).....	304
11.30.3.1	Normal procedure.....	304
11.30.3.2	Error handling.....	308
11.31	MoveLeg procedure.....	308
11.31.1	General description.....	308
11.31.1.1	Parameters.....	308
11.31.1.1.1	Argument Parameters.....	308
11.31.1.1.2	Result Parameters.....	308
11.31.2	Invoking entity (SCF).....	308
11.31.2.1	Normal procedure.....	308
11.31.2.2	Error handling.....	309
11.31.3	Responding entity (SSF).....	309
11.31.3.1	Normal procedure.....	309
11.31.3.2	Error handling.....	311
11.32	ReleaseCall procedure.....	311
11.32.1	General description.....	311
11.32.1.1	Parameters.....	311
11.32.1.1.1	Argument Parameters.....	311
11.32.2	Invoking entity (SCF).....	311
11.32.2.1	Normal procedure.....	311
11.32.2.2	Error handling.....	312
11.32.3	Responding entity (SSF).....	312
11.32.3.1	Normal procedure.....	312
11.32.3.2	Error Handling.....	313



 (standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/dad4c472-7215-4632-ab92-717f9b0/sist-en-301-931-2-v1-1-2-2005>

11.33	ReportUTSI procedure	313
11.33.1	General description	313
11.33.1.1	Parameters.....	313
11.33.1.1.1	Argument Parameters	313
11.33.2	Invoking entity (SSF).....	313
11.33.2.1	Normal procedure.....	313
11.33.2.2	Error handling	313
11.33.3	Responding entity (SCF).....	314
11.33.3.1	Normal procedure.....	314
11.33.3.2	Error handling	314
11.34	RequestCurrentStatusReport procedure.....	314
11.34.1	General description	314
11.34.1.1	Parameters.....	314
11.34.1.1.1	Argument Parameters	314
11.34.1.1.2	Result Parameters.....	314
11.34.2	Invoking entity (SCF)	315
11.34.2.1	Normal Procedure.....	315
11.34.2.2	Error handling	315
11.34.3	Responding entity (SSF)	315
11.34.3.1	Normal Procedure.....	315
11.34.3.2	Error handling	315
11.35	RequestEveryStatusChangeReport procedure.....	316
11.35.1	General description	316
11.35.1.1	Parameters.....	316
11.35.1.1.1	Argument Parameters	316
11.35.1.1.2	Result Parameters.....	316
11.35.2	Invoking entity (SCF).....	316
11.35.2.1	Normal Procedure.....	316
11.35.2.2	Error handling	316
11.35.3	Responding entity (SSF)	317
11.35.3.1	Normal Procedure.....	317
11.35.3.2	Error handling	317
11.36	RequestFirstStatusMatchReport procedure.....	317
11.36.1	General description	317
11.36.1.1	Parameters.....	317
11.36.1.1.1	Argument Parameters	317
11.36.1.1.2	Result Parameters.....	318
11.36.2	Invoking entity (SCF)	318
11.36.2.1	Normal Procedure.....	318
11.36.2.2	Error handling	318
11.36.3	Responding entity (SSF)	318
11.36.3.1	Normal Procedure.....	318
11.36.3.2	Error handling	319
11.37	RequestNotificationChargingEvent procedure.....	319
11.37.1	General description	319
11.37.1.1	Parameters.....	319
11.37.1.1.1	Argument Parameters	319
11.37.2	Invoking entity (SCF)	319
11.37.2.1	Normal procedure.....	319
11.37.2.2	Error handling	320
11.37.3	Responding entity (SSF)	320
11.37.3.1	Normal procedure.....	320
11.37.3.2	Error handling	320
11.38	RequestReportBCSMEEvent procedure	321
11.38.1	General description	321
11.38.1.1	Parameters.....	323
11.38.1.1.1	Argument Parameters	323
11.38.2	Invoking entity (SCF)	324
11.38.2.1	Normal procedure.....	324
11.38.2.2	Error handling	324
11.38.3	Responding entity (SSF)	324
11.38.3.1	Normal procedure.....	324

11.38.3.2	Error handling	325
11.39	RequestReportUTSI Procedure	325
11.39.1	General Description	325
11.39.1.1	Parameters.....	325
11.39.1.1.1	Argument Parameters	325
11.39.2	Invoking entity (SCF)	325
11.39.2.1	Normal procedure.....	325
11.39.2.2	Error handling	326
11.39.3	Responding entity (SSF)	326
11.39.3.1	Normal procedure.....	326
11.39.3.2	Error handling	326
11.40	ResetTimer procedure.....	326
11.40.1	General description	326
11.40.1.1	Parameters.....	327
11.40.1.1.1	Argument Parameters	327
11.40.2	Invoking entity (SCF)	327
11.40.2.1	Normal procedure.....	327
11.40.2.2	Error handling	327
11.40.3	Responding entity (SSF)	327
11.40.3.1	Normal procedure.....	327
11.40.3.2	Error handling	328
11.41	SelectFacility Procedure	328
11.41.1	General description	328
11.41.1.1	Parameters.....	328
11.41.1.1.1	Argument Parameters	328
11.41.2	Invoking Entity (SCF).....	328
11.41.2.1	Normal Procedure.....	328
11.41.2.2	Error Handling.....	329
11.41.3	Responding entity (SSF)	329
11.41.3.1	Normal Procedure.....	329
11.41.3.2	Error Handling.....	329
11.42	SendChargingInformation procedure	329
11.42.1	General description	329
11.42.1.1	Parameters.....	330
11.42.1.1.1	Argument Parameters	330
11.42.2	Invoking entity (SCF)	330
11.42.2.1	Normal procedure.....	330
11.42.2.2	Error handling	332
11.42.3	Responding entity (SSF)	332
11.42.3.1	Normal procedure.....	332
11.42.3.2	Error handling	334
11.43	SendSTUI procedure	334
11.43.1	General description	334
11.43.1.1	Parameters.....	335
11.43.1.1.1	Argument Parameters	335
11.43.2	Invoking entity (SCF)	335
11.43.2.1	Normal procedure.....	335
11.43.2.2	Error handling	335
11.43.3	Responding entity (SSF)	335
11.43.3.1	Normal procedure.....	335
11.43.3.2	Error handling	336
11.44	ServiceFilteringResponse procedure	336
11.44.1	General description	336
11.44.1.1	Parameters.....	336
11.44.1.1.1	Argument Parameters	336
11.44.2	Invoking entity (SSF).....	336
11.44.2.1	Normal procedure.....	336
11.44.2.2	Error handling	337
11.44.3	Responding entity (SCF).....	337
11.44.3.1	Normal procedure.....	337
11.44.3.2	Error handling	337
11.45	SetServiceProfile.....	337