

Edition 4.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Specifications for particular types of winding wires VIEW
Part 18: Polyvinyl acetal enamelled rectangular copper wire, class 120
(Standards.iten.al)

Spécifications pour types particuliers de fils de bobinage – Partie 18: Fil de section rectangulaire en cuivre émaillé avec acétal de polyvinyle, classe 120 e8c605c7b6a8/iec-60317-18-2020





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once 17 a month by email. https://standards.iteh.ai/catalog/standards.iteh.ai/ca

IEC Customer Service Centre - webstore.iec.ch/csc7b6a8/iec-If you wish to give us your feedback on this publication or need

further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67,000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



Edition 4.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Specifications for particular types of winding wires VIEW
Part 18: Polyvinyl acetal enamelled rectangular copper wire, class 120

Spécifications pour types particuliers de fils de bobinage – Partie 18: Fil de section rectangulaire en cuivre émaillé avec acétal de polyvinyle, classe 120 e8c605c7b6a8/iec-60317-18-2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.060.10 ISBN 978-2-8322-8393-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

Normative references	FOF	FOREWORD3			
2 Normative references 6 3 Terms, definitions, general notes and appearance 6 3.1 Terms and definitions 6 3.2 General notes 7 3.2.1 Methods of test 7 3.2.2 Winding wire 7 3.3 Appearance 7 4 Dimensions 7 5 Electrical resistance 7 6 Elongation 7 7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence test host standards it has a standards	INT	RODUCTION	5		
3 Terms, definitions, general notes and appearance 6 3.1 Terms and definitions 6 3.2 General notes 7 3.2.1 Methods of test 7 3.2.2 Winding wire 7 3.3 Appearance 7 4 Dimensions 7 5 Electrical resistance 7 6 Elongation 7 7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence test 1 STAND ARD PREVIEW 8 9 Heat shock 8 10 Cut-through (standards.itch.ai) 8 11 Resistance to abrasion 8 12 Resistance to solvents and a behavioral standards.itch.ai 8 13 Breakdown voltage 88605575688 89.60317-18-2020 88 14 Continuity of insulation 80 15 Temperature index 88 16 Resistance to refrigerants 88 17 Solderability 88 18 Heat or solvent bonding 89 19 Dielectric dissipation factor 99 20 Resistance to transformer oil 99 21 Loss of mass 99 23 Pin hole test 99 30 Packaging 99 Bibliography 10	1	Scope	6		
3.1 Terms and definitions 6 3.2 General notes 7 3.2.1 Methods of test 7 3.2.2 Winding wire 7 3.3 Appearance 7 4 Dimensions 7 5 Electrical resistance 7 6 Elongation 7 7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence test the STANDARD PREVIEW 8 9 Heat shock 8 10 Cut-through (standards.itch.ai) 8 11 Resistance to abrasion 8 12 Resistance to solvents 8 13 Breakdown voltage 8 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectri	2	Normative references	6		
3.2 General notes	3	Terms, definitions, general notes and appearance	6		
3.2.1 Methods of test	3	3.1 Terms and definitions	6		
3.2.2 Winding wire	3		7		
3.3 Appearance					
4 Dimensions 7 5 Electrical resistance 7 6 Elongation 7 7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence testen STANDARD PREVIEW 8 9 Heat shock 8 10 Cut-through (standards.iteh.ai) 8 11 Resistance to abrasion Inc 60317-IR2020 8 12 Resistance to solvents.turds.itehraicatards/startar		-			
5 Electrical resistance 7 6 Elongation 7 7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence testeh STANDARD PREVIEW 8 9 Heat shock 8 10 Cut-through (standards.iden.iden.iden.iden.iden.iden.iden.iden		• •			
6 Elongation 7 7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence testeh STANDARD PREVIEW 8 9 Heat shock 8 10 Cut-through (standards.iteh.ai) 8 11 Resistance to abrasion 8 12 Resistance to solvents.ands iteh.aicandogstandards.ists1917244d-5084-4c5a-806 8 13 Breakdown voltage 88/603c7b6a8/ice-60317-18-2020 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 22 Pin hole test 9 30 Packaging 9 Bibliography 10					
7 Springiness 7 8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence test ch. STANDARD PREVIEW. 8 9 Heat shock 8 10 Cut-through					
8 Flexibility and adherence 7 8.1 Mandrel winding test 7 8.2 Adherence test ch. STANDARD PREVIEW. 8 9 Heat shock 8 10 Cut-through (standards.iteh.aii) 11 Resistance to abrasion BEC 60317-182020 12 Resistance to solvents.dards.iteh.aiicatalog/standards/sist90-172-4d-5084-4-5a-8f1f 8 13 Breakdown voltage 88:605c7b6a8/icc-60317-18-2020 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 22 Pin hole test 9 30 Packaging 9 Bibliography 10	_	G .			
8.1 Mandrel winding test 7 8.2 Adherence test ch. S.T.A.N.D.A.R.D.PR.E.V.IE.W. 8 9 Heat shock 8 10 Cut-through (standards.iteh.ai) 8 11 Resistance to abrasion 8 12 Resistance to solvents dands inchairent log/standards/sist/9ci72c4d-5084-4c5a-8f1f 8 13 Breakdown voltage e8c605c7b6a8/icc-60317-18-2020 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 22 Pin hole test 9 30 Packaging 9 Bibliography 10		. •			
8.2 Adherence test ch. STANDARD PREVIEW. 8 9 Heat shock. 8 10 Cut-through		·			
Cut-through	_	3.1 Mandrei Winding test	/		
10 Cut-through (standards.iteh.ai) 8 11 Resistance to abrasion 8 12 Resistance to solvents dards itch aic at alog/standards/sist/9c172c4d-5084-4c5a-8fff 8 13 Breakdown voltage e8c605c7b6a8/icc-60317-18-2020 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10	_	Heat shock	o 8		
11 Resistance to abrasion IEC 60317-182020 8 12 Resistance to solvents dards itch airctatolog/standards/sist/9c172c4d-5084-4c5a-8f16 8 13 Breakdown voltage e8c605c7b6a8/icc-60317-18-2020 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10		Cut-through (standards.iteh.ai)	8		
Resistance to solvents dards itch air anthog/standards/sist/9c1/72c4d-5084-4c5a-8f1f-8 Breakdown voltage		Resistance to abrasion	8		
13 Breakdown voltage e8c605c7b6a8/icc-60317-18-2020 8 14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10		IEC 60317-18:2020 Resistance to solvents and the ideal of the delation of the solution of the	8		
14 Continuity of insulation 8 15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10					
15 Temperature index 8 16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10		-			
16 Resistance to refrigerants 8 17 Solderability 8 18 Heat or solvent bonding 8 19 Dielectric dissipation factor 9 20 Resistance to transformer oil 9 21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10		•			
17 Solderability		·			
18 Heat or solvent bonding		•			
19 Dielectric dissipation factor		•			
20 Resistance to transformer oil		· ·			
21 Loss of mass 9 23 Pin hole test 9 30 Packaging 9 Bibliography 10		·			
23 Pin hole test					
30 Packaging9 Bibliography					
Bibliography10					
Table 1 – Mandrel winding7	Bibl	liography	10		
	Tab	ole 1 – Mandrel winding	7		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES -

Part 18: Polyvinyl acetal enamelled rectangular copper wire, class 120

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- https://standards.iteh.ai/catalog/standards/sist/9c172c4d-5084-4e5a-8f1f
 5) IEC itself does not provide any attestation of conformity, Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60317-18 has been prepared by IEC technical committee 55: Winding wires.

This fourth edition cancels and replaces the third edition published in 2004 and Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) modification of the Scope (Clause 1);
- b) revision to thermal class designation from 105 to 120 in 3.2.2;
- c) renaming of stretching test to adherence test, and modification to the requirements in 8.2;
- d) revision to the cut-through requirement in Clause 10.

The text of this publication is based on the following documents:

FDIS	Report on voting
55/1843/FDIS	55/1856/RVD

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be used in conjunction with IEC 60317-0-2:2020.

A list of all parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The numbering of clauses in this document is not continuous from Clauses 21 through 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

reconfirmed,

iTeh STANDARD PREVIEW

- withdrawn.
- replaced by a revised edition standards.iteh.ai)
- amended.

IEC 60317-18:2020

https://standards.iteh.ai/catalog/standards/sist/9c172c4d-5084-4e5a-8f1f-e8c605c7b6a8/iec-60317-18-2020

INTRODUCTION

This part of IEC 60317 forms an element of a series of standards which deals with insulated wires used for windings in electrical equipment. It is composed of the following series:

- 1) Winding wires Test methods (IEC 60851 series);
- 2) Specifications for particular types of winding wires (IEC 60317 series);
- 3) Packaging of winding wires (IEC 60264 series).

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60317-18:2020</u> https://standards.iteh.ai/catalog/standards/sist/9c172c4d-5084-4e5a-8f1f-e8c605c7b6a8/iec-60317-18-2020

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES -

Part 18: Polyvinyl acetal enamelled rectangular copper wire, class 120

1 Scope

This part of IEC 60317 specifies the requirements of enamelled rectangular copper winding wires of class 120 with a sole coating based on polyvinyl acetal or polyvinyl formal resin, which can be modified provided it retains the chemical identity of the original resin and meets all specified wire requirements

NOTE 1 A modified resin is a resin that has undergone a chemical change, or contains one or more additives to enhance certain performance or application characteristics.

NOTE 2 Polyvinyl acetal is a general name for a family of thermoplastic vinyl resins produced by the condensation of polyvinyl alcohol with an aldehyde. Examples are polyvinyl acetal, polyvinyl formal and polyvinyl butyral.

The range of nominal conductor dimensions covered by this document is:

- width: min. 2,0 mm max. 31,5 mm;
- thickness: min. 10,80 mm max. 10,0 mm.

Wires of grade 1 and grade 2 are included in this specification and apply to the complete range of conductors.

The specified combinations of width and thickness as well as the specified ratio width/thickness are given in IEC 1603 17/202/standards/sist/9c172c4d-5084-4e5a-8f1f-8c605c7b6a8/iec-60317-18-2020

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60317-0-2:2020, Specifications for particular types of winding wires – Part 0-2: General requirements – Enamelled rectangular copper wire

3 Terms, definitions, general notes and appearance

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60317-0-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.2 General notes

3.2.1 Methods of test

Subclause 3.2 of IEC 60317-0-2:2020 applies. In case of inconsistencies between IEC 60317-0-2 and this document, IEC 60317-18 shall prevail.

3.2.2 Winding wire

Class 120 is a thermal class that requires a minimum temperature index of 120 and a heat shock temperature of at least 155 $^{\circ}$ C.

The temperature in degrees Celsius corresponding to the temperature index is not necessarily that at which it is recommended that the wire be operated and this will depend on many factors, including the type of equipment involved.

3.3 Appearance

Subclause 3.3 of IEC 60317-0-2:2020 applies.

4 Dimensions

Clause 4 of IEC 60317-0-2:2020 applies.

iTeh STANDARD PREVIEW

5 Electrical resistance

(standards.iteh.ai)

Clause 5 of IEC 60317-0-2:2020 applies.

IEC 60317-18:2020

6 Elongation

https://standards.iteh.ai/catalog/standards/sist/9c172c4d-5084-4e5a-8f1f-e8c605c7b6a8/iec-60317-18-2020

Clause 6 of IEC 60317-0-2:2020 applies.

7 Springiness

Clause 7 of IEC 60317-0-2:2020 applies.

8 Flexibility and adherence

8.1 Mandrel winding test

The coating shall show no crack after the wire has been bent flatwise and edgewise on a mandrel with a diameter as specified in Table 1.

Table 1 - Mandrel winding

	Wire bent on	Mandrel diameter
Width	Sizes up to and including 10 mm	2 × width
	Sizes over 10 mm	3 × width
Thickness	All dimensions	2 × thickness

8.2 Adherence test

The wire shall be stretched by 20 % or until it breaks, whichever is less.

The distance of loss of adhesion shall be less than 1 x thickness.

9 Heat shock

Clause 9 of IEC 60317-0-2:2020 applies, where the minimum heat shock temperature shall be 155 $^{\circ}$ C.

10 Cut-through

Test under consideration.

11 Resistance to abrasion

Test inappropriate.

12 Resistance to solvents

Clause 12 of IEC 603 17-0-2:2020 applies. (standards.iteh.ai)

13 Breakdown voltage

IEC 60317-18:2020

Clause 13 of IEC 60317-0-2-2020 applies; where the elevated temperature shall be 120 °C. e8c605c7b6a8/iec-60317-18-2020

14 Continuity of insulation

Test inappropriate.

15 Temperature index

Clause 15 of IEC 60317-0-2:2020 applies, where the minimum temperature index shall be 120.

16 Resistance to refrigerants

Test inappropriate.

17 Solderability

Test inappropriate.

18 Heat or solvent bonding

Test inappropriate.

19 Dielectric dissipation factor

Test inappropriate.

20 Resistance to transformer oil

Test according to Clause 6 of IEC 60851-4:2016 appropriate. Test requirements are under consideration.

21 Loss of mass

Test inappropriate.

23 Pin hole test

Test inappropriate.

30 Packaging

Clause 30 of IEC 60317-0-2:2020 applies.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60317-18:2020</u> https://standards.iteh.ai/catalog/standards/sist/9c172c4d-5084-4e5a-8f1f-e8c605c7b6a8/iec-60317-18-2020