

# INTERNATIONAL STANDARD



Industrial communication networks – Profiles –  
Part 5-18: Installation of fieldbuses – Installation profiles for CPF 18  
**STANDARD PREVIEW**  
(standards.iteh.ai)

IEC 61784-5-18:2018

<https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2018 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

IEC'S STANDARD PREVIEW  
(standards.iteh.ai)  
Tel: +41 22 919 02 11  
a5cbf22566e2/iec-61784-518-2018



IEC 61784-5-18

Edition 2.0 2018-08

# INTERNATIONAL STANDARD



---

**Industrial communication networks – Profiles –  
Part 5-18: Installation of fieldbuses – Installation profiles for CPF 18**

**STANDARD PREVIEW**  
(standards.iteh.ai)

IEC 61784-5-18:2018  
<https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-5943-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions and abbreviated terms .....	7
4 CPF 18: Overview of installation profiles .....	7
5 Installation profile conventions .....	8
6 Conformance to installation profiles.....	8
Annex A (normative) CP 18/1 and CP 18/2 (SafetyNET p) specific installation profile .....	10
A.1 Installation profile scope .....	10
A.2 Normative references.....	10
A.3 Installation profile terms, definitions, and abbreviated terms .....	10
A.3.1 Terms and definitions .....	10
A.3.2 Abbreviated terms .....	10
A.3.3 Conventions for installation profiles .....	10
A.4 Installation planning.....	10
A.4.1 General .....	10
A.4.2 Planning requirements.....	10
A.4.3 Network capabilities .....	11
A.4.4 Selection and use of cabling components .....	13
A.4.5 Cabling planning documentation.....	18
A.4.6 Verification of cabling planning specification .....	18
A.5 Installation implementation .....	18
A.5.1 General requirements .....	18
A.5.2 Cable installation.....	18
A.5.3 Connector installation .....	20
A.5.4 Terminator installation .....	20
A.5.5 Device installation .....	20
A.5.6 Coding and labelling .....	21
A.5.7 Earthing and bonding of equipment and devices and shield cabling.....	21
A.5.8 As-implemented cabling documentation.....	21
A.6 Installation verification and installation acceptance test .....	21
A.6.1 General .....	21
A.6.2 Installation verification.....	21
A.6.3 Installation acceptance test .....	22
A.7 Installation administration .....	23
A.7.1 General .....	23
A.7.2 Fields covered by the administration.....	23
A.7.3 Basic principles for the administration system .....	23
A.7.4 Working procedures.....	23
A.7.5 Device location labelling.....	23
A.7.6 Component cabling labelling.....	23
A.7.7 Documentation .....	23
A.7.8 Specific requirements for administration .....	23
A.8 Installation maintenance and installation troubleshooting.....	23

A.8.1	General .....	23
A.8.2	Maintenance .....	23
A.8.3	Troubleshooting .....	23
A.8.4	Specific requirements for maintenance and troubleshooting .....	23
Bibliography .....		24
Figure 1 – Standards relationship .....		6
Table A.1 – Network characteristics for balanced cabling based on Ethernet .....		12
Table A.2 – Network characteristics for optical fibre cabling .....		12
Table A.3 – Information relevant to copper cable: fixed cables .....		13
Table A.4 – Information relevant to copper cable: cords .....		14
Table A.5 – Information relevant to optical fibre cables .....		14
Table A.6 – Connectors for balanced cabling CPs based on Ethernet .....		15
Table A.7 – Optical fibre connecting hardware .....		15
Table A.8 – Relationship between FOC and fibre types (CP 18/1 and CP 18/2) .....		16
Table A.9 – Parameters for balanced cables .....		18
Table A.10 – Parameters for silica optical fibre cables .....		19
Table A.11 – Parameters for POF optical fibre cables .....		19
Table A.12 – Parameters for hard clad silica optical fibre cables .....		19

[IEC 61784-5-18:2018](https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018)

<https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –  
PROFILES –****Part 5-18: Installation of fieldbuses –  
Installation profiles for CPF 18**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61784-5-18 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with IEC 61918:2018;
- b) addition of new connector (LC).

This document is to be used in conjunction with IEC 61918:2018.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/924/FDIS	65C/925/RVD

Full information on the voting for the approval of this international Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-5 series, published under the general title *Industrial communication networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

IEC 61784-5-18:2018

**IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This International Standard is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2018 provides the common requirements for the installation of communication networks in industrial control systems. This installation profile document provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one document for each CPF (for example IEC 61784-5-18 for CPF 18) allows readers to work with documents of a convenient size.




Figure 1 – Standards relationship



## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

### Part 5-18: Installation of fieldbuses – Installation profiles for CPF 18

#### 1 Scope

This part of IEC 61784-5 specifies the installation profiles for CPF 18 (SafetyNET p<sup>1</sup>).

The installation profiles are specified in Annex A. This annex is read in conjunction with IEC 61918:2018.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:2018, *Industrial communication networks – Installation of communication networks in industrial premises* (standards.iteh.ai)

The normative references of IEC 61918:2018, Clause 2, apply.

<https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018>

#### 3 Terms, definitions and abbreviated terms

For the purpose of this document, the terms, definitions and abbreviated terms given in IEC 61918:2018 Clause 3, apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 4 CPF 18: Overview of installation profiles

CPF 18 consists of two Communication Profiles as specified in IEC 61784-2.

The installation requirements for CP 18/1 (SafetyNET p RTFL) and CP 18/2 (SafetyNET p RTFN) are specified in Annex A.

---

<sup>1</sup> SafetyNET p is trade name of Pilz GmbH & Co. KG. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this document does not require use of the trade name SafetyNET p. Use of the trade name SafetyNET p requires permission of the trade name holder.

## 5 Installation profile conventions

The numbering of the clauses and subclauses in the annex of this document corresponds to the numbering of IEC 61918 main clauses and subclauses.

The annex clauses and subclauses of this document supplement, modify, or replace the respective clauses and subclauses in IEC 61918.

Where there is no corresponding subclause of IEC 61918 in the normative annexes in this document, the subclause of IEC 61918 applies without modification.

The annex heading letter represents the installation profile assigned in Clause 4. The annex heading number shall represent the corresponding numbering of IEC 61918.

EXAMPLE “Subclause A.4.4” in IEC 61784-5-18 means that CP 18/1 and CP 18/2 specify the Subclause 4.4 of IEC 61918.

All main clauses of IEC 61918 are cited and apply in full unless otherwise stated in each normative installation profile annex.

If all subclauses of a (sub)clause are omitted, then the corresponding IEC 61918 (sub)clause applies.

If in a (sub)clause it is written “Not applicable.” then the corresponding IEC 61918 (sub)clause does not apply.

If in a (sub)clause it is written “*Addition:*”, then the corresponding IEC 61918 (sub)clause applies with the additions written in the profile.

If in a (sub)clause it is written “*Replacement:*”, then the text provided in the profile replaces the text of the corresponding IEC 61918 (sub)clause.

NOTE A replacement can also comprise additions.

If in a (sub)clause it is written “*Modification:*”, then the corresponding IEC 61918 (sub)clause applies with the modifications written in the profile.

If all (sub)clauses of a (sub)clause are omitted but in this (sub)clause it is written “(Sub)clause x has *addition:*” (or “*replacement:*”) or “(Sub)clause x is not applicable.”, then (sub)clause x becomes valid as declared and all the other corresponding IEC 61918 (sub)clauses apply.

## 6 Conformance to installation profiles

Each installation profile within this document includes part of IEC 61918:2018. It may also include defined additional specifications.

A statement of compliance to an installation profile of this document shall be stated<sup>2</sup> as either

Compliance to IEC 61784-5-18:— for CP 18/m <name> or

Compliance to IEC 61784-5-18 (Ed.2.0) for CP 18/m <name>

<sup>2</sup> In accordance with ISO/IEC Directives.

where the name within the angle brackets < > is optional and the angle brackets are not to be included. The m within CP 18/m shall be replaced by the profile number 1 to 2.

NOTE The name may be the name of the profile, for example SafetyNET p.

If the name is a trade name, then the permission of the trade name holder shall be required.

Product standards shall not include any conformity assessment aspects (including quality management provisions), neither normative nor informative, other than provisions for product testing (evaluation and examination).

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[IEC 61784-5-18:2018](https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018)

<https://standards.iteh.ai/catalog/standards/sist/cd2d121a-755c-49ea-ae0a-a5cbf22566e2/iec-61784-5-18-2018>