

INTERNATIONAL STANDARD



Industrial communication networks – Profiles –
Part 5-8: Installation of fieldbuses – Installation profiles for CPF 8
(standards.iteh.ai)

IEC 61784-5-8:2018

<https://standards.iteh.ai/catalog/standards/sist/79b6cb65-a5d5-4784-8ff6-2df49bd872d5/iec-61784-5-8-2018>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC STANDARD PREVIEW
(standards.iec.ch)

IEC 61784-1:2018
https://standards.iec.ch/catalog/standards/csc-49585-2d49bd872d5/iec-61784-1-2018

INTERNATIONAL STANDARD



**Industrial communication networks – Profiles –
Part 5-8: Installation of fieldbuses – Installation profiles for CPF 8**

<https://standards.iteh.ai/catalog/standards/sist/79b6cb65-a5d5-4784-8ff6-2df49bd872d5/iec-61784-5-8-2018>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-5941-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms, definitions and abbreviated terms	9
4 CPF 8: Overview of installation profiles	9
5 Installation profile conventions	10
6 Conformance to installation profiles.....	10
Annex A (normative) CP 8/1 and CP 8/2 (CC-Link/V1 and CC-Link/V2) specific installation profile	12
A.1 Installation profile scope	12
A.2 Normative references.....	12
A.3 Installation profile terms, definitions, and abbreviated terms	12
A.3.1 Terms and definitions	12
A.3.2 Abbreviated terms	12
A.3.3 Conventions for installation profiles	12
A.4 Installation planning.....	12
A.4.1 General	12
A.4.2 Planning requirements.....	13
A.4.3 Network capabilities.....	13
A.4.4 Selection and use of cabling components	15
A.4.5 Cabling planning documentation.....	20
A.4.6 Verification of cabling planning specification.....	20
A.5 Installation implementation	20
A.5.1 General requirements	20
A.5.2 Cable installation.....	21
A.5.3 Connector installation	22
A.5.4 Terminator installation	22
A.5.5 Device installation	23
A.5.6 Coding and labelling	23
A.5.7 Earthing and bonding of equipment and devices and shield cabling.....	23
A.5.8 As-implemented cabling documentation.....	24
A.6 Installation verification and installation acceptance test	24
A.6.1 General	24
A.6.2 Installation verification.....	24
A.6.3 Installation acceptance test	25
A.7 Installation administration	25
A.8 Installation maintenance and installation troubleshooting.....	25
Annex B (normative) CP 8/3 (CC-Link/LT) specific installation profile.....	26
B.1 Installation profile scope	26
B.2 Normative references.....	26
B.3 Installation profile terms, definitions, and abbreviated terms	26
B.3.1 Terms and definitions	26
B.3.2 Abbreviated terms	26
B.3.3 Conventions for installation profiles	26
B.4 Installation planning.....	26

B.4.1	General	26
B.4.2	Planning requirements	27
B.4.3	Network capabilities	27
B.4.4	Selection and use of cabling components	30
B.4.5	Cabling planning documentation	37
B.4.6	Verification of cabling planning specification	37
B.5	Installation implementation	37
B.5.1	General requirements	37
B.5.2	Cable installation	37
B.5.3	Connector installation	38
B.5.4	Terminator installation	39
B.5.5	Device installation	39
B.5.6	Coding and labelling	39
B.5.7	Earthing and bonding of equipment and devices and shield cabling	39
B.5.8	As-implemented cabling documentation	40
B.6	Installation verification and installation acceptance test	40
B.6.1	General	40
B.6.2	Installation verification	40
B.6.3	Installation acceptance test	41
B.7	Installation administration	41
B.8	Installation maintenance and installation troubleshooting	41
Annex C (normative) CP 8/4 (CC-Link IE Controller Network) specific installation profile		42
C.1	Installation profile scope	42
C.2	Normative references	42
C.3	Installation profile terms, definitions, and abbreviated terms	42
C.3.1	Terms and definitions	42
C.3.2	Abbreviated terms	42
C.3.3	Conventions for installation profiles	42
C.4	Installation planning	42
C.4.1	General	42
C.4.2	Planning requirements	42
C.4.3	Network capabilities	43
C.4.4	Selection and use of cabling components	45
C.4.5	Cabling planning documentation	50
C.4.6	Verification of cabling planning specification	51
C.5	Installation implementation	51
C.5.1	General requirements	51
C.5.2	Cable installation	51
C.5.3	Connector installation	52
C.5.4	Terminator installation	53
C.5.5	Device installation	53
C.5.6	Coding and labelling	53
C.5.7	Earthing and bonding of equipment and devices and shield cabling	53
C.5.8	As-implemented cabling documentation	54
C.6	Installation verification and installation acceptance test	54
C.6.1	General	54
C.6.2	Installation verification	54
C.6.3	Installation acceptance test	55

C.7	Installation administration	55
C.8	Installation maintenance and installation troubleshooting	56
Annex D	(normative) CP 8/5 (CC-Link IE Field Network) specific installation profile	57
D.1	Installation profile scope	57
D.2	Normative references	57
D.3	Installation profile terms, definitions, and abbreviated terms	57
D.3.1	Terms and definitions	57
D.3.2	Abbreviated terms	57
D.3.3	Conventions for installation profiles	57
D.4	Installation planning	57
D.4.1	General	57
D.4.2	Planning requirements	57
D.4.3	Network capabilities	58
D.4.4	Selection and use of cabling components	59
D.4.5	Cabling planning documentation	64
D.4.6	Verification of cabling planning specification	65
D.5	Installation implementation	65
D.5.1	General requirements	65
D.5.2	Cable installation	65
D.5.3	Connector installation	66
D.5.4	Terminator installation	66
D.5.5	Device installation	67
D.5.6	Coding and labelling	67
D.5.7	Earthing and bonding of equipment and devices and shield cabling	67
D.5.8	As-implemented cabling documentation	68
D.6	Installation verification and installation acceptance test	68
D.6.1	General	68
D.6.2	Installation verification	68
D.6.3	Installation acceptance test	69
D.7	Installation administration	69
D.8	Installation maintenance and installation troubleshooting	69
Bibliography	70
Figure 1	– Standards relationships	8
Figure A.1	– Pass-through connector configuration	14
Figure A.2	– Bus t-branch topology	14
Figure A.3	– Wiring	17
Figure B.1	– Powered network topology	28
Figure B.2	– Bus t-branch topology	28
Figure B.3	– Flat cable cross section – with key	31
Figure B.4	– Flat cable cross section – without key	31
Figure B.5	– Flat cable polarity marking	31
Figure B.6	– Wiring	32
Figure B.7	– Flat cable connector and terminal cover	33
Table A.1	– Basic network characteristics for balanced cabling not based on Ethernet	15
Table A.2	– Bus t-branch network characteristics	15

Table A.3 – Information relevant to copper cable: fixed cables.....	16
Table A.4 – Connectors for copper cabling CPs not based on Ethernet.....	17
Table A.5 – Parameters for balanced cables.....	21
Table A.6 – Cable conductor assignments.....	22
Table B.1 – Basic network characteristics for balanced cabling not based on Ethernet.....	29
Table B.2 – CP 8/3 additional topology length limits.....	29
Table B.3 – Information relevant to copper cable: cords.....	31
Table B.4 – Connectors for copper cabling CPs not based on Ethernet.....	34
Table B.5 – Parameters for balanced cables.....	37
Table B.6 – Flat cable conductor assignments.....	38
Table C.1 – Network characteristics for balanced cabling based on Ethernet.....	44
Table C.2 – Network characteristics for optical fibre cabling.....	44
Table C.3 – Information relevant to copper cable: fixed cables.....	45
Table C.4 – Information relevant to optical fibre cables.....	46
Table C.5 – Connectors for balanced cabling CPs based on Ethernet.....	46
Table C.6 – Optical fibre connecting hardware.....	47
Table C.7 – Relationship between FOC and fibre types (CP 8/4).....	47
Table C.8 – Parameters for balanced cables.....	51
Table C.9 – Parameters for silica optical fibre cables.....	51
Table D.1 – Network characteristics for balanced cabling based on Ethernet.....	59
Table D.2 – Information relevant to copper cable: fixed cables.....	60
Table D.3 – Connectors for balanced cabling CPs based on Ethernet.....	61
Table D.4 – Parameters for balanced cables.....	65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
PROFILES –****Part 5-8: Installation of fieldbuses –
Installation profiles for CPF 8****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61784-5-8 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The reference to ISO/IEC 24702 has been replaced with reference to the new ISO/IEC 11801-3;
- b) Annex C has been extended to cover the balanced cabling based on Ethernet that is applicable to CP8/4. Table C.1, Table C.3, Table C.5 and Table C.8 are added;

- c) Annex D has been extended to cover the M12-8 X-coding connector use that is applicable to CP/8/5. Table D.3 is revised.

This standard is to be used in conjunction with IEC 61918:2018.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/924/FDIS	65C/925/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61784-5 series, under the general title *Industrial communication networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

A bilingual version of this publication may be issued at a later date.

<https://standards.iteh.ai/catalog/standards/sist/79b6cb65-a5d5-4784-8ff6-2d49bd872d5/iec-61784-5-8-2018>

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This International Standard is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2018 provides the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918:2018 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918:2018 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918:2018 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918:2018, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-8 for CPF 8), allows readers to work with standards of a convenient size.




Figure 1 – Standards relationships

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-8: Installation of fieldbuses – Installation profiles for CPF 8

1 Scope

This part of IEC 61784-5 specifies the installation profiles for CPF 8 (CC-Link¹).

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:2018.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:2018, *Industrial communication networks – Installation of communication networks in industrial premises*

The normative references of IEC 61918:2018, Clause 2, apply.

NOTE For profile specific normative references, see Clauses A.2, B.2, C.2 and D.2 respectively.

3 Terms, definitions and abbreviated terms

For the purpose of this document, the terms, definitions and abbreviated terms given in IEC 61918:2018, Clause 3, apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE For profile specific normative references, see Clauses A.3, B.3, C.3 and D.3 respectively.

4 CPF 8: Overview of installation profiles

CPF 8 consists of 5 Communication Profiles as specified in IEC 61784-1:— and IEC 61784-2:—.

¹ CC-Link, CC-Link/LT and CC-Link IE are trade names of Mitsubishi Electric Co., control of trade name use is given to CCLink Partner Association. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name. Use of the trade name requires permission of the trade name holder.

The installation requirements for CP 8/1 (CC-Link/V1) and CP 8/2 (CC-Link/V2) are specified in Annex A.

The installation requirements for CP 8/3 (CC-Link/LT) are specified in Annex B.

The installation requirements for CP 8/4 (CC-Link IE Controller Network) are specified in Annex C.

The installation requirements for CP 8/5 (CC-Link IE Field Network) are specified in Annex D.

5 Installation profile conventions

The numbering of the clauses and subclauses in the annexes of this document corresponds to the numbering of IEC 61918 main clauses and subclauses.

The annex clauses and subclauses of this document supplement, modify, or replace the respective clauses and subclauses in IEC 61918

Where there is no corresponding subclause of IEC 61918 in the normative annexes in this document, the subclause of IEC 61918 applies without modification.

The annex heading letter represents the installation profile assigned in Clause 4. The annex heading number shall represent the corresponding numbering of IEC 61918.

EXAMPLE "Subclause B.4.4" in IEC 61784-5-8 means that CP 8/3 specifies the subclause 4.4 of IEC 61918.

All main clauses of IEC 61918 are cited and apply in full unless otherwise stated in each normative installation profile annex.

If all subclauses of a (sub)clause are omitted, then the corresponding IEC 61918 (sub)clause applies.

If in a (sub)clause it is written "Not applicable", then the corresponding IEC 61918 (sub)clause does not apply.

If in a (sub)clause it is written "*Addition:*", then the corresponding IEC 61918 (sub)clause applies with the additions written in the profile.

If in a (sub)clause it is written "*Replacement:*", then the text provided in the profile replaces the text of the corresponding IEC 61918 (sub)clause.

NOTE A replacement can also comprise additions.

If in a (sub)clause it is written "*Modification:*", then the corresponding IEC 61918 (sub)clause applies with the modifications written in the profile.

If all (sub)clauses of a (sub)clause are omitted but in this (sub)clause it is written "(Sub)clause x has addition:" (or "*replacement:*") or "(Sub)clause x is not applicable.", then (sub)clause x becomes valid as declared and all the other corresponding IEC 61918 (sub)clauses apply.

6 Conformance to installation profiles

Each installation profile within this document includes part of IEC 61918:2018. It may also include defined additional specifications.

A statement of compliance to an installation profile of this document shall be stated² as either

Compliance to IEC 61784-5-8:— ³ for CP 8/m <CC-Link> or

Compliance to IEC 61784-5-8 (Ed.2.0) for CP 8/m <CC-Link>

where the name within the angle brackets < > is optional and the angle brackets are not to be included. The m within CP 8/m shall be replaced by the profile number 1 to 5.

NOTE The name may be the name of the profile, as: CC-Link/V1, CC-Link/V2, CC-Link/LT, CC-Link IE Controller Network, or CC-Link IE Field Network.

If the name is a trade name then the permission of the trade name holder shall be required.

Product standards shall not include any conformity assessment aspects (including quality management provisions), neither normative nor informative, other than provisions for product testing (evaluation and examination).

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 61784-5-8:2018](https://standards.iteh.ai/catalog/standards/sist/79b6cb65-a5d5-4784-8ff6-2d49bd872d5/iec-61784-5-8-2018)

<https://standards.iteh.ai/catalog/standards/sist/79b6cb65-a5d5-4784-8ff6-2d49bd872d5/iec-61784-5-8-2018>

² In accordance with ISO/IEC Directives.

³ The date should not be used when the edition number is used.

Annex A (normative)

CP 8/1 and CP 8/2 (CC-Link/V1 and CC-Link/V2) specific installation profile

A.1 Installation profile scope

Addition:

This annex specifies the installation profile for Communication Profile CP 8/1 (CC-Link/V1) and CP 8/2 (CC-Link/V2). The CP 8/1 and CP 8/2 are specified in IEC 61784-1.

CP 8/1 and CP 8/2 networks implement a medium attachment unit compliant with ISO/IEC 8482 and is a derivative of ANSI TIA/EIA-485-A.

A.2 Normative references

Addition:

ISO/IEC 8482, *Information technology – Telecommunications and information exchange between systems – Twisted pair multipoint interconnections*

ANSI TIA/EIA-485-A, *Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems*

A.3 Installation profile terms, definitions, and abbreviated terms

A.3.1 Terms and definitions

A.3.2 Abbreviated terms

A.3.3 Conventions for installation profiles

Not applicable.

A.4 Installation planning

A.4.1 General

A.4.1.1 Objective

A.4.1.2 Cabling in industrial premises

Addition:

Generic cabling in accordance with ISO/IEC 11801-3 is not suitable for the cabling of CP 8/1 or CP 8/2 networks.

A.4.1.3 The planning process

A.4.1.4 Specific requirements for CPs

Not applicable.

A.4.1.5 Specific requirements for generic cabling in accordance with ISO/IEC 11801-3**A.4.2 Planning requirements****A.4.2.1 Safety****A.4.2.1.1 General****A.4.2.1.2 Electric safety****A.4.2.1.3 Functional safety****A.4.2.1.4 Intrinsic safety**

Not applicable.

A.4.2.1.5 Safety of optical fibre communication systems

Not applicable.

A.4.2.2 Security**A.4.2.3 Environmental considerations and EMC****A.4.2.4 Specific requirements for generic cabling in accordance with ISO/IEC 11801-3****A.4.3 Network capabilities (standards.iteh.ai)****A.4.3.1 Network topology**

[IEC 61784-5-8:2018](https://standards.iteh.ai/catalog/standards/sist/79b6cb65-a5d5-4784-8ff6-2d49bd872d5/iec-61784-5-8-2018)

A.4.3.1.1 Common description**A.4.3.1.2 Basic physical topologies for passive networks**

Modification:

CP 8/1 and CP 8/2 support bus and complex bus t-branch configurations (see A.4.3.1.5.2). A pure star is not recommended since there is no defined trunk line ends for terminator placement.

A.4.3.1.3 Basic physical topologies for active networks

Not applicable.

A.4.3.1.4 Combination of basic topologies**A.4.3.1.5 Specific requirements for CPs**

Replacement:

A.4.3.1.5.1 Bus topology pass-through configuration

The bus topology pass-through configuration is implemented with a dedicated cable and pass-through type connectors, one for each device as shown in Figure A.1.