



Edition 1.0 2021-08

TECHNICAL SPECIFICATION



Electrostatics - iTeh STANDARD PREVIEW

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification (Standards.iteh.ai)

<u>IEC TS 61340-5-4:2021</u>

https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-6fc7e426085c/iec-ts-61340-5-4-2021





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore iec ch/csc If you wish to give us your feedback on this publication or

need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC TS 61340-5-4:2021

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

ds.iteh.ai

https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c 6fc7e426085c/iec-ts-61340-5-4-2021



IEC TS 61340-5-4

Edition 1.0 2021-08

TECHNICAL SPECIFICATION



Electrostatics - iTeh STANDARD PREVIEW

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

<u>IEC TS 61340-5-4:2021</u> https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-6fc7e426085c/iec-ts-61340-5-4-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.020 ISBN 978-2-8322-1017-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

г	JKEWO		9
IN	ITRODU	CTION	11
1	Scop	e	12
2	Norm	native references	12
3	Term	s and definitions	12
4	Perso	onnel safety	13
5	Test	methods and test frequency	13
6		equipment	
•	6.1	Selection of test equipment	
	6.2	AC outlet analyzer (or mains socket tester)	
	6.3	AC circuit tester (impedance meter)	
	6.4	Charged plate monitor (CPM)	
	6.4.1	• ,	
	-	·	
	6.4.2		
	6.5	Concentric ring electrode assembly	
	6.6	Resistance measuring apparatus (ohmmeter)	
	6.7	Low resistance meter	
	6.8	Electrostatic field meterADADD	15
	6.9	Electrostatic voltmeter Footwear electrode (Standards.iteh.ai)	15
	6.10	Footwear electrode (Standards.Iten.at)	15
	6.11	Hand-held electrode	15
	6.12	Resistance measurement electrode(s) -5-4:2021	15
	6.13	Resistance measurement electrode(s)0-5-4:2021 Insulative support surface Olic /e426085c/iec-ts-61340-5-4-2021 Integrated measurement instrument for wrist strap systems or person-	16
	6.14	Integrated measurement instrument for wrist strap systems or person-footwear systems	16
	6.15	Two-point probe	16
	6.16	User specified electrodes	16
7	Grou	nding/bonding	17
	7.1	Equipment ground and responsibility for checking systems	17
	7.2	Objective	17
	7.3	Test equipment	18
	7.4	Test procedure for wrist strap bonding points	18
	7.5	Troubleshooting wrist strap bonding point failures	
8	Work	surfaces	
	8.1	Basis of test procedure	
	8.2	Objective	
	8.3	Test equipment	
	8.4	Test procedure	
	8.5	Troubleshooting	
	8.5.1	Visual and mechanical check	
	8.5.2		
0			
9		strap system	
	9.1	Basis of test procedure	
	9.2	Objective	
	9.3	Test equipment	
	9.4	Test procedure	22

9.4.	1 Testing with integrated measurement instrument	22
9.4.	2 Testing with resistance measuring apparatus	23
9.5	Troubleshooting	25
10 Per	son-footwear system	25
10.1	Basis of test procedure	25
10.2	Objective	26
10.3	Test equipment	26
10.4	Test procedure	26
10.4	1.1 Testing with integrated measurement instrument	26
10.4	1.2 Testing with resistance measuring apparatus	26
10.5	Troubleshooting	27
11 Floo	pring	28
11.1	Basis of test procedure	28
11.2	Objective	
11.3	Test equipment	28
11.4	Test procedure	
11.5	Troubleshooting	
12 Per	son-footwear-flooring system measurement of resistance to ground	29
12.1	Basis of test procedure	29
12.2	•	
12.3	Objective Test equipment STANDARD PREVIEW	29
12.4	Test procedure (standards.itch.ai)	
12.5	Troubleshooting	31
	tingtrc. TS 61340-5-4:2021	
13.1	Basis of lest/prodedureh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-	
13.2	Objective 6fc7e426085c/iec-ts-61340-5-4-2021	31
13.3	Test equipment	
13.4	Test procedure	
13.5	Troubleshooting	
	onizers	
	Basis of test procedure	
14.1	Objective	
14.2	Test equipment	
14.3	Test procedure	
14.4	·	
14.4	•	
14.4	3	
14.5	Troubleshooting	
	pile equipment	
15.1	Basis of test procedure	
15.2	Objective	
15.3	Test equipment	
15.4	Troublesheating	
15.5	Troubleshooting	
	undable static control garment system	
16.1	Basis of test procedure	
16.2	Objective	
16.3	Test equipment	37

16.4 Tes	t procedure	38
16.4.1	Testing with integrated measurement instrument	38
16.4.2	Testing with resistance measuring apparatus	38
16.5 Tro	ubleshooting	39
17 Static cor	ntrol garments and groundable static control garments	40
17.1 Poir	nt-to-point test method	40
17.1.1	Basis of test procedure	40
17.1.2	Objective	40
17.1.3	Test equipment	40
17.1.4	Test procedure	40
17.1.5	Troubleshooting	41
17.2 Han	ging clamp method	42
17.2.1	Basis of test procedure	42
17.2.2	Objective	42
17.2.3	Test equipment	42
17.2.4	Test procedure	42
17.2.5	Troubleshooting	43
18 Packagin	g	44
18.1 Bas	is of test procedure	44
	·	
18.3 Tes	ective t equipment STANDARD PREVIEW	44
18.4.1	t procedure(standards.iteh.ai) Surface resistance using an integrated resistance measuring instrument	45
18.4.2	Surface resistance using a concentric ring electrode assembly or two	
	SRBs https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-	45
18.4.3	Surface resistance using a resistance measuring apparatus and two-point probe	
18.4.4	Point-to-point resistance using a resistance measuring apparatus and resistance measurement electrodes	47
18.4.5	Volume resistance using resistance measuring apparatus or integrated resistance measuring instrument	
18.5 Tro	ubleshooting (surface, point-to-point and volume resistance)	
	essential insulators	
	is of test procedure	
-	ective	
	t equipmentt proceduret	
19.4 Tes 19.4.1	Measuring electrostatic field strength at the site of the ESD sensitive	
40.40	device (ESDS) from electrostatic field source	
19.4.2	Measurement of surface voltage of a process essential insulator	
	ubleshooting	
	essential isolated conductors	
	is of test procedure	
-	ective	
	t equipment	
	t procedures	
	ubleshooting	
•	mative) Test frequency	
Annov B (infor	mative) Verification of compliance verification test equipment	51

B.1	General	54
B.2	Charged plate monitor	54
B.2.1	Common problems	54
B.2.2	Basic charged plate monitor checks	54
B.2.3	3 Visual checks in the position of measurement	54
B.3	Electrodes	55
B.3.1	Common problems	55
B.3.2	Visual checks	55
B.3.3	B Electrode resistance test	55
B.3.4	l Electrode leakage test	55
B.3.5		
B.4	Resistance measuring apparatus	
B.4.1		
B.4.2	·	
B.5	Insulative support surface	
B.5.1	• •	
B.5.2	·	
B.6	Electrostatic field meter	
B.6.1		
B.6.2	·	
B.6.3		
B.6.4		
B.7	Electrostatic voltmeter Standards.Iten.al)	58
B.7.1		
B.7.2	IFC TS 61340-5-4:2021	58
B.7.3	S Checking voltmeter grounding 14-61340-5-4-2021	58 58
B.7.4		
	(informative) Other test methods for static control garments	
	•	
C.1	General considerations for other test methods	
C.2	Precautions to be observed when conducting tests	
C.3	Tribocharging tests for garments	
C.3.		
C.3.2	, , ,	
C.3.3	, , , ,	
C.3.4		
C.3.5		65
C.3.6	Test equipment for measuring electrostatic field or surface voltage on garments	65
C.3.7		00
U.S.1	garments	66
C.3.8	-	
C.4	Charge decay time tests for garments	
C.4.		
C.4.2	•	
C.4.3		
C.4.4	, , , , , , , , , , , , , , , , , , , ,	
C.4.5		
C.4.6		
J.¬.(DC high-voltage supply	69

C.4.	7 Test procedure for measuring charge decay time after connection to a DC high-voltage supply	60
C.5	Field suppression tests for garments	
C.6	Capacitance loading tests for garments	
	(informative) Person-footwear-flooring system measurement of body voltage	
D.1	Basis of test procedure	
D.2	Objective	
D.3	Test equipment	
D.4	Test procedure	
D.5	Troubleshooting	
	(informative) Electrical soldering/desoldering hand tools	
E.1	Basis of test procedure	
E.2	Objective	
E.3	Test equipment	
E.4	Test procedure	74
E.4.	using integrated tester or AC millivoltmeter	
E.4.2	Soldering/desoldering hand tool resistance to ground (hot iron)	74
E.4.3	Soldering/desoldering hand tool resistance to ground (cold iron)	74
E.4.4		
	low resistance meter A. D.D. D.D. D.D. D. D. D. D. D. D. D. D.	75
E.5	i roubleshooting	/ ວ
	(informative) Hand to (standards.iteh.ai)	76
F.1	Basis of test procedure Objective IEC TS 61340-5-4:2021 https://standards.iteh.a/catalog/standards/sist/9268490e-7c54-4b5b-8b8c- Test equipment Off: 7c426085c/iec-ts-61340-5-4-2021	76
F.2	Objective	76
F.3	Test equipment	76
F.3.	Resistance measurements	/ 0
F.3.2	- 3	
F.4	Test procedure for hand tool resistance measurements	
F.5	Test procedure for hand tool resistance to ground measurements	
F.6	Test procedure for charge decay time measurements	
F.7	Troubleshooting	
Annex G	(informative) Constant (continuous) monitors	80
G.1	Basis of test procedure	80
G.2	Objective	80
G.3	Test equipment	80
G.4	Test procedure	
G.5	Troubleshooting	
Annex H	(informative) Gloves and finger cots – In use resistance	81
H.1	Basis of test procedure	81
H.2	Objective	81
H.3	Test equipment	81
H.4	Test procedure	81
H.4.	Integrated measuring instrument for wrist strap systems with a touch plate and wrist strap	81
H.4.	2 Hand-held electrode and resistance measuring apparatus via wrist strap.	82
H.4.3	Integrated measuring instrument for person-footwear systems with a touch plate and ESD control footwear	83
H.4.	Constant area and force electrode (CAFE) with resistance measuring	
	apparatus and wrist strap	83

H.4.5 Froubleshooting	84
Annex I (informative) Grounding/bonding systems	85
I.1 Objective	85
I.2 Test equipment	85
I.3 Test procedure	
I.4 Troubleshooting	
Bibliography	86
Figure 1 – ESD control workstation	
Figure 2 – ESD control work surface test	
Figure 3 – Point-to-point resistance measurement set-up	
Figure 4 – Wrist strap test using integrated measurement instrument	23
Figure 5 – Wrist strap test using resistance measurement apparatus	24
Figure 6 – Wrist strap fabric test using resistance measuring apparatus	24
Figure 7 – Pinched wrist strap fabric test using resistance measuring apparatus	25
Figure 8 – ESD control footwear test	27
Figure 9 – ESD control flooring test	28
Figure 10 – Person-footwear-flooring system test	30
Figure 11 – ESD control chair testA.N.D.A.R.DP.R.E.V	32
Figure 12 – ESD control mobile equipment test	36
Figure 12 – ESD control mobile equipment test	38
Figure 14 – Test set-up – Groundable garment in combination with a person, hand-held	50
probe and resistance measurement apparatus.	39
Figure 15 – Garment (point-to-point) test	
Figure 16 – Electrodes for hanging garment test	
Figure 17 – Hanging clamp resistance measurement	
Figure 18 – Set-up for test method using concentric ring electrode assembly and	
surface resistance bar electrodes	46
Figure 19 – Set-up for test method using a resistance measuring apparatus and two-point probe	47
Figure 20 – Set-up for test method using two resistance measurement electrodes	48
Figure 21 – Set-up for test method using resistance measurement electrode or concentric ring electrode assembly and integrated resistance measuring instrument	49
Figure C.1 – Example of a test set-up for measuring body voltage whilst removing a garment	62
Figure C.2 – Example of a test set-up for measuring body voltage whilst rubbing the	
garment under test	63
Figure C.3 – Example of a test set-up for measuring body voltage on a person rising from a seat	64
Figure C.4 – Example of a test set-up for measuring charge on garments	65
Figure C.5 – Examples of test set-ups for measuring charge decay time on garments as worn and on a bench-top after tribocharging	68
Figure C.6 – Example of test set-up for measuring charge decay time after connecting a garment to a DC high-voltage supply	70
Figure E.1 – Soldering iron resistance and tip voltage measurements	
Figure F 1 – Hand tool resistance measurement	7

Figure F.2 – Hand tool resistance to ground measurement	78
Figure F.3 – Hand tool charge decay time measurement	79
Figure H.1 – Wrist strap test wearing a glove using integrated measurement instrument	82
Figure H.2 – Glove test with hand-held electrode and resistance measuring apparatus via wrist strap	83
Figure H.3 – Test wearing a glove using constant area and force electrode	84

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC TS 61340-5-4:2021</u> https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-6fc7e426085c/iec-ts-61340-5-4-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROSTATICS -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and; in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies. 61340-5-4-2021
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61340-5-4 has been prepared by IEC technical committee 101: Electrostatics. It is a Technical Specification.

This first edition cancels and replaces IEC TR 61340-5-4 published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC TR 61340-5-4:

- a) test methods in the main body of the document have been made normative, and consequently normative references have been added;
- b) the term "ESD ground" has been added and defined;
- c) description of equipment for measuring low resistance has been added;
- d) user specified electrodes, including surface resistance bar electrodes, are permitted to be used for resistance measurements:

- **10 -**
- e) an informative annex on verification of compliance verification test equipment has been added:
- f) compliance verification of person-footwear-flooring systems by measuring body voltage has been moved to an informative annex.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
101/615/DTS	101/627A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore iec.ch in the data related to the specific document. At this date, the document will be

• reconfirmed, <u>IEC TS 61340-5-4:2021</u>

• withdrawn, https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-6fc7e426085c/iec-ts-61340-5-4-2021

- · replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Compliance verification is the process of monitoring and measuring all elements of an ESD control program. Regular compliance verification checks and tests are an essential part of this process, ensure that area precautions and equipment remain effective, and that an ESD control program is correctly implemented in compliance with an ESD control program plan.

Qualification testing is typically carried out under controlled conditions, often in a laboratory environment, and using industry recognized standards. Compliance verification testing is carried out under operational conditions using test methods that are appropriate to a user's requirements. Although qualification test methods can be used, compliance verification testing often uses simple equipment and procedures. Accuracy is still important, but of equal importance is the ability to carry out non-destructive testing without interrupting the normal business of the organization.

This document describes equipment and test methods that can be used for compliance verification testing of ESD control items and systems, and provides users with some guidance on how to carry out the tests and take appropriate action to ensure continuous compliance.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC TS 61340-5-4:2021</u> https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-6fc7e426085c/iec-ts-61340-5-4-2021

ELECTROSTATICS -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

1 Scope

This part of IEC 61340 describes compliance verification testing for technical items that are included in ESD control programs, such as those specified in IEC 61340-5-1.

Test methods are based on those specified in IEC 61340-5-1 and other parts of the IEC 61340 series, and are simplified where necessary for the purposes of compliance verification, to be performed by competent personnel.

Users can, by reference to this document in their compliance verification plan, adopt the necessary test methods described herein without change or addition. Alternatively, test methods described in this document can be adapted to match the requirements of their own ESD control program, provided deviations in equipment or procedure are documented in their compliance verification plan.

Compliance verification test frequency is not specified in this document. Guidance on how users can consider compliance verification test frequency is given in informative Annex A.

Product qualification is excluded from the scope of this document.

https://standards.iteh.ai/catalog/standards/sist/9268490e-7c54-4b5b-8b8c-

2 Normative references 6fc7e426085c/iec-ts-61340-5-4-2021

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61340-2-3, Electrostatics – Part 2-3: Methods of test for determining the resistance and resistivity of solid materials used to avoid electrostatic charge accumulation

IEC 61340-4-7, Electrostatics – Part 4-7: Standard test methods for specific applications – Ionization

IEC 61340-5-1, Electrostatics – Part 5-1: Protection of electronic devices from electrostatic phenomena – General requirements

IEC 62631-3-2, Dielectric and resistive properties of solid insulating materials – Part 3-2: Determination of resistive properties (DC methods) – Surface resistance and surface resistivity

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the documents listed in Clause 2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

ESD ground

terminal used to connect parts to ground for ESD control purposes

Note 1 to entry: Protective earth or functional ground may be used as ESD ground.

Note 2 to entry: Equipment ground is one form of protective earth.

4 Personnel safety

WARNING – The procedures and equipment described in this document can expose personnel to hazardous electrical conditions. Users of this document are responsible for selecting equipment that complies with applicable laws, regulatory codes and both external and internal policy. This document does not replace or supersede any requirements for personnel safety included in applicable laws, regulatory codes and both external and internal policy.

Electrical hazard reduction practices shall be exercised and proper grounding instructions for equipment shall be followed.

5 Test methods and test frequency

iTeh STANDARD PREVIEW

Test methods that are not specifically required by IEC 61340-5-1 are described in informative Annex B, Annex C, Annex D, Arnex E, Annex G and Annex H.

Compliance verification test frequency is not specified in this document. Guidance on how users should consider compliance verification test frequency is given in informative Annex A.

6fc7e426085c/jec-ts-61340-5-4-2021

6 Test equipment

6.1 Selection of test equipment

If the specifications for test equipment described in Clause 6 do not match the range of measurements required to be made in the ESD control program, other test equipment that does match the range shall be used and documented in the ESD control program plan.

Test equipment shall be used and calibrated in accordance with the manufacturer's recommendations. In the absence of manufacturer's recommendations, users shall define and document suitable calibration procedures.

Annex B gives guidance on addressing known issues with test and measurement equipment.

6.2 AC outlet analyzer (or mains socket tester)

This is a device that plugs into an AC outlet and gives an indication, typically using lights, that the outlet is correctly wired, or if a fault condition exists. For compliance verification testing, an AC outlet analyzer can be used to indicate the correct wiring of the equipment grounding conductor.

Note that some AC outlet analyzers might not be able to differentiate ground (or earth and neutral wire reversals, line and neutral wire reversals, and line and ground wire reversals), or determine if the impedance to ground of the equipment grounding conductor is within the user's specification.