

Edition 1.0 2023-05

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Connectors for electrical and electronic equipment – Product requirements – Part 2-115: Circular connectors – Detail specification for 12-pole shielded connectors with 2 A rated current and IP65/IP67 metal housing with push-pull locking

Connecteurs pour équipements électriques et électroniques – Exigences de produit – 61076-2-115-2023

Partie 2-115: Connecteurs circulaires – Spécification particulière relative aux connecteurs blindés à 12 pôles avec un courant assigné de 2 A et un boîtier métallique IP65/IP67 équipé d'un mécanisme de verrouillage de type poussertirer





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IFC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - www.electropedia.org**The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

### Recherche de publications IEC -

### webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

### IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

### Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues Egalement appelé additionnelles. Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 1.0 2023-05

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Connectors for electrical and electronic equipment – Product requirements – Part 2-115: Circular connectors – Detail specification for 12-pole shielded connectors with 2 A rated current and IP65/IP67 metal housing with push-pull locking

<u>IEC 61076-2-115:2023</u>

Connecteurs pour équipements électriques et électroniques – Exigences de produit –

Partie 2-115: Connecteurs circulaires – Spécification particulière relative aux connecteurs blindés à 12 pôles avec un courant assigné de 2 A et un boîtier métallique IP65/IP67 équipé d'un mécanisme de verrouillage de type poussertirer

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.220.10 ISBN 978-2-8322-7022-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

F	OREWO	RD	5
1	Scop	e	8
2	Norm	native references	8
3	Term	s and definitions	11
4	Tech	nical information	11
	4.1	Recommended method of termination	11
	4.1.1		
	4.1.2		
	4.2	Ratings and characteristics	11
	4.3	Systems of levels	
	4.3.1	Performance levels	12
	4.3.2	Compatibility levels	12
	4.4	Classification into climatic categories	12
	4.5	Creepage and clearance distances	12
	4.6	Current-carrying capacity	12
	4.7	Marking	12
5	Dime	nsional information	12
	5.1	General Colonia CVTCA MUDIA AND DE DE DE COLONIA AND DE DE COLONIA AND DECOLONIA AND DE COLONIA AND DECOLONIA AND DE COLONIA AND DECOLONIA	12
	5.2	General	12
	5.2.1	Isometric view of free connector	12
	5.2.2	Isometric view of free connector	13
	5.3	Free connector	
	5.3.1	Dimensions <u>IEC 61076-2-115:2023</u>	14
	5.3.2	tanda Terminations log/standards/sist/babbb41c-b88b-4298-887c-156ca7701fad/iec	15
	5.4	Fixed connector	15
	5.4.1	Dimensions	15
	5.4.2	Terminations	16
	5.5	Mounting information for connectors	16
	5.6	Gauges – Sizing gauges and retention force gauges	16
6	Tech	nical characteristics	16
	6.1	Classification into climatic categories	16
	6.2	Electrical characteristics	16
	6.2.1	Creepage and clearance distances	16
	6.2.2	Voltage proof	17
	6.2.3	Current-carrying capacity	17
	6.2.4	Electrical load and temperature	17
	6.2.5	Contact resistance	18
	6.2.6	Housing electrical continuity	18
	6.2.7	Insulation resistance	18
	6.3	Mechanical characteristics	18
	6.3.1	Mechanical operation	18
	6.3.2	Effectiveness of connector coupling devices	18
	6.3.3	Gauge retention force (resilient contact)	19
	6.3.4	Engaging and separating forces	19
	6.3.5	Contact retention in insert	19
	6.3.6	Polarizing and keying method	19

	6.4	Dynamic stress tests	19
	6.4.1	Vibration (sine)	19
	6.4.2	Shock	20
	6.4.3	Free fall (repeated)	20
	6.4.4	IP degree of protection	20
	6.4.5	Glow-wire flammability test method for end-products (GWEPT)	20
	6.5	Climatic tests	20
	6.5.1	Rapid change of temperature	
	6.5.2	Dry heat	
	6.5.3	Low temperature	
	6.5.4	Low air pressure	
	6.5.5	Damp heat, cyclic	
	6.5.6	Damp heat, steady state	
	6.5.7	Corrosion, salt mist	
	6.5.8	Flowing mixed gas corrosion	
	6.6	Environmental aspects	
	6.6.1	Marking of insulation material (plastic)	
	6.6.2	Design/use of material	
7	Test	schedule	
	7.1	General	
	7.2	Test schedules	
	7.2.1	Basic (minimum) test schedule	
	7.2.2	Full test schedule	
	7.3	Test procedures and measurement methods	
	7.4	Pre-conditioningIFC.61.076-2-115:2023	
		Wiring and mounting of test specimens hallow hash. 4298.887	
	7.5.1	Wiring61076.2.115.2023	
	7.5.2	Mounting	33
Fiç	gure 1 –	Free connector	13
Fic	ure 2 –	Fixed connector	13
`	•	Free connector	
		Fixed connector	
	_	Gauge for contact	
Fiç	gure 6 –	Current-temperature derating (0,20 mm <sup>2</sup> wire size)	17
Та	ble 1 –	Free connector dimensions	14
		Fixed connector dimensions	
		Gauge dimensions	
		Climatic category	
		Voltage proof	
		Number of test specimens	
		Test group P	
		Test group AP	
		-	
		Test group BP	
$\Gamma \sim$	hla 10	Tost group CD	20

Table 11 – Test group DP	30
Table 12 – Test group EP	32
Table 13 – Test group GP	32

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –

# Part 2-115: Circular connectors – Detail specification for 12-pole shielded connectors with 2 A rated current and IP65/IP67 metal housing with push-pull locking

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61076-2-115 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
48B/2948/CDV	48B/2989/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

A list of all parts of IEC 61076 series, under the general title *Connectors for electrical and electronic equipment – Product requirements*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61076-2-115:2023

https://standards.iteh.ai/catalog/standards/sist/babbb41c-b88b-4298-887c-156ca7701fad/iec-61076-2-115-2023

	nal Electrotechnical Commission	IEC 61076-2-115 Ed.1	
	ation in accordance with IEC 61076-2		
Free connector	inds, lich arcatalog standards/sist/babbba 1c-ba	For rated current of 2 A; 12-pole; Female contacts; Push-pull locking; 360° shielding.	
Fixed connector	61076-2-115-2023	For rated current of 2 A; 12-pole; Male contacts; Push-pull locking; 360° shielding.	

### CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

# Part 2-115: Circular connectors – Detail specification for 12-pole shielded connectors with 2 A rated current and IP65/IP67 metal housing with push-pull locking

### 1 Scope

This part of IEC 61076-2 describes free and fixed 12P shielded circular connectors with 2 A rated current, rated voltage up to and including 50 V AC/DC, IP65/IP67 metal housing with push-pull locking (hereinafter referred to as a connectors) for use in electrical and electronic equipment. It includes overall dimensions, interface dimensions, technical characteristics, performance requirements and test methods.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, International Electrotechnical Vocabulary (IEV) – Part 581: Electromechanical components for electronic equipment

IEC 60068-1, Environmental testing – Part 1: General and guidance 87c-156ca7701fad/lec-

IEC 60068-2-60, Environmental testing – Part 2-60: Tests – Test Ke: Flowing mixed gas corrosion test

IEC 60228, Conductors of insulated cables

IEC 60352-2, Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance

IEC 60352-3, Solderless connections – Part 3: Accessible insulation displacement (ID) connections – General requirements, test methods and practical guidance

IEC 60352-4, Solderless connections – Part 4: Non-accessible insulation displacement (ID) connections – General requirements, test methods and practical guidance

IEC 60352-5, Solderless connections – Part 5: Press-in connections - General requirements, test methods and practical guidance

IEC 60352-6, Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance

IEC 60352-7, Solderless connections – Part 7: Spring clamp connections – General requirements, test methods and practical guidance

IEC 60512-1, Connectors for electrical and electronic equipment – Tests and measurements – Part 1: Generic specification

- IEC 60512-1-1, Connectors for electronic equipmentt Tests and measurements Part 1-1: General examination-Test 1a: Visual examination
- IEC 60512-1-2, Connectors for electronic equipmentt Tests and measurements Part 1-2: General examination-Test 1b: Examination of dimension and mass
- IEC 60512-2-1, Connectors for electronic equipment Tests and measurements Part 2-1: Electrical continuity and contact resistance tests Test 2a: Contact resistance Millivolt level method
- IEC 60512-2-2, Connectors for electronic equipment Tests and measurements Part 2-2: Electrical continuity and contact resistance tests Test 2b: Contact resistance Specified test current method
- IEC 60512-2-5, Connectors for electronic equipment Tests and measurements Part 2-5: Electrical continuity and contact resistance tests Test 2e: Contact disturbance
- IEC 60512-2-6, Connectors for electronic equipment Tests and measurements Part 2-6: Electrical continuity and contact resistance tests Test 2f: Housing (shell) electrical continuity
- IEC 60512-3-1, Connectors for electronic equipment Tests and measurements Part 3-1: Insulation tests Test 3a: Insulation resistance
- IEC 60512-4-1, Connectors for electronic equipment Tests and measurements Part 4-1: Voltage stress tests Test 4a: Voltage proof
- IEC 60512-5-2, Connectors for electronic equipment Tests and measurements Part 5-2: Current-carrying capacity tests Test 5b: Current-temperature derating
- IEC 60512-6-3, Connectors for electronic equipment Tests and measurements Part 6-3: Dynamic stress tests Test 6c: Shock
- IEC 60512-6-4, Connectors for electronic equipment Tests and measurements Part 6-4: Dynamic stress tests Test 6d: Vibration (sinusoidal)
- IEC 60512-7-1, Connectors for electronic equipment Tests and measurements Part 7-1: Impact tests (free connectors) Test 7a: Free fall (repeated)
- IEC 60512-9-1, Connectors for electronic equipment Tests and measurements Part 9-1: Endurance tests Test 9a: Mechanical operation
- IEC 60512-9-2, Connectors for electronic equipment Tests and measurements Part 9-2: Endurance tests Test 9b: Electrical load and temperature
- IEC 60512-11-1, Connectors for electrical and electronic equipment Tests and measurements Part 11-1: Climatic tests Test 11a Climatic sequence
- IEC 60512-11-3, Connectors for electronic equipment Tests and measurements Part 11-3: Climatic tests Test 11c: Damp heat, steady state
- IEC 60512-11-4, Connectors for electronic equipment Tests and measurements Part 11-4: Climatic tests Test 11d: Rapid change of temperature
- IEC 60512-11-6, Connectors for electronic equipment Tests and measurements Part 11-6: Climatic tests Test 11f: Corrosion, salt mist

**–** 10 **–** 

IEC 60512-11-7, Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test

IEC 60512-11-9, Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat

IEC 60512-11-10, Connectors for electronic equipment – Tests and measurements – Part 11-10: Climatic tests – Test 11j: Cold

IEC 60512-11-11, Connectors for electronic equipment – Tests and measurements – Part 11-11: Climatic tests – Test 11k: Low air pressure

IEC 60512-11-12, Connectors for electronic equipment – Tests and measurements – Part 11-12: Climatic tests – Test 11m: Damp heat, cyclic

IEC 60512-13-1, Connectors for electronic equipment – Tests and measurements – Part 13-1: Mechanical operation tests – Test 13a: Engaging and separating forces

IEC 60512-13-5, Connectors for electronic equipment – Tests and measurements – Part 13-5: Mechanical operation tests – Test 13e: Polarizing and keying method

IEC 60512-15-1, Connectors for electronic equipment – Tests and measurements – Part 15-1: Connector tests (mechanical) – Test 15a: Contact retention in insert

IEC 60512-15-6, Connectors for electronic equipment – Tests and measurements – Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices

IEC 60512-16-5, Connectors for electronic equipment – Tests and measurements – Part 16-5: Mechanical tests on contacts and terminations – Test 16e: Gauge retention force (resilient contacts)

IEC 60512-20-3, Connectors for electronic equipment – Tests and measurements – Part 20-3: Fire hazard tests - Test 20c: Flammability, glow-wire

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60664-1:2020, Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests

IEC 60695-2-11:2021, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end products (GWEPT)

IEC 60999-1, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm<sup>2</sup> up to 35 mm<sup>2</sup> (included)

IEC 61076-1:2006, Connectors for electronic equipment – Product requirements – Part 1: Generic specification
IEC 61076-1:2006/AMD1:2019

IEC 61076-2, Connectors for electronic equipment – Product requirements – Part 2: Sectional specification for circular connectors

IEC 61984:2008, Connectors – Safety requirements and tests

IEC 62430:2019, Environmentally conscious design (ECD) – Principles, requirements and guidance

IEC Guide 109, Environmental aspects – Inclusion in electrotechnical product standards

ISO 6508-1, Metallic materials – Rockwell hardness test – Part 1: Test method

ISO 11469, Plastics – Generic identification and marking of plastics products

ISO 21920-1:2021, Geometrical product specifications (GPS) – Surface texture: Profile – Part 1: Indication of surface texture

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581, IEC 61076-1, IEC 61076-2 and IEC 60512-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

### 4 Technical information

### 4.1 Recommended method of termination

### 4.1.1 General

https://standards.itell.ai/catalog/standards/sist/babbb41c-b88b-4298-887c-156ca7701fad/iec-According to IEC 60352 series or IEC 60999-1.

### 4.1.2 Number of contacts and contact cavities

Number of contacts: 12.

Number of contact cavities (for removable contacts): 12.

Suitable wire: cross-sectional area for power contacts: 0,12 mm<sup>2</sup> to 0,20 mm<sup>2</sup>. The core of each wire is deemed to be individually shielded, each shielding requiring a dedicated termination.

### 4.2 Ratings and characteristics

Connectors according this specification are connectors without breaking capacity (COC) according to IEC 61984, therefore they are not intended to be engaged or disengaged in normal use when live or under load.

Rated voltage: 50 V AC/DC.

Rated impulse voltage  $U_{imp}$ : 4 kV.

Voltage proof: 2 500 V AC.

Pollution degree: 2.

Rated current (at 85 °C): 2 A. See derating diagram in 6.2.3.

Insulation resistance: 5 000 M $\Omega$ .

Climatic category: 55/125/10.

NOTE Whereas the rated impulse voltage  $U_{\rm imp}$  corresponding to a rated voltage 50 V AC/DC and overvoltage category III is 0,8 kV (1,5 kV for overvoltage category IV applications) according to IEC 60664-1:2020, Table F.1 (as well as Tables B.1 and B.2), this connector is provided with  $U_{\rm imp}$  4 kV to cover more demanding end-use applications.

### 4.3 Systems of levels

### 4.3.1 Performance levels

None specified.

### 4.3.2 Compatibility levels

The compatibility levels of the products specified by this document shall comply with 2.2.3.3 of IEC 61076-1:2006 (level 2 – intermateable).

### 4.4 Classification into climatic categories

Classification into climatic categories is specified in 6.1.

### 4.5 Creepage and clearance distances

Creepage and clearance distances shall be as per 6.2.1 (connector without breaking capacity as defined in IEC 61984).

### 4.6 Current-carrying capacity

Current carrying capacity as specified in 6.2.3.

https://standards.iteh.ai/catalog/standards/sist/babbb41c-b88b-4298-887c-156ca7701fad/iec-

### 4.7 Marking

The marking of the connector and the package shall be in accordance with 2.7 of IEC 61076-1:2006.

### 5 Dimensional information

### 5.1 General


Dimensions are given in millimetres. Drawings are shown in the first angle projection. The shape of the connectors may deviate from those given in the following drawings as long as the specified dimensions are not influenced.

Missing dimensions shall be chosen according to the common characteristics and intended use.

### 5.2 Isometric view and common features

### 5.2.1 Isometric view of free connector

An isometric view of the free connector is shown in Figure 1.



### 5.2.2 Isometric view of fixed connector/6-2-115/2023

An isometric view of the fixed connector is shown in Figure 2.




Figure 2 - Fixed connector