



Edition 4.0 2020-10 REDLINE VERSION

INTERNATIONAL STANDARD



Connectors for electronic equipment – 100 Connectors Part 7: Detail specification for 8-way, unshielded, free and fixed connectors

Document Preview

IEC 60603-7:2020

https://standards.iteh.ai/catalog/standards/iec/2f961fe8-f484-462e-be20-8d10a5ed0a41/iec-60603-7-2020





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.





Edition 4.0 2020-10 REDLINE VERSION

INTERNATIONAL STANDARD



Connectors for electronic equipment – 110 and S
Part 7: Detail specification for 8-way, unshielded, free and fixed connectors

Document Preview

IEC 60603-7:2020

https://standards.iteh.ai/catalog/standards/iec/2f961fe8-f484-462e-he20-8d10a5ed0a41/iec-60603-7-2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31,220.01 ISBN 978-2-8322-8959-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	DREWO	RD	5
IN	TRODU	JCTION	7
1	Scop	ve	8
2	Norm	native references	8
3	Term	is and definitions	.11
4	Com	mon features and typical connector pair	.13
	4.1	View showing typical fixed and free connectors (see Figure 2)	
	4.2	Mating information	
	4.2.1		
	4.2.2	Contacts – mating conditions	.14
	4.2.3	Fixed connector	. 17
	4.2.4		
5	Cabl	e terminations and internal connections – Fixed and free connectors	
	5.1	General	. 26
	5.2	Termination types	
	5.2.1		
	5.2.2		
6	Gaug	ges	
	6.1	Fixed connectors	
_	6.2	Free connectors	
7	Char	acteristics	.38
	7.1	General	. 38
	7.2	Pin and pair grouping assignment	
	7.3	Classification into climatic category	.38
	7.4 7.4.1		
	7.4.1		
	7.4.2		
	7.4.4	·	
	7.4.5	,	
	7.4.6		
	7.4.7		
	7.4.8	Transfer impedance	.41
	7.5	Transmission characteristics	.41
	7.6	Mechanical characteristics	
	7.6.1		
	7.6.2	1 3	
_	7.6.3		
8		s and test schedule	
	8.1	General	
	8.2	Arrangement for interface contact resistance test	
	8.3	Arrangement for vibration test (test phase CP1)	
	8.4	Test procedures and measuring methods	
	8.5	Preconditioning Wiring and mounting of specimens	
	8.6	willing and infounding of specimens	.40

8.6.1	3	
8.6.2	Mounting	46
8.7	Test schedules	46
8.7.1		
8.7.2	,	
8.7.3		
Annex A	(normative) Gauging continuity procedure	58
A.1	Object	
A.2	Preparation of the specimens	
A.3	Test method	
A.4	Final measurements	
A.5	Description of the continuity gauge	
	(normative) Locking device mechanical operation	
B.1	Object	
B.2	Preparation of the specimens	
B.3	Test method	
B.4	Final measurements	
	(normative) Gauge requirements	
C.1	Fixed connectors	
C.2	Free connectors	
Annex D	(normative) Keystone connector information	64
D.1	Fixed connector, female contacts Keystone type – Type A, variant 03 in the previous edition of this standard	64
D.2	Mounting dimensions for type A, Keystone type variant 03	
Annex E	(normative) Levels of compatibility	67
E.1	General	67
E.2	Intermountability	
ps://E.3dar	Intermateability standards/iec/21961 fe8-1484-462e-be20-8d10a5ed0a41/iec-6060	
E.4	Intermountability and intermateability	
E.5	Interoperability	
E.6	Interchangeability	
E.7	Backward compatibility	
Bibliograp	bhy	72
	- IEC 60603-7 family document diagram	
Figure 2 -	- View showing typical fixed and free connectors	13
Figure 3 -	- Contact interface dimensions with terminated free connector	15
Figure 4 -	- Fixed connector details	20
Figure 5 -	- Free connector view	24
Figure 5	- "Go" gauge	
Figure 6	- "No-go" gauges	
	- Fixed connector "Go" gauge	
Figure 7 -	- Fixed connector "No-go" gauges	32
_	- "No-go" gauges	
	- "Go" gauge	
_	- Free connector "No-go" gauges	
	- Free connector "Go" gauge	37

Figure 10 – Fixed connector pin and pair grouping assignment (front view of connector)	38
Figure 11 – Connector de-rating curve	
Figure 12 – Arrangement for interface contact resistance test	
Figure 13 – Arrangement for vibration test	
Figure A.1 – Continuity gauge	
Figure A.2 – Continuity gauge insertion	
Figure D.1 – Keystone connector	
Figure D.2 – Panel drawing	
Table 1 – Dimensions for Figure 3	16
Table 2 – Dimensions for Figure 4	21
Table 3 – Dimensions for Figure 5	25
Table 4 – Dimensions for Figure 6 and Figure 7	33
Table 5 – Dimensions for Figure 8	36
Table 6 – Dimensions for Figure 9	37
Table 7 – Climatic categories – selected values	38
Table 8 – Creepage and clearance distances	39
Table 9 – Test group P	47
Table 10 – Test group AP	48
Table 11 – Test group BP	51
Table 12 – Test group CP	53
Table 13 – Test group DP	
Table 14 – Test group EP	56
Table 15 – Test group FP	56 ₀₂₀
Table A.1 – Dimensions for Figure A.1	
Table D.1 – Dimensions for Figure D.1	65
Table D.2 – Dimensions for Figure D.2	66
Table E.1 – Levels of compatibility b) c) and required parameters b)	68

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT -

Part 7: Detail specification for 8-way, unshielded, free and fixed connectors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60603-7 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This fourth edition cancels and replaces the third edition, published in 2008, its Amendment 1:2011 and its Amendment 2:2019. It constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition:

- Revised the definitions for intermateability and interoperability; added new definitions.
- Corrected dimension line for dimension AZ2 in Figure 5.
- Corrected dimension line for dimension F1 in Figure A.1.
- Revised the reference to ISO/IEC 11801 to ISO/IEC 11801-1.
- Added lower limiting temperature and upper limiting temperature definitions.
- Revised Table 1 to Table 8 so the column order is Minimum-Nominal-Maximum dimensions (ascending order).
- Corrected Table 7: Climatic category and Upper temperature values to 90 °C (to be consistent with the graph in Figure 10 and Note 1 in Figure 10).
- Revised the wording in 8.2, contact resistance, for clarification.
- Revised Figure 11 and Figure 12 and the wording in the Key below for clarification.
- Removed the sentences under the figure in the Introduction.
- Added Annex E.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2832/FDIS	8B/2843/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60603-7 series, under the general title *Connectors for electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be


- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 60603-7 is the base specification of the whole series. Subsequent specifications do not duplicate information given in the base document, but list only additional requirements. For complete specifications regarding a component of a higher numbered document, all lower numbered documents must be considered as well. Figure 1 shows the interrelation of the documents.

It should be noted that during the preparation of the third edition of IEC 60603-7, the subcommittee 48B Cat 6&7 project team members determined the current de-rating curve in the standard was not correct. Several experts researched the current rating temperature rise measurements for 60603-7 style connectors and verified that the de-rating curve in the published standard has been incorrect for many years. A corrected figure (Figure 10) has been prepared and inserted in this edition.



IEC

Figure 1 - IEC 60603-7 family document diagram

CONNECTORS FOR ELECTRONIC EQUIPMENT -

Part 7: Detail specification for 8-way, unshielded, free and fixed connectors

1 General

1 Scope

This part of IEC 60603-7 covers 8-way, unshielded, free and fixed connectors and is intended to specify the common dimensions (interface dimensions), mechanical, electrical and environmental characteristics and tests for the family of IEC 60603-7-x connectors.

These connectors are intermateable (according to IEC 61076-1 level 2) and interoperable with other IEC 60603-7 series connectors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581:2008, International Electrotechnical Vocabulary (IEV) – Part 581: Electromechanical components for electronic equipment

IEC 60068-1, Environmental testing – Part 1: General and guidance

IEC 60068-2-14, Basic environmental testing procedures Part 2-14: Tests - Test N: Change of temperature

IEC 60068-2-38, <u>Basic</u> Environmental testing <u>procedures</u> – Part 2-38: Tests – Test Z/AD: Composite temperature/ humidity cyclic test

IEC 60352-2, Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance

IEC 60352-3, Solderless connections – Part 3:—Solderless Accessible insulation displacement (ID) connections – General requirements, test methods and practical guidance

IEC 60352-4, Solderless connections – Part 4: Solderless Non-accessible insulation displacement (ID) connections – General requirements, test methods and practical guidance

IEC 60352-5, Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance

IEC 60352-6, Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance

IEC 60352-7, Solderless connections – Part 7: Spring clamp connections – General requirements, test methods and practical guidance

IEC 60512 (all parts), Connectors for electronic equipment - Tests and measurements

- IEC 60512-1, Connectors for electrical and electronic equipment Tests and measurements Part 1: Generic specification
- IEC 60512-1-1, Connectors for electronic equipment Tests and measurements Part 1-1: General examination Test 1a: Visual examination
- IEC 60512-1-2, Connectors for electronic equipment Tests and measurements Part 1-2: General examination Test 1b: Examination of dimensions and mass
- IEC 60512-1-100, Connectors for electronic equipment Tests and measurements Part 1-100: General Applicable publications
- IEC 60512-2-1, Connectors for electronic equipment Tests and measurements Part 2-1: Electrical continuity and contact resistance tests Test 2a: Contact resistance Millivolt level method
- IEC 60512-2-5, Connectors for electronic equipment Tests and measurements Part 2-5: Electrical continuity and contact resistance tests Test 2e: Contact disturbance
- IEC 60512-3-1, Connectors for electronic equipment Tests and measurements Part 3-1: Insulation tests Test 3a: Insulation resistance
- IEC 60512-4-1, Connectors for electronic equipment Tests and measurements Part 4-1: Voltage stress tests Test 4a: Voltage proof
- IEC 60512-5-2, Connectors for electronic equipment Tests and measurements Part 5-2: Current-carrying capacity tests Test 5b: Current-temperature derating
- IEC 60512-6-4, Connectors for electronic equipment Tests and measurements Part 6-4: Dynamic stress tests Test 6d: Vibration (sinusoidal)
- IEC 60512-9-1, Connectors for electronic equipment Tests and measurements Part 9-1: Endurance tests Test 9a: Mechanical operation
- IEC 60512-9-2, Connectors for electronic equipment Tests and measurements Part 9-2: Endurance tests Test 9b: Electrical load and temperature
- IEC 60512-11-4, Connectors for electronic equipment Tests and measurements Part 11-4: Climatic tests Test 11d: Rapid change of temperature
- IEC 60512-11-7, Connectors for electronic equipment Tests and measurements Part 11-7: Climatic tests Test 11g: Flowing mixed gas corrosion test
- IEC 60512-13-2, Connectors for electronic equipment Tests and measurements Part 13-2: Mechanical operation tests Test 13b: Insertion and withdrawal forces
- IEC 60512-15-6, Connectors for electronic equipment Tests and measurements Part 15-6: Connector tests (mechanical) Test 15f: Effectiveness of connector coupling devices
- IEC 60603-7 (all parts), Connectors for electronic equipment
- IEC 60664-1, Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests

– 10 **–**

IEC 61076-1:2006, Connectors for electronic equipment – Product requirements – Part 1: Generic specification

IEC 61076-3, Connectors for electronic equipment – Product requirements – Part 3: Rectangular connectors – Sectional specification

IEC 61156 (all parts), Multicore and symmetrical pair/quad cables for digital communications

IEC 61156-1, Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification

IEC 61156-2, Multicore and symmetrical pair/quad cables for digital communications – Part 2: Symmetrical pair/quad cables with transmission characteristics up to 100 MHz – Horizontal floor wiring – Sectional specification

IEC 61156-3, Multicore and symmetrical pair/quad cables for digital communications – Part 3: Work area-wiring cable – Sectional specification

IEC 61156-4, Multicore and symmetrical pair/quad cables for digital communications – Part 4: Riser cables – Sectional specification

IEC 61156-5, Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to—600 1 000 MHz – Horizontal floor wiring – Sectional specification

IEC 61156-6, Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification

IEC 61156-7, Multicore and symmetrical pair/quad cables for digital communications – Part 7: Symmetrical pair cables with transmission characteristics up to 1 200 MHz – Sectional specification for digital and analog communication cables

IEC 61760-3, Surface mounting technology – Part 3: Standard method for the specification of components for through hole reflow (THR) soldering

IEC TR 63040, Guidance on clearances and creepage distances in particular for distances equal to or less than 2 mm – Test results of research on influencing parameters

ISO/IEC 11801-1, Information technology – Generic cabling for customer premises – Part 1: General requirements

ISO 1302, Geometrical Product Specifications (GPS) – Indication of surface texture in technical product documentation

ITU-T Recommendation K.20:2000¹, Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents

ITU-T Recommendation K.44:2000², Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents – Basic Recommendation

¹ This document has been replaced by a new edition (2003), but for the purposes of this document, the 2000 edition is cited.

This document has been replaced by a new edition (2003), but for the purposes of this document, the 2000 edition is cited.

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581, IEC 61076-1, IEC 60512-1, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

intermateability

intermateability (level 2 of IEC 61076-1:2006 (Ed 2.0) is ensured by application of the "Go" and "No-Go" gauge requirements in the standards that may be referenced, and by adherence to the dimensional requirements within therein

SEE: Clause E.3.

3.2

interoperability

interoperability of different IEC 60603-7 connectors and of IEC 60603-7 connectors with connectors of other families (e.g. IEC 61076-3 series) is ensured by compliance with the specified interface dimensions, when they have the same number of contacts, the same electrical wiring-related dimensions and when the lowest electrical, mechanical and climatic performance (performance level) among the two connectors is suitable for the intended application

SEE: Clause E.5.

Document Preview

3.3

category

relevant level of transmission performance as given in ISO/IEC 11801-1

ttps://standards.iteh.ai/catalog/standards/iec/2f961fe8-f484-462e-be20-8d10a5ed0a41/iec-60603-7-2020

3.4

Keystone connector

is defined by its mounting features

Note 1 to entry: The dimensional requirements for the connector and its corresponding mounting panel are defined in Annex D.

3.5

number of contacts

number of contacts (or ways) that a connector owns, including the protective and/or functional earth contact(s), if any

Note 1 to entry: A connector for removable contacts is characterized by its number of contact positions (seats): its number of contacts (ways) may be lower than the number of contact positions (seats).

Note 2 to entry: The same number of contacts does not grant the same electrical interface: the geometry of said contacts may be different while their number is the same.

3.6

overall dimensions

dimensions providing the overall space occupied by a connector

Note 1 to entry: Two connectors of the same gender may have the same overall dimensions but different mounting dimensions and/or different interface dimensions.

3.7

interface dimensions

set of dimensions required to fully describe the connector's mating interface, belonging to both the connector insert and to the relevant electric contacts

Note 1 to entry: Interface dimensions enable the proper functioning of a mated set of connectors according to the relevant detail product specification or manufacturer's detail specification.

Note 2 to entry: Two connectors with same interface dimensions have the same number of contact seats (or positions), whereas they may not show the same number of contacts (ways).

3.8

mounting dimensions

dimensions enabling the mounting of a connector

Note 1 to entry: Examples of mounting dimensions are panel cutout size, size and interaxes of fixing holes or threads.

Note 2 to entry: The geometry of the mounting interface of Printed Circuit Board connectors to the PCB belongs to the mounting dimensions: two Printed Circuit Board connectors of the same gender with the same mounting dimensions share the same pattern and pitch of their contacts.

Note 3 to entry: Two connectors not of the Printed Circuit Board type of the same gender with the same mounting dimensions may have different interface dimensions.

Note 4 to entry: Two connectors of the same gender with the same mounting dimensions may have different overall dimensions.

3.9

electrical wiring-related dimensions

dimensions related to the wiring of the connector, i.e. to its number and type of contacts (ways)

Note 1 to entry: Two connectors of the same gender with the same electrical wiring-related dimensions have the same number of contacts (ways) or contact positions (seats), the same dimensions of these contacts or contact positions, the same overall dimensions, the same interface dimensions, and if they are Printed Circuit Board connectors, the same mounting dimensions.

http 3/16 and ards. iteh.ai/catalog/standards/iec/2f961fe8-f484-462e-be20-8d10a5ed0a41/iec-60603-7-2020

electrical, mechanical and climatic performances

levels of electrical, mechanical and climatic performance assigned to a connector in the relevant detail product specification or manufacturer's detail specification, therein verified through dedicated groups of tests

Note 1 to entry: The electrical performance includes signal integrity.