

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety –
Part 2-34: Particular requirements for motor-compressors
(standards.iteh.ai)

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-34: Exigences particulières pour les motocompresseurs

1600e43b4871/iec-60335-2-34-2021



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



IEC 60335-2-34

Edition 6.0 2021-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety –
Part 2-34: Particular requirements for motor-compressors
(standards.iteh.ai)

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-34: Exigences particulières pour les motocompresseurs

1600e43b4871/iec-60335-2-34-2021

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.040.30

ISBN 978-2-8322-9432-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	9
2 Normative references	10
3 Terms and definitions	10
4 General requirement	12
5 General conditions for the tests	12
6 Classification	13
7 Marking and instructions	14
8 Protection against access to live parts	15
9 Starting of motor-operated appliances	15
10 Power input and current	15
11 Heating	15
12 Void	16
13 Leakage current and electric strength at operating temperature	16
14 Transient overvoltages	16
15 Moisture resistance	16
16 Leakage current and electric strength	16
17 Overload protection of transformers and associated circuits	16
18 Endurance	16
19 Abnormal operation	16
20 Stability and mechanical hazards	22
21 Mechanical strength	22
22 Construction	22
23 Internal wiring	25
24 Components	26
25 Supply connection and external flexible cords	26
26 Terminals for external conductors	26
27 Provision for earthing	26
28 Screws and connections	26
29 Clearances, creepage distances and solid insulation	26
30 Resistance to heat and fire	28
31 Resistance to rusting	28
32 Radiation, toxicity and similar hazards	28
Annexes	29
Annex C (normative) Ageing test on motors	29
Annex D (normative) Thermal motor protectors	29
Annex AA (normative) Running overload tests for motor-compressors classified as tested with Annex AA	30
Annex BB (normative) Winding wire insulation compatibility tests	34
Annex CC (normative) Tie cords and insulation compatibility tests	38

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60335-2-34:2021](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

[https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

[1600e43b4871/iec-60335-2-34-2021](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

Annex DD (normative) Non-sparking “n” electrical apparatus and test condition for “dc” devices	40
Annex EE (normative) Fatigue test.....	41
Bibliography.....	43
Figure 101 – Supply circuit for the locked-rotor test of a single-phase motor-compressor.....	28
Figure AA.1 – Substitute refrigeration circuit.....	33
Figure BB.1 – Motorette components	36
Figure BB.2 – Completely assembled motorette.....	37
Table 101 – Minimum high side test pressures.....	23
Table 102 – Minimum low side test pressures	24
Table AA.1 – Substitute refrigeration circuit conditions for operation under maximum load	31
Table AA.2 – Steps for increasing the load on the motor-compressor.....	32
Table BB.1 – Time temperature heating cycles	35
Table CC.1 – Time temperature heating cycles	39

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60335-2-34:2021](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

<https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-34: Particular requirements for motor-compressors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of IEC 60335 has been prepared by subcommittee 61C: Safety of refrigeration appliances for household and commercial use, of IEC Technical Committee 61: Safety of household and similar electrical appliances.

This sixth edition cancels and replaces the fifth edition published in 2012, Amendment 1:2015 and Amendment 2:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- it aligns the text with IEC 60335-1, Ed 5.2;
- application categories and tests have been extended (3.1.102, Annex AA);
- use of a motorette for winding wire compatibility tests introduced (3.8.102, Annex BB);
- height of the triangle, symbol ISO 7010 W021 has been introduced (7.14);
- some notes are converted to normative text (1, 15.3, 22.21, 23.8, 29.3.4, Figure AA.1);

- note in Subclause 6.101 becomes normative in Clause 11;
- optional pressure endurance test introduced (18.101, Annex EE);
- compatibility test for insulation inside the housing clarified (22.9);
- clarification of clearances inside the housing for motor-compressors suitable for use at altitudes exceeding 2 000 m (29.1);
- normative references and associated text have been updated (24.101, Annex DD);
- breaking strength of tie cord after temperature heating cycle has been updated (Annex CC).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61C/873/FDIS	61C/874/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

<https://standards.iteh.ai/>

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for motor-compressors.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 7.1: The locked-rotor current marking is required for some motor-compressors (USA).
- 22.7: Different test pressures are used (Japan, USA).

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

(standards.iteh.ai)

[IEC 60335-2-34:2021](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

<https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021>

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

If testing of the **motor-compressor** includes testing in accordance with Annex AA, temperatures of the **motor-compressor** windings, **housing** and other parts related to the **motor-compressor**, such as terminals, internal wiring and insulating materials, are not measured when the complete appliance in which the **motor-compressor** is used is tested.

These requirements apply to sealed (hermetic and semi-hermetic type) **motor-compressors** with their associated starting, cooling capacity control and protection systems, tested separately under the most severe conditions of the refrigerating system operation which, within reasonable limits, could occur in the applications for which they are used.

In particular, the construction detail inspection and locked-rotor testing may be done separately on the **motor-compressor**, thereby eliminating the need for inspection and testing when the **motor-compressor** is applied to many different appliances and factory-built assemblies.

Operational tests may also be conducted on the **motor-compressor** separately in certain circumstances. The specification for this type testing is provided in Annex AA. However, the tests of the existing standards relevant to the given kind of application, such as IEC 60335-2-24 and IEC 60335-2-40, may need to be conducted on the final application and used as the final determination of acceptability.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60335-2-34:2021](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

<https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021>

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-34: Particular requirements for motor-compressors

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of sealed (hermetic and semi-hermetic type) **motor-compressors**, their protection and control systems, if any, which are intended for use in equipment for household and similar purposes and which conform with the standards applicable to such equipment. It applies to **motor-compressors** tested separately, under the most severe conditions that may be expected to occur in normal use, their **rated voltage** being not more than 250 V for single-phase **motor-compressors** and 600 V for other **motor-compressors**.

This standard also covers

- multi-speed **motor-compressors**, that are **motor-compressors**, the speed of which can be set to different values;
- variable capacity **motor-compressors** that are **motor-compressors** where the capacity of the compressor is controlled at fixed speeds.

NOTE 101 Examples of equipment which contain **motor-compressors** are

- tumble dryers (IEC 60335-2-11);
- refrigerating appliances, ice-cream appliances and ice-makers (IEC 60335-2-24);
- electrical heat pumps, air-conditioners and dehumidifiers (IEC 60335-2-40);
- commercial dispensing appliances and vending machines (IEC 60335-2-75);
- commercial refrigerating appliances and ice-makers with an incorporated or remote refrigerant unit or compressor (IEC 60335-2-89);
- electrical equipment for measurement, control, and laboratory use (IEC 61010-2-011);
- professional ice-cream makers (IEC 60335-2-118);
- refrigerating systems and heat pumps (ISO 5149-2).

This standard does not supersede the requirements of standards relevant to the particular appliance in which the **motor-compressor** is used. However, if the **motor-compressor** type used complies with this standard, the tests for the **motor-compressor** specified in the particular appliance standard may not need to be made in the particular appliance or assembly. If the **motor-compressor control system** is associated with the particular appliance control system, additional tests could be necessary on the final appliance.

So far as is practical, this standard deals with the common hazards presented by **motor-compressors** used in appliances which are encountered by all persons in and around the home. However, it does not in general take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliances by young children.

NOTE 102 Attention is drawn to the fact that

- for **motor-compressors** intended to be used in appliances in vehicles or on board ships, additional requirements could be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

This standard does not apply to

- **motor-compressors** designed exclusively for industrial purposes;
- **motor-compressors** used in appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

NOTE 103 If **motor-compressors** for refrigerant R-744 used in appliances with a **transcritical refrigeration system** are equipped with **pressure relief devices**, compliance with the requirements for these devices is checked during the tests on the final appliance.

2 Normative references

This clause of Part 1 is applicable, except as follows.

Addition:

IEC 60079-1:2014, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-15:2017, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60851-4:2016, *Winding wires – Test methods – Part 4: Chemical properties*

IEC 60851-5:2008, *Winding wires – Test methods – Part 5: Electrical properties*

IEC 60851-5:2008/AMD1:2011

IEC 60851-5:2008/AMD2:2019¹

ISO 817:2014, *Refrigerants – Designation and safety classification*

ISO 817:2014/AMD1:2017

ISO 7010:2019, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

3 Terms and definitions

This clause of Part 1 is applicable, except as follows.

3.1 Definitions relating to physical characteristics

3.1.101

design pressure

gauge pressure that has been assigned to a **transcritical refrigeration system**

Note 1 to entry: It is specified for the high pressure side of a refrigeration system.

3.1.102

application category

back pressure relative to the evaporation temperature range over which the **motor-compressor** operates

Note 1 to entry: For the purpose of this standard, the following classifications of **application categories** are made relative to the maximum evaporation temperature:

- very low back pressure (VLBP): denotes a maximum evaporation temperature of –25 °C;

¹ There exists a consolidated edition 4.2:2019 that includes Edition 4 and its Amendment 1 and Amendment 2.

- low back pressure (LBP): denotes a maximum evaporation temperature of -15 °C ;
- medium back pressure (MBP): denotes a maximum evaporation temperature of 0 °C ;
- high back pressure (HBP): denotes a maximum evaporation temperature of $+15\text{ °C}$;
- very high back pressure (VHBP): denotes a maximum evaporation temperature of $+30\text{ °C}$;
- subcritical R-744 back pressure (SC R-744BP): denotes a maximum evaporation temperature of -15 °C ;

3.5 Definitions relating to types of appliances

3.5.101

motor-compressor

appliance consisting of the mechanical mechanism of the compressor and the motor, both of which are enclosed in the same sealed **housing**, with no external shaft seals, and with the motor operating in a refrigerant atmosphere with or without oil

Note 1 to entry: The **housing** may be permanently sealed, such as by welding or brazing (**hermetic motor-compressor**), or may be sealed by gasketed joints (**semi-hermetic motor-compressor**). A terminal box, a terminal box cover, and other electrical components or an electronic control system may be included.

Note 2 to entry: Hereafter, the term **motor-compressor** will be used to designate either a **hermetic motor-compressor** or **semi-hermetic motor-compressor**.

3.5.102

two-stage motor-compressor

motor-compressor comprising two compressors and one motor in a single **housing**

3.6 Definitions relating to parts of an appliance

3.6.101

housing

sealed enclosure for the **motor-compressor**, which contains the compressor mechanism and the motor, and which is subjected to refrigerant pressures

<https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021>

3.6.102

starting relay

electrically operated control device intended for integration or incorporation into a **motor-compressor** and used within the **motor-compressor** circuit to control the starting of single-phase **motor-compressors**

3.7 Definitions relating to safety components

3.7.101

thermal motor-protector

automatic control, built-in or fitted on a **motor-compressor** that is specifically intended to protect the **motor-compressor** against over-heating due to running overload and failure to start

Note 1 to entry: This control carries **motor-compressor** current and is sensitive to one or both of the following:

- **motor-compressor** temperature;
- **motor-compressor** current.

Note 2 to entry: The control is capable of being reset (either manually or automatically) when its temperature falls to the reset value.

3.7.102

motor-compressor protection system

thermal motor protector and associated components, if any, or **protective electronic circuit** fully or partly separate or integrated into the **motor-compressor control system** and which is specifically intended to protect the **motor-compressor** against over-heating due to running overload or failure to start

Note 1 to entry: The control carries **motor-compressor** current and is sensitive to one or both of the following:

- **motor-compressor** temperature;

- **motor-compressor** current.

3.7.103

motor-compressor control system

system comprising one or more electrical or **electronic components**, or **electronic circuits** that provides at least one of the following:

- **motor-compressor** starting control functions;
- **motor-compressor** cooling capacity control functions

3.7.104

pressure relief device

pressure sensing device, intended to reduce pressure automatically when pressures within the refrigeration system exceed the preset pressure of the device

Note 1 to entry: This device has no provisions for setting by the end user.

3.8 Definitions relating to miscellaneous matters

3.8.101

transcritical refrigeration system

refrigeration system where the pressure in the high pressure side is above the pressure where the vapour and liquid states of the refrigerant can coexist in thermodynamic equilibrium

3.8.102

motorette

insulation system model made to embody all of the elements of a random wound insulation system

iTeh STANDARD PREVIEW
(standards.iteh.ai)

4 General requirement

[IEC 60335-2-34:2021](#)

[https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-](https://standards.iteh.ai/catalog/standards/sist/306b17e1-4ac8-4e30-90df-1600e43b4871/iec-60335-2-34-2021)

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable, except as follows.

5.2 Addition:

At least one additional sample is required for the tests of Clause 19, however further samples may also be provided or are needed.

For the test of 22.7, two samples of the housing are required.

5.6 Addition:

*Variable speed **motor-compressors** shall run at maximum speed.*

5.7 Replacement:

Tests are carried out in an ambient temperature of 20 °C ± 5 °C.

5.8.2 Addition:

***Motor-compressors** with **self-resetting motor-compressor protection systems**, and designed for more than one **rated voltage**, are subjected to the tests of 19.101 and 19.103 at the highest voltage.*

5.10 Addition:

For the tests of Clause 19, the additional sample or samples shall be identical in all respects to the test sample, charged with oil, if necessary, and vapour refrigerant. The sample has to be provided with the **motor-compressor protection system, starting relay, start capacitor, run capacitor and control system, if any, as specified by the manufacturer, except that the rotor shall have been locked by the manufacturer.**

The manufacturer or responsible agent shall provide the following information for each type of **motor-compressor** submitted for the tests:

- type (synthetic or cellulosic) of winding insulation;
- refrigerant identification:
 - a) for a single component refrigerant, by at least one of the following:
 - chemical name;
 - chemical formula;
 - refrigerant number;
 - b) for a blended refrigerant, at least one of the following:
 - chemical name and nominal proportion of each of the components;
 - chemical formula and nominal proportion of each of the components;
 - refrigerant number and nominal proportion of each of the components;
 - refrigerant number of the refrigerant blend;
- types and quantity of oil to be used if the test samples which use oil are not already charged;
- **application category** or application categories for motor-compressors classified as being tested with Annex AA;
- whether a **supply cord** can be connected directly to terminals on the **motor-compressor**;
- for motor-compressors intended for appliances with a transcritical refrigeration system, the test pressure for the high pressure side if higher than the minimum test pressure.

5.11 Replacement:

For **motor-compressors** which can be used in appliances where the **supply cord** is connected directly to terminals on the **motor-compressor**, the test sample shall be provided with a **supply cord**.

NOTE 101 Any additional samples required for testing need not be provided with a **supply cord**.

5.101 Motor-compressors, including those with crank-case heaters, are tested as motor-operated appliances.

5.102 With regard to 6.104, **protective devices** other than the declared device under test shall be disabled during the tests of Annex AA and Clause 19. If multiple **protective devices** are declared, each shall be tested independently.

5.103 For cascade systems comprising two or more motor-compressor circuits, each **motor-compressor** circuit is tested separately in the end product. IEC 60335-2-34 is not applicable for the system but each **motor-compressor** can be tested according to this standard.

6 Classification

This clause of Part 1 is applicable, except as follows.