



Edition 3.0 2021-04 REDLINE VERSION

INTERNATIONAL STANDARD



Arc welding equipment – Part 8: Gas consoles for welding and plasma cutting systems

Document Preview

IEC 60974-8:2021

https://standards.iteh.ai/catalog/standards/iec/07500824-c0a2-4f24-a8ed-0358ef20df4a/iec-60974-8-2021





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.







Edition 3.0 2021-04 REDLINE VERSION

INTERNATIONAL STANDARD



Arc welding equipment – **Standards** Part 8: Gas consoles for welding and plasma cutting systems

Document Preview

IEC 60974-8:2021

https://standards.iteh.ai/catalog/standards/iec/07500824-c0a2-4f24-a8ed-0358ef20df4a/iec-60974-8-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.160.30

ISBN 978-2-8322-9744-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	OREWO	RD	4
IN	ITRODU	ICTION	2
1	Scop	e	7
2	•	native references	
3		is and definitions	
4		onmental conditions	
5		۶ - بر	
	5.1	Test conditions	
	5.2	Measuring instruments	
	5.3	Conformity of components	
	5.4	Type tests	
	5.5	Routine tests	
	5.5.1		
•	5.5.2		
6		ection against electric shock	
	6.1	Insulation	
	6.1.1		
	6.1.2		
	6.1.3		10
	6.1.4		
	6.1.5		
	6.2	Protection against electric shock in normal service (direct contact)	
	6.2.1	Protection provided by the enclosure	
	6.2.2		
	0.2.0	5 11 7	
	6.2.4		
	6.2.5	0	
	6.2.6		11
	6.3	Protection against electric shock in case of a fault condition (indirect contact)	11
7	Ther	mal requirements	11
	7.1	Heating test	11
	7.2 —	-Maximum temperature	
	7.2	Temperature measurement	11
	7.3	Limits of temperature rise	11
8	Conr	nections for plasma cutting torches	11
9		n anical-requirements provisions	
	9.1	General	
	9.2	Protection against fire or explosion	
	9.3	Gas line purging	
	9.4	Enclosure	
	9.4.1		
	9.4.2	1 0 0	
	9.4.3	5	
	9.4.4	Open structure	14

9.4.5	Solid filled enclosure	14			
9.5	EXTERNAL GAS CONSOLE	14			
9.6	INTERNAL GAS CONSOLE	14			
10 Gas I	ines	14			
10.1	Gas hoses and tubing	14			
10.2	Gas fittings	15			
10.3	Leak test	15			
11 Conti	rol circuits	15			
12 Ratin	g plate	15			
12.1	EXTERNAL GAS CONSOLE	16			
12.2	INTERNAL GAS CONSOLE	16			
13 Instru	uctions and markings	16			
13.1	General	16			
13.2	Instructions	16			
13.3	Marking	17			
Annex A (informative) Mechanized plasma system diagram	18			
Annex B (informative) Example of a rating plate layout	19			
Bibliography2					
0 1					
Figure A.1	I – Example of a mechanized plasma system	18			
Figure B.1 – Principle of a rating plate1					
Table 1 – Colour coding -and marking 15					

IEC 60974-8:2021

https://standards.iteh.ai/catalog/standards/iec/07500824-c0a2-4f24-a8ed-0358ef20df4a/iec-60974-8-2021

– 4 –

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT -

Part 8: Gas consoles for welding and plasma cutting systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or

- other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60974-8:2009. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60974-8 has been prepared by IEC technical committee 26: Electric welding.

This third edition cancels and replaces the second edition, published in 2009. This edition constitutes a technical revision.

The significant technical changes with respect to the previous edition are the following:

- changes induced by the publication of IEC 60974-1:2017;
- requirements for the rating plate as in IEC 60974-1:2017, Clause 15;
- requirements for the instructions in 13.2.

This part of IEC 60974 is to be used in conjunction with IEC 60974-1.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
26/719/FDIS	26/723/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- conformity statements: in *italic type*. Preview
- terms defined in Clause 3: in SMALL ROMAN CAPITALS.

A list of all parts of the IEC 60974 series, published under the general title Arc welding equipment, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

If the console is designed to operate with explosive gases, the manufacturer should perform an assessment for applicability of local legislation for explosive atmospheres (example: ATEX regulation).

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60974-8:2021

https://standards.iteh.ai/catalog/standards/iec/07500824-c0a2-4f24-a8ed-0358ef20df4a/iec-60974-8-2021

ARC WELDING EQUIPMENT –

Part 8: Gas consoles for welding and plasma cutting systems

1 Scope

This part of IEC 60974 specifies safety and performance requirements for GAS CONSOLES intended to be used with combustible gases or oxygen. These GAS CONSOLES are designed to supply gases for use in arc welding, plasma cutting, gouging and allied processes in non-explosive atmospheres.

The GAS CONSOLE can be external or internal to the power source enclosure. In the latter case, this standard also applies to the power source shall meet the requirements of both IEC 60974-1 and this document.

NOTE See Annex A for mechanised plasma system diagram.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151:2001, International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices

IEC 60050-151:2001/AMD1:2013 IEC 60050-151:2001/AMD2:2014

4 IEC 60974-8:2021

IEC 60050-151:2001/AMD3:2019 IEC 60050-151:2001/AMD4:2020

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code) IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60664-1, Insulation coordination for equipment within low-voltage supply systems – Part 1: *Principles, requirements and tests*

IEC 60974-1:20052017, Arc welding equipment – Part 1: Welding power sources IEC 60974-1:2017/AMD1:2019

IEC 60974-10, Arc welding equipment – Part 10: Electromagnetic compatibility (EMC) requirements

ISO 10225, Gas welding equipment — Marking for equipment used for gas welding, cutting and allied processes

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-151 and IEC 60974-1, as well as the following, apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/ .
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

gas console

device for gas-flow routing, mixing or both that contains electrical apparatus in a single or multiple enclosure, or open structure

3.2

lower explosion limit

LEL

concentration of flammable gas or vapour in air, below which the gas atmosphere is not explosive

[IEV 426-02-09, modified] [1]¹

3.3

lower flammability limit

LFL

minimum concentration of combustible gas in a mixture where a combustion can be ignited by an ignition source

3.4

upper explosion limit

UEL

concentration of flammable gas or vapour in air, above which the gas atmosphere is not explosive

[IEV 426-02-10, modified]

3.5 tandards.iteh.ai/catalog/standards/iec/07500824-c0a2-4f24-a8ed-0358ef20df4a/iec-60974-8-2021 upper flammability limit

UFL

maximum concentration of combustible gas in a mixture where a combustion can be ignited by an ignition source

3.6

external gas console

GAS CONSOLE not incorporated in a power source

3.7

internal gas console

GAS CONSOLE incorporated in a power source

3.8

single-fault condition

condition in which one means for protection against hazard is defective

Note 1 to entry: If a SINGLE-FAULT CONDITION results unavoidably in another SINGLE-FAULT CONDITION, the two failures are considered as one SINGLE-FAULT CONDITION.

[IEC 61010-1, definition 3.5.11, modified] [7]

¹—Figures in square brackets refer to the bibliography.

3.9

hazardous-live-part

live part which, under certain conditions, can give a harmful electric shock

[SOURCE: IEC 60050-195:1998, 195-06-05]

3.10

hazardous part

part that is hazardous to approach or touch

4 Environmental conditions

As specified in Clause 4 of IEC 60974-1:2017.

5 Tests

5.1 Test conditions

As specified in 5.1 of IEC 60974-1:2017.

5.2 Measuring instruments

As specified in 5.2 of IEC 60974-1:2017. Stand arcs

5.3 Conformity of components standards.iteh.ai)

As specified in 5.3 of IEC 60974-1:2017.

5.4 Type tests

As specified in 5.4 of IEC 60974-1:2017. 60974-8:2021

tps://standards.iteh.ai/catalog/standards/iec/07500824-c0a2-4124-a8ed-0358ef20df4a/iec-60974-8-2021 The other tests included in this document may be carried out in any convenient sequence.

5.5 Routine tests

5.5.1 EXTERNAL GAS CONSOLE

All routine tests shall be carried out on each EXTERNAL GAS CONSOLE in the following sequence:

- a) general visual inspection, see 3.1.7 of IEC 60974-1:2017;
- b) continuity of protective circuit, see 10.4.25.3 of IEC 60974-1:2017;
- c) dielectric strength, see 6.1.5 of IEC 60974-1:2017;
- d) leak test, see 10.3;
- e) general visual inspection, see 3.1.7 of IEC 60974-1:2017.

5.5.2 INTERNAL GAS CONSOLE

All routine tests, as specified in 5.5 of IEC 60974-1:2017, shall be carried out on each INTERNAL GAS CONSOLE, with the following addition:

a) leak test, see 10.3.

6 **Protection against electric shock**

6.1 Insulation

6.1.1 General

As specified in 6.1.1 of IEC 60974-1:2017, with the following exception:

Printed circuit boards shall be enclosed, coated, or encapsulated.

The micro-environment of printed circuit boards shall be improved to pollution degree 2 or better (by means such as filtering, coating, potting, moulding) so that only non-conductive pollution or occasional temporary conductivity caused by condensation occurs in accordance with IEC 60664-1.

6.1.2 Clearances

As specified in 6.1.2 of IEC 60974-1:2017.

6.1.3 Creepage distances

As specified in 6.1.3 of IEC 60974-1:2017.

6.1.4 Insulation resistance Teh Standards

As specified in 6.1.4 of IEC 60974-1:2017.

6.1.5 Dielectric strength

As specified in 6.1.5 of IEC 60974-1:2017. ent Preview

6.2 Protection against electric shock in normal service (direct contact)

¹¹¹6.2.1^{nda} Protection provided by the enclosure^{-c0a2-4124-a8ed-0358ef20d14a/iec-60974-8-2021}

The minimum degree of protection for GAS CONSOLES shall be IP21S in accordance with IEC 60529.

Conformity shall be checked by:

- a) applying the articulated finger and ball, as specified in IEC 60529, to any openings and ensuring it does not contact any hazardous parts live part; and
- b) verifying that immediately after the water test, as specified in IEC 60529, the unit satisfies insulation resistance and the dielectric strength tests and is able to operate.

No power is applied to the unit while performing these tests.

6.2.2 Capacitors

As specified in 6.2.2 of IEC 60974-1:2017.

6.2.3 Automatic discharge of supply circuit capacitors

As specified in 6.2.3 of IEC 60974-1:2017.

6.2.4 Isolation of the welding circuit

As specified in 6.2.4 of IEC 60974-1:2017.

IEC 60974-8:2021 RLV © IEC 2021 - 11 -

6.2.5 Welding circuit touch current

As specified in 6.2.5 of IEC 60974-1:2017.

6.2.6 Touch current in normal condition

As specified in 6.2.6 of IEC 60974-1:2017.

6.3 Protection against electric shock in case of a fault condition (indirect contact)

As specified in 6.3 of IEC 60974-1:2017.

7 Thermal requirements

7.1 Heating test

As specified in 7.1 of IEC 60974-1:2017.

For an external gas console, only the relevant tests are performed.

7.2 Maximum temperature

The temperature at any point shall not exceed the ignition temperature of any combustible gas intended to be used in the gas console.

Conformity shall be checked by operating the gas console as specified by the manufacturer

a) with the combinations of gas(es) and flow rates which creates the worst-case condition, as specified by the manufacturer;

b) with the cooling liquid as specified by the manufacturer.

7.2 Temperature measurement IEC 60974-8:2021

https://standards.iteh.ai/catalog/standards/iec/07500824-c0a2-4f24-a8ed-0358ef20df4a/iec-60974-8-2021 As specified in 7.2 of IEC 60974-1:2017.

7.3 Limits of temperature rise

As specified in 7.3 of IEC 60974-1:2017.

Additionally, the temperature of surfaces exposed to combustible gases shall be at least 20 % cooler than the ignition temperature of any combustible gas intended to be used in the GAS CONSOLE.

Conformity shall be checked by operating the GAS CONSOLE at the maximum specified ambient temperature and system duty cycle, while monitoring the inside of the gas console with an IR camera for temperatures exceeding the 20 % margin of the ignition temperature of any combustible gas intended to be used in the GAS CONSOLE.

- a) with the combinations of gas(es) and flow rates which creates the worst-case condition, as specified by the manufacturer;
- b) with the cooling liquid as specified by the manufacturer.

8 Connections for plasma cutting torches

As specified in 11.4.6 of IEC 60974-1:2017, where the torch connects to the GAS CONSOLE.

9 Mechanical requirements provisions

9.1 General

As specified in Clause 14 of IEC 60974-1:2017, with the following additions.

9.2 Protection against fire or explosion

The GAS CONSOLE shall be designed to prevent fire or explosion under normal operating conditions and under a SINGLE-FAULT CONDITION (for example, defective valve, hose, etc.).

Where a GAS CONSOLE uses a combustible gas, any circuit, subassembly, or component shall not be capable of creating temperatures or a spark with sufficient energy to cause an ignition.

Where A CAS CONSOLE uses a combustible gas in a mixture, the mixture shall not be included within flammability limit that is defined by LFL and UFL.

A GAS CONSOLE using combustible gas in a mixture shall not allow the concentration of mixture to be between the LFL and UFL.

Conformity shall be checked by:

- a) design evaluation and calculations of the circuits, subassembly, or component verification;
- or
- b) applying a fault (for example, open circuit, short circuit, and/or restriction of movement) to the circuits, subassembly, or component until an event occurs (for example, a spark which does not cause ignition, fuse opens, unit shuts down, etc.) or a steady-state temperature is achieved.

9.3 Gas line purging

EC 60974-8:2021

The GAS CONSOLE shall have a means to purge gas lines when changing to a different type of gas (for example, oxidizing or oxygen containing to combustible) to reduce the risk of fire or explosion. In some cases, a small amount of combustible gas or oxygen may accumulate in the torch. This volume shall be small enough so that no risk can result.

The purging shall occur after each change in gas routing or when the previous gas routing is unknown.

NOTE 1 A means of accomplishing this can be by purging the lines with a sufficient volume of an inert gas.

NOTE 2 When a risk of fire or explosion exists in the gas lines due to changing gas, the purging can be performed with the following pressure cycle:

- a) reduce the pressure of the GAS CONSOLE circuit to atmosphere pressure;
- b) purge the GAS CONSOLE circuit with the purging gas;
- c) increase the pressure to the maximum pressure of purging gas;
- d) reduce the pressure of the GAS CONSOLE circuit to atmosphere pressure.

Conformity shall be checked by risk analysis and the following test.

The gas lines, when installed with all devices (valves, fittings, etc.) shall be filled with a combustible gas and measured with a gas detector. Immediately after, the gas lines shall be purged according to the instruction manual. Once purging has been completed, the contents of the gas lines shall be measured with the gas detector to ensure that the lines have been purged to a level-lower than below the lower flammability level (LFL) of the gas. If more than one combustible gas is used, the test shall be repeated for each combustible gas.