

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 17: Electrical installations inspection and maintenance**

**Atmosphères explosives –
Partie 17 : Inspection et maintenance des installations électriques**

IEC 60079-17:2023

<https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9fe-2500966f0a8c/iec-60079-17-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Explosive atmospheres –
Part 17: Electrical installations inspection and maintenance**

**Atmosphères explosives –
Partie 17 : Inspection et maintenance des installations électriques**

[IEC 60079-17:2023](https://standards.iteh.ai/document/iec/60079-17-2023)

<https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9ffe-2500966f0a8c/iec-60079-17-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.260.20

ISBN 978-2-8322-7759-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	11
4 General requirements	12
4.1 Documentation.....	12
4.2 Competence of personnel	13
4.3 Integrated systems.....	13
4.4 Inspections	13
4.4.1 General	13
4.4.2 Grades of inspection.....	15
4.4.3 Types of inspection.....	15
4.5 Periodic inspections	16
4.5.1 Personnel	16
4.5.2 Fixed installations.....	16
4.5.3 Transportable, personal and portable equipment	17
4.6 Continuous supervision by Skilled Personnel	17
4.6.1 Concept.....	17
4.6.2 Objectives	17
4.6.3 Responsibilities	18
4.6.4 Frequency of inspection.....	18
4.6.5 Documents	19
4.6.6 Training	19
4.7 Maintenance requirements	19
4.7.1 Remedial measures and modifications to equipment.....	19
4.7.2 Maintenance of flexible cables.....	20
4.7.3 Withdrawal from service	20
4.7.4 Fastenings and tools	20
4.8 External influences	20
4.9 Isolation of equipment.....	21
4.9.1 Installations other than intrinsically safe circuits	21
4.9.2 Live maintenance on Intrinsically safe installations	22
4.10 Earthing and equipotential bonding	23
4.11 Specific Conditions of Use	23
4.12 Movable equipment and its connections	23
4.13 Inspection schedules	23
4.13.1 General	23
4.13.2 Equipment is appropriate to the EPL/Zone requirements of the location.....	23
4.13.3 Equipment group	24
4.13.4 Equipment maximum surface temperature	24
4.13.5 Equipment circuit identification	24
4.13.6 Ex Cable Glands.....	24
4.13.7 Type of cable.....	24
4.13.8 Sealing	24
4.13.9 Test and measuring equipment.....	24
4.13.10 Fault loop impedance or earthing resistance.....	24

4.13.11	Insulation resistance	25
4.13.12	Overload protection	25
4.13.13	Lamps and luminaires	25
5	Additional inspection schedule requirements	25
5.1	Type of Protection "d" – Flameproof enclosure	25
5.2	Type of Protection "e" – Increased safety	26
5.2.1	Level of Protection "eb"	26
5.2.2	Level of Protection "ec"	26
5.3	Type of Protection "i" – Intrinsic safety	26
5.3.1	General	26
5.3.2	Documentation	27
5.3.3	Labelling	27
5.3.4	Unauthorized modifications	27
5.3.5	Associated apparatus (safety interface) between intrinsically safe and non-intrinsically safe circuits	27
5.3.6	Cables	27
5.3.7	Cable screens	27
5.3.8	Point-to-point connections	27
5.3.9	Earth continuity of non-galvanically isolated circuits	28
5.3.10	Earth connections to maintain the integrity of the intrinsic safety	28
5.3.11	Intrinsically safe circuit earthing or insulation	28
5.3.12	Separation between intrinsically safe and non-intrinsically safe circuits	28
5.4	Type of Protection "p" and "pD" – Pressurized enclosure	28
5.5	Type of Protection "n"	29
5.5.1	General	29
5.5.2	Restricted breathing enclosures	29
5.6	Type of Protection "t" and "tD" – Protection by enclosure	29
5.7	Types of Protection "o" (liquid immersion)	29
5.8	Types of Protection "m" and "mD" (encapsulation), "op" (optical radiation) and "q" (powder-filling)	29
6	Inspection tables	29
	Annex A (informative) Typical inspection procedure for periodic inspections	36
	Annex B (normative) Knowledge, skills and competencies of Technical Persons with Executive Function and Skilled Personnel	37
B.1	General	37
B.2	Knowledge and skills	37
B.2.1	Technical Persons with Executive Function	37
B.2.2	Skilled Personnel (inspection and maintenance)	37
B.3	Competencies	38
B.3.1	General	38
B.3.2	Technical Persons with Executive Function	38
B.3.3	Skilled Personnel	38
B.4	Assessment	38
	Annex C (informative) Fitness-for-purpose assessment	39
C.1	Background	39
C.2	Need for a fitness-for-purpose assessment	39
C.3	Approach	39
C.4	Ignition sources	39
C.5	Contents of the fitness-for-purpose assessment	39

C.5.1	General	39
C.5.2	Scope of the assessment report.....	39
C.5.3	Equipment and its application	40
C.5.4	Description	40
C.5.5	Function of the product including the location	40
C.5.6	Specification	40
C.5.7	Standards compliance	40
C.5.8	Documents	41
C.5.9	Product sample.....	41
C.5.10	Equipment label.....	41
C.5.11	Training of personnel	41
C.5.12	Elements of the report	42
C.5.13	Assessor requirements	42
C.5.14	Typical assessment and test report.....	42
Annex D (informative)	Example of motor checks	44
Annex E (informative)	Adverse service conditions	45
Bibliography.....		46
Figure A.1 – Typical inspection procedure for periodic inspections.....		36
Table 1 – Inspection schedule for Ex "d", Ex "e", Ex "n" and Ex "t/tD" installations.....		30
Table 2 – Inspection schedule for Ex "i" installations.....		32
Table 3 – Inspection schedule for Ex "p" and "pD" installations.....		33
Table 4 – Inspection schedule for Ex "o" installations		34
Table C.1 – Title		43

[IEC 60079-17:2023](https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9f1e-2500966f0a8c/iec-60079-17-2023)

<https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9f1e-2500966f0a8c/iec-60079-17-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 17: Electrical installations inspection and maintenance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60079-17 has been prepared by subcommittee 31J: Classification of hazardous areas and installation requirements, of IEC technical committee 31: Equipment for explosive atmospheres. It is an International Standard.

This sixth edition cancels and replaces the fifth edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

Changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Simplifying description of explosive gas and dust atmospheres in the Scope and uses of these terms throughout document	1	X		
Clarifies the exclusion of ventilated rooms in the Scope	1	X		
Aligns maintenance terms and definitions in 3.7 and 3.8 with IEC 60079.	3	X		
Introducing new clause 4.4.1.2. Manufacturer's documentation for cross referencing in text without repetition	4	X		
Further guidance added into Note 4 regarding factors contributing to the deterioration of Ex Equipment.	4.4.1.1.		X	
Clarifies the change in terminology from previously used Special Condition of Safe Use to current terminology Specific Conditions of Use .	4.11		X	
Further requirements added regarding Type of Protection "o".	5.7			C1
Clarification added regarding use of inspection tables	6		X	
Minor editorial changes and correction made to Tables 1 to 4 but with no change to item numbering or content	Tables 1 to 4	X		
Modified reference in this standard to align all types of inspection with Continuous Supervision terms for example; Skilled Personnel and Technical Persons with Executive Function.	Annex B			C2
A typical assessment and test report is shown in C.5.14.	Annex C	X		
Introducing new items in the Bibliography	Bibliography	X		
NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version.				

Explanations:

A Definitions

Minor and editorial changes

- clarification
- decrease of technical requirements
- minor technical change
- editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

Extension

- addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements from the previous standard.

Major technical changes

- addition of technical requirements
- increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that an overhaul or repair of product to the preceding edition will not always be able to fulfil the requirements given in the later edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes do not normally have an influence on equipment already placed on the market.

B Information about the background of 'major technical changes'

- C1 Sub-clause 5.7 and Table 4 has been inserted based on text submitted by MT60079-6 *Explosive atmospheres – Part 6: Equipment protection by liquid immersion "o"*.
- C2 The previous reference to Responsible Person in Annex B usually reflects the roles and the responsibilities of a person rather than the technical knowledge, skills and competencies required to manage the activity of periodic inspection and maintenance of Ex equipment. The term used within the Continuous Supervision clauses of Technical Person With Executive Function provides clarity and harmonises the clauses within the document.

The text of this International Standard is based on the following documents:

Draft	Report on voting
31J/345/FDIS	31J/351/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This International Standard is intended to be used in conjunction with IEC 60364-6.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60079-17:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9fle-2500966f0a8c/iec-60079-17-2023>

INTRODUCTION

Electrical installations in hazardous areas possess features specially designed to render them suitable for operations in such atmospheres. It is essential for reasons of safety in those areas that, throughout the life of such installations, the integrity of those special features is preserved. This document provides the details for initial inspection and on-going inspections as either:

- a) regular periodic inspections thereafter, or,
- b) continuous supervision

by Skilled Personnel.

Where necessary, maintenance might also be needed.

Correct functional operation of hazardous area installations does not mean, and is not to be interpreted as meaning, that the integrity of the special features referred to above are preserved.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60079-17:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9fle-2500966f0a8c/iec-60079-17-2023>

EXPLOSIVE ATMOSPHERES –

Part 17: Electrical installations inspection and maintenance

1 Scope

This part of IEC 60079 applies to users and covers only those factors directly related to the inspection and maintenance of electrical installations specifically designed for hazardous areas, where the hazard is caused by explosive atmospheres.

It does not include:

- other fundamental installation and inspection requirements for electrical installations;
- the verification of electrical equipment;
- protection or ventilation of rooms;
- gas detection systems;
- the repair, overhaul and reclamation of explosion protected equipment (see IEC 60079-19).

While this document does not include inspection of safety devices such as used in ventilated rooms (see IEC 60079-13), it does include the requirements for inspection and maintenance of individual items of equipment that will be part of such systems, for example motors or sensors.

This document supplements the requirements for inspection and testing in non-hazardous areas in IEC 60364-6. This document is intended to be applied where there is a risk due to the potential presence of explosive gas or dust mixtures with air or combustible dust layers under normal atmospheric conditions. It does not apply to:

- underground mining areas,
- dusts of explosives,
- pyrophoric substances.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Explosive dust atmospheres*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60079-19, *Explosive atmospheres – Part 19: Equipment repair, overhaul and reclamation*

IEC 60364-6, *Low voltage electrical installations – Part 6: Verification*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60079-0 and the following apply.

NOTE Additional definitions applicable to explosive atmospheres can be found in IEC 60050-426.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

close inspection

inspection that encompasses those aspects covered by a visual inspection and, in addition, identifies those defects, such as loose bolts, which will be apparent only by the use of access equipment, for example steps (where necessary) and tools

Note 1 to entry: Close inspections do not normally require the enclosure to be opened, or the equipment to be de-energized.

3.2

continuous supervision

frequent attendance, inspection, service, care and maintenance of the electrical installation by Skilled Personnel who have experience in the specific installation and its environment in order to maintain the explosion protection features of the installation in satisfactory condition

3.3

detailed inspection

inspection that encompasses those aspects covered by a close inspection and, in addition, identifies those defects, such as loose terminations, which will only be apparent by opening the enclosure, and/or using, where necessary, tools and test equipment

3.4

hazardous area

area in which an explosive atmosphere is present, or can be expected to be present, in quantities such as to require special precautions for the construction, installation and use of equipment

Note 1 to entry: IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*, gives a classification of hazardous areas containing explosive gas atmospheres (see IEC 60050-426:2020, 426-03-03, 426-03-04 and 426-03-05).

Note 2 to entry: IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Explosive dust atmospheres*, gives a classification of hazardous areas containing explosive dust atmospheres (see IEC 60050-426:2020, 426-03-23, 426-03-24, and 426-03-25).

3.5

initial inspection

inspection of all electrical equipment, systems and installations before they are brought into service

3.6 inspection

<for explosive atmospheres> action comprising careful scrutiny of an item carried out either without dismantling, or with the addition of partial dismantling as required, supplemented by means such as measurement, in order to arrive at a reliable conclusion as to the condition of an item

3.7 live maintenance

maintenance activities carried out while the associated apparatus, intrinsically safe apparatus, and circuits are energized

[SOURCE: IEC 60050-426: 2020, 426-11-51]

3.8 maintenance

<for explosive atmospheres> combination of routine actions taken to preserve the fully serviceable condition of the installed apparatus

3.9 non-hazardous area

area in which an explosive atmosphere is not expected to be present in quantities such as to require special precautions for the construction, installation and use of equipment

3.10 periodic inspection

inspection of all electrical equipment, systems and installations carried out on a routine basis

3.11 sample inspection

inspection of a representative proportion of the electrical equipment, systems and installations

[IEC 60079-17:2023](https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9ffe-2500966f0a8c/iec-60079-17-2023)

[http://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9ffe-2500966f0a8c/iec-60079-17-2023](https://standards.iteh.ai/catalog/standards/iec/13681fa5-5cfa-4a29-9ffe-2500966f0a8c/iec-60079-17-2023)

3.12 Skilled Personnel

people who meet specific requirements for the qualification of personnel

Note 1 to entry: The specific requirements for the qualification of personnel with respect to installation and maintenance are specified in Annex B.

3.13 Technical Persons with Executive Function

persons providing technical management of the Skilled Personnel, having adequate knowledge in the field of explosion protection, familiar with the local conditions, familiar with the installation and who has overall responsibility and control of the inspection systems for the electrical equipment within hazardous areas

3.14 visual inspection

inspection that identifies, without the use of access equipment or tools, those defects, such as missing bolts, which will be apparent to the eye

4 General requirements

4.1 Documentation

For the purposes of inspection and maintenance, up-to-date documentation (verification dossier) including any modification records, of the following items shall be available: