IEC 61158-5-10

Edition 4.0 2019-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Industrial communication networks – Fieldbus specifications – Part 5-10: Application layer service definition – Type 10 elements

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Reseaux de communication industriels – Specifications des bus de terrain – Partie 5-10: Définition des services de la couche application – Eléments de type 10

IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/87116ff8-ed25-4e51-040c-5e4ba4c993cf/iec-61158-5-10-2019

IEC 61158-5-10:2019-04(en-fr)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/7b6f5-ed25-4e51-840e-5e4bd4c993cf/iec-61158-5-10-2019

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, …). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch
Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

IEC 61158-5-10

Edition 4.0 2019-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Industrial communication networks – Fieldbus specifications – Part 5-10: Application layer service definition – Type 10 elements

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Reseaux de communication industriels – Specifications des bus de terrain – Partie 5-10: Définition des services de la couche application – Eléments de type 10

IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/1c0b3a2e-4e2f-4e40-
5e4ba4c993cf/iec-61158-5-10-2019

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1005-7

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOREWORD 15
INTRODUCTION 17
1 Scope 18
1.1 General 18
1.2 Specifications 19
1.3 Conformance 19
2 Normative references 19
3 Terms, definitions, abbreviations, symbols and conventions 22
3.1 Referenced terms and definitions 22
3.1.1 ISO/IEC 7498-1 terms 22
3.1.2 ISO/IEC 8822 terms 22
3.1.3 ISO/IEC 9545 terms 22
3.1.4 ISO/IEC 8824-1 terms 23
3.2 Additional Type 10 terms and definitions 23
3.3 Additional Type 10 terms and definitions for media redundancy 30
3.4 Abbreviations and symbols 32
3.4.1 General 32
3.4.2 Additional Type 10 abbreviations and symbols 33
3.4.3 Abbreviations and symbols for services 34
3.5 Conventions 34
3.5.1 Overview 34
3.5.2 General conventions 34
3.5.3 Conventions for class definitions 34
3.5.4 Conventions for service definitions 36
3.5.5 Conventions used in state machines 37
4 Concepts 40
5 Data type ASE 40
5.1 General 40
5.1.1 Overview 40
5.1.2 Date and time type specifics 41
5.1.3 Transfer of user data 41
5.1.4 Data type overview 41
5.2 Formal definition of data type objects 44
5.2.1 Data type class 44
5.3 FAL defined data types 45
5.3.1 Fixed length types 45
5.3.2 Variable Length types 66
5.4 Data type ASE service specification 69
6 Communication model for common services 69
6.1 Concepts 69
6.1.1 Overview 69
6.1.2 Middle Layer ASEs 69
6.2 ASE data types 69
6.3 Application Service Elements 69
6.3.1 Remote procedure call ASE 69
6.3.2 Domain name system ASE 78

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e4ba4c993af/iec-61158-5-10-2019

6.3.3 Simple network management ASE 79
6.3.4 IP suite ASE 80
6.3.5 Real time cyclic ASE 84
6.3.6 Real time acyclic ASE 100
6.3.7 Discovery and basic configuration ASE 110
6.3.8 Dynamic host configuration ASE 138
6.3.9 IEEE 802.1AB ASE 138
6.3.10 Media redundancy ASE 151
6.3.11 Precision time control ASE 158
6.3.12 IEEE 802.1AS ASE 172
6.3.13 Virtual Bridges ASE 175
6.3.14 MAC Bridges ASE 178
6.3.15 Fragmentation ASE 191
6.3.16 IEEE 802.3 ASE 192
6.3.17 Common DL mapping ASE 195
7 Communication model for decentralized periphery 200
7.1 Concepts 200
7.1.1 User requirements 200
7.1.2 Features 200
7.1.3 Associations 201
7.1.4 Device types 202
7.1.5 Instance model and device addresses 210
7.1.6 Application process 210
7.1.7 Application service element 217
7.1.8 Application relationship 219
7.2 ASE data types 220
7.3 ASEs 220
7.3.1 AR ASE 220
7.3.2 Real Identification ASE 355
7.3.3 Communication Interface Management ASE 445
7.3.4 Diagnosis ASE 516
7.3.5 PE ASE 561
7.3.6 LogBook ASE 571
7.3.7 RS ASE 574
7.3.8 Time ASE 599
7.4 Application characteristics 604
7.4.1 Device ident number 604
7.4.2 Network topology 604
7.5 Summary of FAL services 606
7.5.1 IO device 606
7.5.2 IO controller 607
7.5.3 IO Supervisor 607
Annex A (informative) Device instances 608
Annex B (informative) Components of an Ethernet interface 610
Annex C (informative) Scheme of MAC address assignment 614
Annex D (informative) Measurement of the fast startup time 615
Annex E (informative) Dynamic Frame Packing 616
Annex F (informative) Precondition for Diagnosis 624

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e4ba4c993cf/iec-61158-5-10-2019

Bibliography 629

Figure 1 – Middle Layer ASEs communication architecture 69
Figure 2 – Sequence Chart for reading the EndPointMapper 71
Figure 3 – Media redundancy diagnosis dependencies 157
Figure 4 – PTCP applications 158
Figure 5 – Example of periods at a local port 177
Figure 6 – Example of communication between controlling devices and field devices 201
Figure 7 – Example of communication between an engineering station and several controlling and field devices 202
Figure 8 – Example of communication between field devices and a server station 202
Figure 9 – Example of communication between field devices 202
Figure 10 – Data Objects and Diagnosis Data Model 206
Figure 11 – Example for channel modelling 207
Figure 12 – Mapping to PROFINET device model 208
Figure 13 – Identification hierarchy 208
Figure 14 – Application Process with application process objects (APOs) 211
Figure 15 – Access to a remote APO 212
Figure 16 – Access to a remote APO for provider/consumer association 213
Figure 17 – Overview of application processes 214
Figure 18 – IO device with APs, slots and subslots 214
Figure 19 – Example 1 structural units for interfaces and ports within API 0 216
Figure 20 – Example 2 structural units for interfaces and ports within API 0 217
Figure 21 – FAL ASEs communication architecture 218
Figure 22 – Example of one AR with two AREPs 220
Figure 23 – Example IO application relationship (one-to-one) 223
Figure 24 – Example IO application relationship one-to-many 224
Figure 25 – Implicit application relationship 225
Figure 26 – State transition diagram DEVSM 257
Figure 27 – State transition diagram CTLSM 265
Figure 28 – Assignment of Communication Relationship to Application Relationship 270
Figure 29 – Overview Communication Relationship Class service interactions 273
Figure 30 – Example for an intersection of IO device, slot, and AR 336
Figure 31 – Substitute Value 364
Figure 32 – State transition diagram RSMSM 372
Figure 33 – Ownership handling 376
Figure 34 – State transition diagram OWNSM 379
Figure 35 – State transition diagram ASSSM 380
Figure 36 – State transition diagram PLUGSM 392
Figure 37 – State transition diagram PULLSM 395
Figure 38 – Basic model for isochronous applications 424
Figure 39 – General isochronous application model (example CACF == 1) 425
Figure 40 – General isochronous application model (example CACF == 2) 426

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8f1b21ad-42b4-4b51-8d00-5e4ba4c993cf/iec-61158-5-10-2019

Figure 41 – ASE relations in an IO device operating in isochronous mode for a submodule 432
Figure 42 – State transition diagram of ISOM_SYNC 434
Figure 43 – State transition diagram ISOM_OUT 437
Figure 44 – State transition diagram ISOM_IN 442
Figure 45 – State transition diagram SYNC_DIAG 484
Figure 46 – MRP interconnection 506
Figure 47 – Diagnosis Base Model 516
Figure 48 – Severity classification of fault, maintenance and qualified 517
Figure 49 – Data Base Model 518
Figure 50 – State transition diagram DIAG_DIAG 547
Figure 51 – State transition diagram DIAG_MR 551
Figure 52 – State transition diagram DIAG_MD 554
Figure 53 – State transition diagram DIAG_QUALIFIED 558
Figure 54 – Architecture 562
Figure 55 – State transition diagram PESM 570
Figure 56 – Reporting System components 575
Figure 57 – AR / ARSet and Reporting System 576
Figure 58 – Max Scan Delay 584
Figure 59 – RS Incident window 587
Figure 60 – State transition diagram RSOBS 592
Figure 61 – State transition diagram RSBUF 596
Figure 62 – State transition diagram TimeSM 602
Figure 63 – Example of network topology including slower wireless segments 605
Figure 64 – Example of media redundancy including wireless segments 605
Figure A.1 – Instance model 608
Figure B.1 – Scheme of an Ethernet interface 610
Figure B.2 – Scheme of an Ethernet interface with bridging ability 611
Figure B.3 – Scheme of an Ethernet interface with optical ports 612
Figure B.4 – Scheme of an Ethernet interface with bridging ability using radio communication 613
Figure B.5 – Scheme of an Ethernet interface with radio communication 613
Figure C.1 – Scheme of MAC address assignment 614
Figure D.1 – Measurement of the fast startup time 615
Figure E.1 – Frame Layout 616
Figure E.2 – Subframe Layout 617
Figure E.3 – End to End 618
Figure E.4 – Dynamic frame packing 618
Figure E.5 – Dynamic frame packing – Truncation of outputs 619
Figure E.6 – Dynamic frame packing – Outbound Pack 619
Figure E.7 – Dynamic frame packing – Concatenation of inputs 620
Figure E.8 – Dynamic frame packing – Inbound Pack 621
Figure E.9 – Dynamic frame packing – Distributed watchdog 623
Figure E.10 – Interrelation between IO CR and dynamically packed frame 623

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e4ba4c993cf/iec-61158-5-10-2019

Table 1 – State machine description elements 37
Table 2 – Description of state machine elements 38
Table 3 – Conventions used in state machines 38
Table 4 – Conventions for services used in state machines 39
Table 5 – Data type overview 41
Table 6 – V2 octets 46
Table 7 – L2 octets 46
Table 8 – E2 octets 47
Table 9 – E2 value range 47
Table 10 – Unipolar2.16 octets 48
Table 11 – Unipolar2.16 value range 48
Table 12 – N2 value range 49
Table 13 – N4 value range 50
Table 14 – X2 value range 51
Table 15 – X4 value range 52
Table 16 – C4 value range 53
Table 17 – T2 value range 54
Table 18 – T4 value range 55
Table 19 – D2 value range 56
Table 20 – R2 value range 56
Table 21 – Status value range 57
Table 22 – Status value range 58
Table 23 – F message trailer with 4 octets 62
Table 24 – Unsigned16_S octets 64
Table 25 – Unsigned16_S meaning 64
Table 26 – Integer16_S octets 65
Table 27 – Integer16_S meaning 65
Table 28 – Unsigned8_S octets 65
Table 29 – Unsigned8_S meaning 65
Table 30 – OctetString_S octets 66
Table 31 – OctetString_S status bits 67
Table 32 – Connect 72
Table 33 – Release 73
Table 34 – Read 74
Table 35 – Write 75
Table 36 – Control 76
Table 37 – ReadImplicit 77
Table 38 – Add Static ARP Cache Entry 83
Table 39 – Remove Static ARP Cache Entry 83
Table 40 – PPM Set Prov Data 89
Table 41 – PPM Set Prov Status 90
Table 42 – PPM Activate 91

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e4ba4c993cf/iec-61158-5-10-2019

Table 43 – PPM Close 93
Table 44 – PPM Start 94
Table 45 – PPM Error 94
Table 46 – Get Cons Data 94
Table 47 – CPM Get cons status 95
Table 48 – CPM Set RedRole 96
Table 49 – CPM Activate 97
Table 50 – CPM NoData 99
Table 51 – CPM Stop 99
Table 52 – CPM New Data Indication 100
Table 53 – APMS Activate 103
Table 54 – APMR Activate 104
Table 55 – APMS A Data 106
Table 56 – APMR A Data 107
Table 57 – APMR Ack 107
Table 58 – APMS Error 108
Table 59 – APMS Error ERRCLS/ERRCODE 108
Table 60 – APMR Error 109
Table 61 – APMR Error ERRCLS/ERRCODE 109
Table 62 – APMS_Close 109
Table 63 – APMR_Close 110
Table 64 – Get 118
Table 65 – Set 123
Table 66 – Local Set Command 128
Table 67 – Identify 130
Table 68 – Hello 136
Table 69 – System capabilities 144
Table 70 – Auto negotiation support and status 145
Table 71 – MDI Power Support 146
Table 72 – Link aggregation status 146
Table 73 – Remote systems data change 150
Table 74 – Start bridge 165
Table 75 – Start slave 166
Table 76 – Start master 167
Table 77 – Stop bridge 168
Table 78 – Stop slave 169
Table 79 – Stop master 170
Table 80 – Sync state change 170
Table 81 – Line Delay change 171
Table 82 – Local Get Time 174
Table 83 – Local time state info 174
Table 84 – Allowed values of Forwarding Mode 181
Table 85 – Allowed values of Fast Forwarding Multicast MAC Add 181

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e4ba4e993ef/iec-61158-5-10-2019

Table 86 – Tx Port Entry 184
Table 87 – Dependencies of RedPeriodBegin and GreenPeriodBegin 187
Table 88 – Port state change 190
Table 89 – Set port state 190
Table 90 – Flush filtering data base 191
Table 91 – MAU Type change 194
Table 92 – Set MAU Type 194
Table 93 – P Data 195
Table 94 – N Data 197
Table 95 – A Data 198
Table 96 – C Data 199
Table 97 – Requirements and features 200
Table 98 – Binding application relationship services 226
Table 99 – Device Access 229
Table 100 – Companion AR 229
Table 101 – Acknowledge Companion AR 230
Table 102 – Startup Mode 230
Table 103 – Pull Module Alarm Allowed 230
Table 104 – Input Valid on Backup AR 233
Table 105 – Mode 234
Table 106 – APStructureIdentifier with API := 0 234
Table 107 – APStructureIdentifier with API != 0 235
Table 108 – RS Alarm Transport Mode 235
Table 109 – Connect 237
Table 110 – Connect Device Access 243
Table 111 – Release 244
Table 112 – Prm Begin 246
Table 113 – Prm End 248
Table 114 – Application Ready 249
Table 115 – Abort 250
Table 116 – Local AR Abort 251
Table 117 – Local Set AR State 251
Table 118 – Local AR In Data 251
Table 119 – Data elements of Read AR Data 252
Table 120 – Data elements of Expected Fast Startup Data 254
Table 121 – Remote primitives issued or received by DEVSM 255
Table 122 – Local primitives issued or received by DEVSM 256
Table 123 – State table DEVSM 258
Table 124 – Functions, Macros, Timers and Variables by DEVSM 263
Table 125 – Remote primitives issued or received by CTLSM 264
Table 126 – Local primitives issued or received by CTLSM 264
Table 127 – State table CTLSM 266
Table 128 – Functions, Macros, Timers and Variables used by CTLSM 268

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-3e4daf6993ef/iec-61158-5-10-2019

Table 129 – Binding communication relationship services 274
Table 130 – Traffic Classes versus RT Class 276
Table 131 – Local Set Input 284
Table 132 – Local Set Input IOCS 285
Table 133 – Local Get Input 286
Table 134 – Local Get Input IOCS 287
Table 135 – Local New Input 288
Table 136 – Local Set Output 289
Table 137 – Local Set Output IOCS 290
Table 138 – Local Get Output 291
Table 139 – Local Get Output IOCS 292
Table 140 – Local New Output 293
Table 141 – Local Set Provider State 294
Table 142 – Local Set Redundancy 295
Table 143 – Local Set State 295
Table 144 – Local Data State Changed 296
Table 145 – Binding expected identification services 303
Table 146 – Module State 305
Table 147 – AR Info 308
Table 148 – Ident Info 309
Table 149 – General Data definition for identification services 309
Table 150 – Data elements of Read Module Diff Block 311
Table 151 – Alarm type 315
Table 152 – Alarm types attached to diagnosis ASE 317
Table 153 – Alarm types attached to ownership 317
Table 154 – Alarm types attached to common profiles, profiles, and application 318
Table 155 – Binding Alarm services 318
Table 156 – Alarm Notification 322
Table 157 – Channel Diagnosis 324
Table 158 – Manufacturer Specific Diagnosis 324
Table 159 – Submodule Diagnosis State 325
Table 160 – AR Diagnosis State 325
Table 161 – User Structure Identifier 326
Table 162 – Semantics of Specifier 328
Table 163 – Binding Record Data services 336
Table 164 – Read 338
Table 165 – Read Services 340
Table 166 – Read Implicit 342
Table 167 – Read Query 343
Table 168 – Write 344
Table 169 – Write Services 345
Table 170 – Data elements of Write Combined Object Container 346
Table 171 – Local Write Multiple 347

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711b1b-cd25-4e51-b40c-5e4ba4e993ef/iec-61158-5-10-2019

Table 172 – Local New Write Multiple 350
Table 173 – Binding real identification services 356
Table 174 – Local Add Submodule 359
Table 175 – Local Remove Submodule 360
Table 176 – Local Update Submodule 360
Table 177 – Data elements of Read API Data 362
Table 178 – Data elements of Read Record Input Data Object Element 363
Table 179 – Data elements of Read Record Output Data Object Element 366
Table 180 – Data elements of Read Substitute Value 367
Table 181 – Selector for Read GSD Data 369
Table 182 – Data elements of Read GSD Data 369
Table 183 – Remote primitives issued or received by RSMSM 371
Table 184 – Local primitives issued or received by RSMSM 371
Table 185 – State table RSMSM 372
Table 186 – Functions, Macros, Timers and Variables used by RSMSM 374
Table 187 – Rules for Submodule State.Ident Info 374
Table 188 – Remote primitives issued or received by OWNSM and ASSSM 378
Table 189 – Local primitives issued or received by OWNSM 379
Table 190 – State table OWNSM 380
Table 191 – State table ASSSM 387
Table 192 – Functions, Macros, Timers and Variables used by OWNSM 388
Table 193 – Functions, Macros, Timers and Variables used by ASSSM 389
Table 194 – Rules for Submodule State.AR Info 389
Table 195 – Remote primitives issued or received by PLUGSM 390
Table 196 – Local primitives issued or received by PLUGSM 391
Table 197 – State table PLUGSM 393
Table 198 – Functions, Macros, Timers and Variables used by PLUGSM 394
Table 199 – Remote primitives issued or received by PULLSM 395
Table 200 – Local primitives issued or received by PULLSM 395
Table 201 – State table PULLSM 396
Table 202 – Functions, Macros, Timers and Variables used by PULLSM 397
Table 203 – Binding I&M data services 399
Table 204 – Data elements of Read I&M0 Filter Data 412
Table 205 – Data elements of Read I&M0 Data 415
Table 206 – Data elements of Write I&M1 Data 416
Table 207 – Data elements of Write I&M2 Data 417
Table 208 – Data elements of Write I&M3 Data 418
Table 209 – Data elements of Write I&M4 Data 418
Table 210 – Data elements of Read I&M5 Data 419
Table 211 – Data elements of Read Asset Management Data 422
Table 212 – Binding Isochronous Mode Application services 426
Table 213 – Data elements of Write Isochronous Mode Data 431
Table 214 – Remote primitives issued or received by ISOM_SYNC 433

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e1ba4e95c1f/iec-61158-5-10-2019

Table 215 – Local primitives issued or received by ISOM_SYNC 433
Table 216 – State table ISOM_SYNC 434
Table 217 – Functions, Macros, Timers and Variables used by the ISOM_SYNC 435
Table 218 – Remote primitives issued or received for ISOM_OUT 435
Table 219 – Local primitives issued or received for ISOM_OUT 436
Table 220 – State table ISOM_OUT 438
Table 221 – Functions, Macros, Timers and Variables used by the ISOM_OUT 440
Table 222 – Remote primitives issued or received for ISOM_IN 441
Table 223 – Local primitives issued or received for ISOM_IN 441
Table 224 – State table ISOM_IN 443
Table 225 – Functions, Macros, Timers and Variables used by the ISOM_IN 444
Table 226 – Binding Communication Interface Management services 446
Table 227 – Subslot number for interface submodules 449
Table 228 – Subslot number for port submodules 453
Table 229 – Data elements of Read PDev Data 458
Table 230 – Data elements of Read PD Real Data 458
Table 231 – Data elements of Read PD Expected Data 460
Table 232 – Data elements of Read PD Interface Data Real 461
Table 233 – Data elements of Write PD Interface Adjust 462
Table 234 – Data elements of Write PD Interface FSU Data Adjust 463
Table 235 – Data elements of Write PD NC Data Check 464
Table 236 – Data elements of Read PD Port Data Real 465
Table 237 – Data elements of Read PD Port Data Real Extended 466
Table 238 – Data elements of Write PD Port Data Check 467
Table 239 – Data elements of Write PD Port Data Adjust 469
Table 240 – Data elements of Read Port FO Data Real 470
Table 241 – Data elements of Write PD Port FO Data Check 471
Table 242 – Data elements of Write PD Port FO Data Adjust 471
Table 243 – Data elements of Read PD Port Statistic 472
Table 244 – Binding PTCP services 475
Table 245 – Sync Properties Role 478
Table 246 – Sync Class 478
Table 247 – Data elements of Write PD Sync Data 479
Table 248 – Local Sync State Info 481
Table 249 – Local SYNCH Event 482
Table 250 – Remote primitives issued or received by SYNC_DIAG 483
Table 251 – Local primitives issued or received by SYNC_DIAG 483
Table 252 – State table SYNC_DIAG 485
Table 253 – Functions, Macros, Timers and Variables used by SYNC_DIAG 486
Table 254 – Binding MAC Bridge services 487
Table 255 – Distributed Watchdog Factor 489
Table 256 – Restart Factor For Distributed Watchdog 489
Table 257 – DFP Mode 490

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-3e4ba4e955cf/iec-61158-5-10-2019

Table 258 – SFIOCRProperties.DFPRedundantPathLayout 490
Table 259 – SFCRC16 490
Table 260 – Data elements of Write PD IR Data 491
Table 261 – Data elements of Write PD IR Subframe Data 493
Table 262 – Binding Media Redundancy services 494
Table 263 – Data elements of Read PD Interface MRP Data Real 496
Table 264 – Data elements of Write PD Interface MRP Data Check 498
Table 265 – Data elements of Write PD Interface MRP Data Adjust 499
Table 266 – Data elements of Read PD Port MRP Data Real 501
Table 267 – Data elements of Write PD Port MRP Data Adjust 501
Table 268 – Data elements of Read PD Port MRPIC Data Real 502
Table 269 – Data elements of Write PD Port MRPIC Data Check 503
Table 270 – Data elements of Write PD Port MRPIC Data Adjust 503
Table 271 – Binding IEEE 802.1AS services 507
Table 272 – Data elements of Write PD Time Data 509
Table 273 – List of supported MIBs 509
Table 274 – Cross-referencing of MIB-II objects 510
Table 275 – Cross-referencing of LLDP-MIB objects 510
Table 276 – Cross-referencing of LLDP-EXT-PNIO MIB objects 510
Table 277 – Cross-referencing of LLDP-EXT-DOT3 MIB objects 511
Table 278 – Binding Autoconfiguration Data services 511
Table 279 – Data elements of Read Autoconfiguration Data 514
Table 280 – Binding Diagnosis services 521
Table 281 – General Data definition for Diagnosis services 527
Table 282 – Local Add Diagnosis Entry 530
Table 283 – Local Remove Diagnosis Entry 531
Table 284 – Local Update Diagnosis Entry 532
Table 285 – Remote primitives issued or received by DIAG_DIAG 547
Table 286 – Local primitives issued or received by DIAG_DIAG 547
Table 287 – State table DIAG_DIAG 548
Table 288 – Functions, Macros, Timers and Variables used by DIAG_DIAG 549
Table 289 – Remote primitives issued or received by DIAG_MR 550
Table 290 – Local primitives issued or received by DIAG_MR 551
Table 291 – State table DIAG_MR 552
Table 292 – Functions, Macros, Timers and Variables used by DIAG_MR 552
Table 293 – Remote primitives issued or received by DIAG_MD 554
Table 294 – Local primitives issued or received by DIAG_MD 554
Table 295 – State table DIAG_MD 555
Table 296 – Functions, Macros, Timers and Variables used by the maintenance demanded entry 556
Table 297 – Remote primitives issued or received by DIAG_QUALIFIED 557
Table 298 – Local primitives issued or received by DIAG_QUALIFIED 557
Table 299 – State table DIAG_QUALIFIED 559

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-3c4da4e993ef/iec-61158-5-10-2019

Table 300 – Functions, Macros, Timers and Variables used by DIAG_QUALIFIED 559
Table 301 – Binding PE services 563
Table 302 – Local Add PE Entity 564
Table 303 – Local Remove PE Entity 565
Table 304 – Local Update PE_OperationalMode 566
Table 305 – PE Entity Filter Data definition 567
Table 306 – PE Entity Filter Data definition 568
Table 307 – Remote primitives issued or received by PESM 570
Table 308 – Local primitives issued or received by PESM 570
Table 309 – State table PESM 571
Table 310 – Functions, Macros, Timers and Variables used by PESM 571
Table 311 – Binding LogBook services 572
Table 312 – Data elements of Read LogBook Data 573
Table 313 – Local Create LogBook Entry 574
Table 314 – Binding RS services 581
Table 315 – Immanent observers 583
Table 316 – Configured observers 583
Table 317 – Data elements of Local Add RS Event 589
Table 318 – Data elements of RS Get Event 590
Table 319 – Data elements of RS Ack Event 590
Table 320 – Data elements of RS Adjust Observer 591
Table 321 – Local primitives issued or received by RSOBS 592
Table 322 – State table RSOBS 594
Table 323 – Functions, Macros, Timers and Variables used by RSOBS 595
Table 324 – Local primitives issued or received by RSBUF 596
Table 325 – State table RSBUF 597
Table 326 – Functions, Macros, Timers and Variables used by RSBUF 599
Table 327 – Binding Time services 600
Table 328 – Local Get Time 601
Table 329 – Local primitives issued or received by TimeSM 602
Table 330 – State table TimeSM 603
Table 331 – Functions, Macros, Timers and Variables used by TimeSM 604
Table 332 – FAL services of the IO device 606
Table 333 – FAL services of the IO controller 607
Table F.1 – ChannelErrorType 624
Table F.2 – Preconditions ChannelErrorType 0 – 0xFF 625
Table F.3 – Preconditions for ChannelErrorType 0x0100 – 0x7FFF, 0x9000 – 0x9FFF 625
Table F.4 – Preconditions for ChannelErrorType “Data transmission impossible” 625
Table F.5 – Preconditions for ChannelErrorType “Remote mismatch” 626
Table F.6 – Preconditions for ChannelErrorType “Media redundancy mismatch – ring” 626
Table F.7 – Preconditions for ChannelErrorType “Media redundancy mismatch - interconnection” 627
Table F.8 – Preconditions for ChannelErrorType “Sync mismatch” 627

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61158-5-10:2019
https://standards.iteh.ai/catalog/standards/sist/8711bf1b-cd25-4e51-b40c-5e4ba4e993cf/iec-61158-5-10-2019