IEC TS 62933-3-2

Edition 1.0 2023-01

TECHNICAL SPECIFICATION

colour inside

Electrical energy storage (EES) systems – Part 3-2: Planning and performance assessment of electrical energy storage systems – Additional requirements for power intensive and renewable energy sources integration related applications

IEC TS 62933-3-2:2023-01(en)

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC TS 62933-3-2

Edition 1.0 2023-01

TECHNICAL SPECIFICATION

colour inside

Electrical energy storage (EES) systems – Part 3-2: Planning and performance assessment of electrical energy storage systems – Additional requirements for power intensive and renewable energy sources integration related applications

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 13.020.30

ISBN 978-2-8322-6326-6

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ELECTRICAL ENERGY STORAGE (EES) SYSTEMS –

Part 3-2: Planning and performance assessment of electrical energy storage systems – Additional requirements for power intensive and renewable energy sources integration related applications

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62933-3-2 has been prepared by IEC technical committee 120: Electrical Energy Storage (EES) Systems. It is a Technical Specification.

This Technical Specification is based on IEC TS 62933-3-1:2018 and is to be used in conjunction with IEC TS 62933-3-3:2022.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
120/263A/DTS	120/278/RVDTS 120/278A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62933 series, published under the general title *Electrical energy storage (EES) systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62933 should be used as a reference when planning, designing, controlling and operating power intensive and renewable energy sources integration related applications of EES systems.

ELECTRICAL ENERGY STORAGE (EES) SYSTEMS –

Part 3-2: Planning and performance assessment of electrical energy storage systems – Additional requirements for power intensive and renewable energy sources integration related applications

1 Scope

This part of IEC 62933 provides the requirements for power intensive and renewable energy sources integration related applications of EES systems, including grid integration, performance indicators, sizing and planning, operation and control, monitoring and maintenance. The power intensive applications of EES systems are usually used to improve the dynamic performance of the grid by discharging or charging based on corresponding control strategies. The renewable energy sources integration related applications of EES systems are usually used to mitigate short-term fluctuation and/or to keep long-term stability. This document includes the following applications of EES systems:

– frequency regulation/support;
– grid voltage support ($Q(U)$) (“volt/var support”);
– voltage sag mitigation;
– renewable energy sources integration related applications;
– power oscillation damping (POD).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60721-1, *Classification of environmental conditions – Part 1: Environmental parameters and their severities*

IEC 61850 (all parts), *Communication networks and systems for power utility automation*

IEC TS 62786, *Distributed energy resources connection with the grid*

IEC TS 62933-1:2018, *Electrical energy storage (EES) systems – Part 1: Vocabulary*

IEC TS 62933-3-1, *Electrical energy storage (EES) systems – Part 3-1: Planning and performance assessment of electrical energy storage systems – General specification*

IEC TS 62933-3-3, *Electrical energy storage (EES) systems – Part 3-3: Planning and performance assessment of electrical energy storage systems – Additional requirements for energy intensive and backup power applications*

IEC TS 62933-5-1, *Electrical energy storage (EES) systems – Part 5-1: Safety considerations for grid-integrated EES systems – General specification*

IEC TS 62933-5-2, *Electrical energy storage (EES) systems – Part 5-2: Safety requirements for grid-integrated EES systems – Electrochemical-based systems*

IEC/IEEE 60255-118-1, *Measuring relays and protection equipment – Part 118-1: Synchrophasor for power systems – Measurements*

ISO 5660-1, *Reaction-to-fire tests – Heat release, smoke production and mass loss rate – Part 1: Heat release rate (cone calorimeter method) and smoke production rate (dynamic measurement)*

IEEE C37.118-2015, *IEEE Standard for Synchrophasors for Power Systems*

3 Terms, definitions, abbreviated terms and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC TS 62933-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1.1
fast frequency response
fast frequency control
short duration application of an EES system used to slow down the frequency change rate of the electric power system (IEV 601-01-01) during sudden failures and reduce the amplitude of the transient frequency difference, through the capability to actively support grid frequency by discharging or charging very fast (e.g. within 100 ms)

3.1.2
fluctuation reduction
power smoothing
short duration application of an EES system used to reduce power oscillation fluctuation of power generation units (especially renewable energy sources) with regard to their point of connections (IEV 617-04-01) absorbing active power at times of high generation output and by feeding in additional active power at times of low generation output

3.1.3
power oscillation damping
POD
short duration application of an EES system used to restrain power oscillations in one or more connected AC electric power networks (IEV 601-01-02) by active or reactive power flow control

Note 1 to entry: Low frequency power oscillation range is typically from 0,1 Hz to 2 Hz.

3.1.4
primary frequency control
primary frequency regulation
short duration application of an EES system used to stabilize the electric power system (IEV 601-01-01) frequency on a steady state value through the capability to respond to a measured frequency deviation

Note 1 to entry: Generally, the primary frequency control is automatically activated by the primary control system within a few seconds from the measured frequency deviation and fully activated within less than a few minutes.

3.1.5
renewable energy resources generation firming
long duration application of an EES system used to decouple renewable energy source generation and energy consumption for a specific time by absorbing energy in periods with a surplus of energy generation and by provision of energy in periods with a surplus of energy consumption

3.1.6
secondary frequency control
secondary frequency regulation
short duration application of an EES system used to restore system frequency to the nominal system frequency usually following a primary frequency regulation

Note 1 to entry: Generally, the secondary frequency control is manually or automatically activated between 30 s up to 15 min from the primary frequency regulation completion.

3.1.7
self-discharge rate
percentage of the energy loss to full energy capacity of an EES system in the idle period during a predefined measurement time

Note 1 to entry: In the idle period all required peripherals are activated and their energy consumption is therefore counted.

Note 2 to entry: The measurement time is determined rationally according to the self-discharge characteristic of each EES technology.

3.1.8
voltage sag mitigation
voltage dip mitigation
short duration application of an EES system used to compensate the voltage drop during a specified time and for a predefined maximum power, when a voltage sag occurred at the primary POC

Note 1 to entry: The power quality events are described in IEC TS 62749. Voltage dip and voltage sag are frequently used as synonyms.

3.2 Abbreviated terms and symbols

3.2.1 Abbreviated terms

ACE	area control error
AGC	automatic generation control
BAMU	battery array management unit
BCU	battery control unit
BESS	battery energy storage system
BMS	battery management system
BMU	battery management unit
CAES	compressed air energy storage
DER	distributed energy resources
EES	electrical energy storage
EESS	electrical energy storage system
EMC	electromagnetic compatibility
EMS	energy management system
EV	electric vehicle
FAT	factory acceptance test
FES	flywheel energy storage

FFC	flat frequency control
FFR	fast frequency response
FTC	flat tie-line control
HMI	human machine interface
HVAC	heating, ventilation and air conditioning
HVDC	high voltage direct current
LCC	line-commutated converter
MOI	moment of inertia
OFRT	over-frequency ride through
OVRT	over-voltage ride through
PCC	point of common coupling
PCS	power conversion subsystem/power conversion system
PFR	primary frequency response
PMU	phase measurement unit
POC	point of connection
POD	power oscillation damping
PV	photovoltaic
ROCOF	rate of change of frequency
RSDR	reduction in standard deviation of ramp rate
RSDP	reduction in standard deviation of power
SAT	site acceptance test
SCADA	supervisory control and data acquisition
SCR	short-circuit ratio
SFR	secondary frequency response
SMES	superconducting magnetic energy storage
SOC	state of charge
SOH	state of health
SSI	subsynchronous interaction
SSR	subsynchronous resonance
SVC	static var compensator
TBC	tie-line load frequency bias control
UFRT	under-frequency ride through
UVRT	under-voltage ride through

3.2.2 Symbols

P	active power
Q	reactive power
S	apparent power
f	frequency
U	voltage
I	current