

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**e-Transporters –  
Part 2-1: Safety requirements and test methods for personal e-Transporters**

**e-Transporteurs –  
Partie 2-1: Exigences de sécurité et méthodes d'essai relatives aux  
e-Transporteurs de personnes**

[IEC 63281-2-1:2024](https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024)

<https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2024 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

---

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

#### [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**e-Transporters –  
Part 2-1: Safety requirements and test methods for personal e-Transporters**

**e-Transporteurs –  
Partie 2-1: Exigences de sécurité et méthodes d'essai relatives aux  
e-Transporteurs de personnes**

[IEC 63281-2-1:2024](https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024)

<https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 43.120

ISBN 978-2-8322-8192-5

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	8
4 Risk assessment .....	11
5 Test conditions .....	12
5.1 General.....	12
5.2 Test road .....	12
5.3 Test driver .....	12
5.4 Test environment .....	12
5.5 PeT under test .....	13
6 General safety requirements.....	13
6.1 Materials.....	13
6.1.1 Non-metallic materials .....	13
6.1.2 Metal materials .....	13
6.2 Enclosure .....	13
6.3 Shape and appearance of PeT.....	13
6.3.1 Sharp corners and edges.....	13
6.3.2 Protrusions .....	13
6.3.3 Accessible clearances for movable segments .....	14
6.4 Warning indicators and signals .....	14
6.4.1 General .....	14
6.4.2 Warning indicators and signals for users .....	14
6.4.3 Warning indicators and signals for third parties.....	14
6.5 Charging lock.....	15
6.6 Functional components .....	15
6.6.1 Footrest or deck .....	15
6.6.2 Electrical power on/off control.....	15
6.6.3 Folding system .....	16
6.6.4 Battery system requirements .....	16
6.6.5 Charger .....	16
6.6.6 Ability to hold position.....	16
6.7 Main safety-related performance requirements.....	17
6.7.1 Maximum design speed .....	17
6.7.2 Brake performance .....	19
7 Electrical safety .....	20
7.1 General.....	20
7.2 Resistance to vibration for electric functions .....	20
8 Functional safety .....	20
9 Mechanical safety.....	21
9.1 Static strength .....	21
9.1.1 Structure strength.....	21
9.1.2 Handlebar and steering column strength.....	21
9.2 Dynamic strength (drop).....	21
9.3 Impact.....	22

10	Environmental tests .....	22
10.1	Enclosure protection class .....	22
10.2	Partial water immersion .....	22
10.3	Salt spray resistance .....	23
10.4	Change of temperature .....	23
10.5	Low and high temperature operation .....	24
10.5.1	General .....	24
10.5.2	Low temperature operation test .....	24
10.5.3	High temperature and high humidity operation test .....	24
11	Anti-tempering measure.....	24
12	Marking and instruction .....	25
12.1	General.....	25
12.2	Product nameplate.....	25
12.2.1	Nameplate information.....	25
12.2.2	Durability .....	25
12.3	Safety and warning signs .....	26
12.4	Instructions .....	26
	Annex A (informative) List of significant hazards for the PeT.....	27
	Annex B (normative) Light, warning device, and on-off symbols.....	29
	Bibliography.....	30
	Figure 1 – Placement method for the inclined surface test .....	17
	Figure 2 – Road test example .....	18
	Figure 3 – Temperature change of the thermal chamber .....	23
	Figure B.1 – Power On/Off symbol (IEC 60417-5009:2015-03).....	29
	Figure B.2 – Light symbol (ISO 7000-0083:2004-01).....	29
	Figure B.3 – Electric horn symbol (ISO 7000-0244:2004-01).....	29
	Table 1 – Safety functions related to defined hazards .....	20
	Table A.1 – Hazard list for the PeT .....	28

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## E-TRANSPORTERS –

**Part 2-1: Safety requirements and test methods for  
personal e-Transporters**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63281-2-1 has been prepared by IEC technical committee 125: e-Transporters. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
125/91/FDIS	125/93/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 63281 series, published under the general title *e-Transporters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC 63281-2-1:2024](#)

<https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024>

## INTRODUCTION

This document has been developed to cope with the rapidly evolving personal e-Transporters. Personal e-Transporters have become common in public spaces and roads, some of which can reach speeds of 25 km/h or even higher, and the applications and global market size are expected to grow significantly. In order to protect the safety of persons and public facilities, besides basic safety requirements, comprehensive safety requirements and test methods such as riding safety for people and for e-Transporters are also considered. At the time of writing, this document provides general safety requirements and corresponding test methods for personal e-Transporters, which are convenient for manufacturers and test departments to use.

Standardization of electrically powered transport devices covered by the following TCs are excluded from this document:

- IEC TC 69,
- ISO TC 149,
- ISO TC 22.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC 63281-2-1:2024](https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024)

<https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024>



## E-TRANSPORTERS –

### Part 2-1: Safety requirements and test methods for personal e-Transporters

#### 1 Scope

This document specifies safety requirements and test methods for personal e-Transporters.

This document is applicable to electrically powered personal e-Transporters (PeTs) which are used in private and public areas, where the speed control and/or the steering control is electric/electronic.

The PeT can have provisions for transport of cargo and can be for private or commercial (including sharing service) use.

This document is not applicable for electric vehicles (EVs), such as electrically power assisted cycles (EPACs), e-bikes, mopeds, motorcycles and passenger cars.

This document does not apply to:

- PeTs that are considered as toys;
- PeTs that are intended for competition;
- PeTs that are intended for medical care;
- PeTs that have a rated voltage of more than 100 V DC or 240 V AC;
- PeTs without an on-board driving operator.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-11, *Environmental testing – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-14:2023, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60335-2-29, *Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers*

IEC 60335-2-114:2022, *Household and similar electrical appliances – Safety – Part 2-114: Particular requirements for personal e-Transporters*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

ISO 2248, *Packaging – Complete, filled transport packages – Vertical impact test by dropping*

ISO 6742-1, *Cycles – Lighting and retro-reflective devices – Part 1: Lighting and light signalling devices*

ISO 6742-2, *Cycles – Lighting and retro-reflective devices – Part 2: Retro-reflective devices*

ISO 12100:2010, *Safety of machinery – General principles for design – Risk assessment and risk reduction*

ISO 13849-1, *Safety of machinery – Safety-related parts of control systems – Part 1: General principles for design*

ISO 14878:2015, *Cycles – Audible warning devices – Technical specification and test methods*

EN 17128:2020, *Light motorized vehicles for the transportation of persons and goods and related facilities and not subject to type-approval for on-road use – Personal light electric vehicles (PLEV) – Requirements and test methods*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

#### 3.1

##### **audible warning device**

##### **AWD**

device designed for the purpose to warn people by an audible signal

Note 1 to entry: Including all types of technologies (i.e. bells, horns, electronic audible warning device).

[SOURCE: ISO 14878:2015, 3.3]

#### 3.2

##### **battery pack**

energy storage device that includes cells or cell assemblies normally connected with cell electronics, power supply circuits and overcurrent shut-off device, including electrical interconnections, interfaces for external systems

Note 1 to entry: See A.2 of ISO 12405-4:2018 for further explanations.

Note 2 to entry: Examples of external systems are cooling, voltage class B, auxiliary voltage class A and communication.

[SOURCE: ISO 12405-4:2018, 3.2]

### 3.3 battery system

energy storage device that includes cells or cell assemblies or battery pack(s) as well as electrical circuits and electronics

Note 1 to entry: See A.3.2 and A.3.3 of ISO 12405-4:2018 for further explanations. Battery system components can also be distributed in different devices within the vehicle.

Note 2 to entry: Examples of electronics are the BCU and contactors.

[SOURCE: ISO 12405-4:2018, 3.3]

### 3.4 brake

part of the braking system where the forces opposing the movement of the e-Transporter are developed

[SOURCE: IEC 63281-1:2023, 3.16]

### 3.5 braking system

combination of parts consisting of the control, transmission, and brake, whose function it is to progressively reduce the speed of a moving e-Transporter, bringing it to a halt

Note 1 to entry: The braking system can have the function to keep the e-transporter stationary when halted.

Note 2 to entry: The electric motor can be a part of the system.

[SOURCE: IEC 63281-1:2023, 3.17]

### 3.6 charging of a battery

operation during which a secondary cell or battery is supplied with electric energy from an external circuit which results in chemical changes within the cell and thus the storage of energy as chemical energy

[SOURCE: IEC 60050-482:2004, 482-05-27]

### 3.7 deck

platform supporting the mass of the user standing during use

[SOURCE: EN 17128:2020, 3.40]

### 3.8 enclosure

housing affording the type and degree of protection suitable for the intended application

[SOURCE: IEC 60050-195:2021, 195-02-35]

### 3.9 electrically power assisted cycle EPAC

cycle, equipped with pedals and an auxiliary electric motor, which cannot be propelled exclusively by means of this auxiliary electric motor, except in the walk assistance mode

[SOURCE: ISO/TS 4210-10:2020, 3.2]

### 3.10

#### **e-Transporter**

electrically powered transport device for use on public roads or in public spaces which provides solutions for transporting either passengers or goods, or both

Note 1 to entry: The device can be manually controlled, have automated functions, or be autonomous.

[SOURCE: IEC 63281-1:2023, 3.2]

### 3.11

#### **folding system**

electrical or mechanical system enabling the e-Transporter to be folded in order to change from the configuration of use (unfolded) to the configuration of storage (folded)

[SOURCE: IEC 63281-1:2023, 3.8]

### 3.12

#### **footrest**

surface provided to support the feet during a seating intended use

[SOURCE: EN 17128:2020, 3.41]

### 3.13

#### **intended use**

use of a PeT in accordance with the information for use provided in the instructions

[SOURCE: ISO 12100:2010, 3.23, modified – For the purposes of a PeT, original "machine" has been deleted and "PeT" has been added.]

### 3.14

#### **leakage**

escape of liquid or gas except for venting

<https://standards.iteh.ai/catalog/standards/iec/b071fe01-ca64-439c-9168-a805781cd34a/iec-63281-2-1-2024>

[SOURCE: ISO 6469-1:2019, 3.15]

### 3.15

#### **locking device**

mechanical component that maintains part(s) of the vehicle erected in the position of use or storage (e.g., latch(es), hooks, over centre lock...) which could be deactivated or activated by action(s) on the operating device

[SOURCE: EN 17128:2020, 3.13]

### 3.16

#### **locking mechanism**

assembly of components consisting of one or more locking device(s) and one or more operating device(s)

[SOURCE: EN 17128:2020, 3.12]

### 3.17

#### **operating device**

part of the locking mechanism(s) designed to be activated by the user through one or several intentional action(s)

[SOURCE: EN 17128:2020, 3.14, modified – "positive" has been deleted and "intentional" has been added.]

**3.18****passenger car**

vehicle designed and constructed primarily for the carriage of persons and their luggage, their goods, or both, having not more than a seating capacity of eight, in addition to the driver, and without space for standing passengers

[SOURCE: ISO 26262-1:2018, 3.107]

**3.19****personal e-Transporter****PeT**

e-Transporter that is primarily designed for transporting person(s)

Note 1 to entry: Household appliances are excluded.

[SOURCE: IEC 63281-1:2023, 3.3, modified – Note 1 to entry has been added.]

**3.20****public space**

place that is accessible to the public whether it is in the public domain or privately owned

Note 1 to entry: Examples are roads, cycle tracks, sidewalks, public squares, parks, stations, airports, hotels, hospitals, restaurants, etc.

[SOURCE: IEC 63281-1:2023, 3.1]

**3.21****self-balancing personal e-Transporter**

inherently unstable personal e-Transporter that dynamically stabilizes itself in at least one direction (pitch) using a control system

[SOURCE: IEC 63281-1:2023, 3.6, modified – The word "personal" has been added to the term and to the definition.]

**3.22****warning indicators and signals**

visual or audible device to

- a) inform users of the safety status of the e-Transporter
- b) alert third parties to the presence of the e-Transporter

Note 1 to entry: Examples of a visual or audible device to inform users of the safety status of the e-Transporter include lights or beeping sounds to indicate a function is working correctly, or lights or beeping sounds which operate to indicate a malfunction or condition which may become serious or which is immediately serious.

Note 2 to entry: Examples of a visual or audible device to alert third parties to the presence of the e-Transporter include, lights or reflectors which make the e-Transporter more easily visible, or an audible device to alert third parties to the presence of the e-Transporter.

[SOURCE: IEC 63281-1:2023, 3.15]

**4 Risk assessment**

If examination of the PeT shows that hazards not fully addressed in Clause 6 to Clause 10 in this document can arise, then a risk assessment is required. It shall be carried out and documented to achieve at least a tolerable risk by an iterative process described in the Clause 4 of ISO 12100:2010.

For the risk assessment of PeTs all requirements of ISO 12100 applying for various use cases (e.g., such as private owned use, public sharing use) shall apply. Clause 4 of ISO 12100:2010 provides requirements and guidance in performing risk assessment, including risk analysis based on hazard identification. In performing the risk assessment, the decision as to whether a risk is acceptable or not depends on the application and the intended use of the PeT.

Where appropriate, use restrictions for the PeT may be used as a means of risk reduction in the risk assessment for specific hazards.

NOTE Annex A contains a list of significant hazards that can be present as regards a PeT.

## 5 Test conditions

### 5.1 General

Unless otherwise stated in this document, all tests are conducted under the conditions stated in 5.2 to 5.5.

### 5.2 Test road

The test is carried out on cement or asphalt roads the surface of which shall be smooth, dry and obstacle-free with a good adhesion coefficient; the inspection road section shall be as level as possible, and any gradient greater than 0,5 % shall be documented.

The test area shall be arranged on the test road, and the width of test channel in the test area shall not be less than 1 m. The two ends of this test area shall have a traveling supporting area that is long enough and an auxiliary area for ensuring safe stopping and shall be able to support travel in both directions.

In the event that the test road is not available, a test bench or a stand that keeps the motor-driven wheel free of the ground can be used to conduct relevant tests.

### 5.3 Test driver

The driver shall be proficient in driving and familiar with test methods.

The driver shall be equipped with necessary protective equipment such as a helmet, knee pads and elbow pads.

The driver shall use the PeT according to the instructions specified by the manufacturer and shall keep the driving posture without significant change throughout the whole test process and avoid any operation prohibited by the manufacturer.

If the rated load of the PeT is greater than or equal to 75 kg, the total mass of the driver and equipment (e.g., helmet) shall not be less than 75 kg, otherwise, a counterweight shall be used; if the rated load of the PeT is less than 75 kg, the total mass of the driver and equipment shall be the rated load.

### 5.4 Test environment

The temperature shall be within the working temperature range of the PeTs; unless otherwise specified in this document, the ambient temperature specified in this document is  $(25 \pm 5) ^\circ\text{C}$ .

Indoor tests should be conducted at a relative humidity of 75 % or lower, while the relative humidity may exceed 75 % for outdoor tests and in that case, shall be recorded in the test report. Outdoor tests shall not be conducted during rain or snow.

Atmospheric pressure: (86 to 106) kPa.