

INTERNATIONAL STANDARD

NORME INTERNATIONALE

iTeh STANDARD
Specification for WB series glass beads with 50 Ω impedance for RF connectors
PREVIEW
Spécification pour perles en verre de série WB à impédance de 50 Ω pour
connecteurs RF
(standards.iteh.ai)

[IEC 63295:2022](https://standards.iteh.ai/catalog/standards/sist/cd66eafb-b81c-4211-bc31-5f94e7823d14/iec-63295-2022)

<https://standards.iteh.ai/catalog/standards/sist/cd66eafb-b81c-4211-bc31-5f94e7823d14/iec-63295-2022>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

iTeh STANDARD

Specification for WB series glass beads with 50 Ω impedance for RF connectors

PREVIEW

Spécification pour perles en verre de série WB à impédance de 50 Ω pour connecteurs RF

(standards.iteh.ai)

[IEC 63295:2022](https://standards.iteh.ai/catalog/standards/sist/cd66eafb-b81c-4211-bc31-5f94e7823d14/iec-63295-2022)

<https://standards.iteh.ai/catalog/standards/sist/cd66eafb-b81c-4211-bc31-5f94e7823d14/iec-63295-2022>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.30

ISBN 978-2-8322-1081-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Structure dimensions and IEC type designation.....	5
5 Quality assessment procedure.....	6
5.1 General.....	6
5.2 Ratings and characteristics	6
5.3 Test schedule and inspection requirements.....	9
5.3.1 Acceptance tests	9
5.3.2 Periodic tests.....	10
5.4 Procedures for quality conformance	12
5.4.1 Quality conformance inspection	12
5.4.2 Quality conformance and its maintenance.....	12
6 Marking	12
6.1 Marking of components	12
6.2 Marking and contents of package.....	13
Annex A (Informative) Type designation	14
Annex B (Informative) Typical applications.....	15
Annex C (Informative) Test fixture	16
C.1 Test fixture.....	16
C.2 Dimensions for test fixture	16
Figure 1 – Structure of WB series glass beads.....	6
Figure B.1 – WB series glass bead used in PCB to connect with RF connector.....	15
Figure B.2 – WB series glass bead used in PCB as an inner conductor of an RF connector.....	15
Figure C.1 – Test fixture	16
Figure C.2 – Test fixture	17
Table 1 – Dimensions of WB series glass beads	6
Table 2 – Ratings and characteristics	7
Table 3 – Acceptance tests.....	10
Table 4 – Periodic tests	11
Table C.1 – Test fixtures per type of glass-bead	16
Table C.2 – Dimensions of test fixtures.....	17

IEC STANDARD
 PREVIEW
 (standards.iteh.ai)

IEC 63295:2022

<http://standards.iteh.ai/catalog/standards/sist/cd66cafb-b81c-4211-bc31-5894-7823d114/iec-63295-2022>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATION FOR WB SERIES GLASS BEADS WITH 50 Ω IMPEDANCE FOR RF CONNECTORS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63295 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46F/597/FDIS	46F/611/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 63295:2022](#)

<https://standards.iteh.ai/catalog/standards/sist/cd66eafb-b81c-4211-bc31-5f94e7823d14/iec-63295-2022>

SPECIFICATION FOR WB SERIES GLASS BEADS WITH 50 Ω IMPEDANCE FOR RF CONNECTORS

1 Scope

This document provides the requirements for WB series glass beads with 50 Ω impedance for RF connectors, including, among other, the structure dimensions, IEC type designation, rating and characteristics, and quality assessment.

These glass beads are used for the adaption of coaxial systems to microstrip circuits used extensively in microwave communication systems such as TR modules, power modules, integrated circuits where hermetic seal is required. They can serve as a part of an RF coaxial connector, multi-channel RF connector or hybrid connector, or can be applied directly in various communication module systems as an independent product. They provide a 50 Ω normative impedance with an operating frequency limit up to 65 GHz.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:2013, *Radio frequency connectors – Part 1: Generic specification – General requirements and measuring methods*

IEC 62153-4-7, *Metallic communication cable test methods – Part 4-7: Electromagnetic compatibility (EMC) – Test method for measuring of transfer impedance Z_T and screening attenuation a_S or coupling attenuation a_C of connectors and assemblies up to and above 3 GHz – Triaxial tube in tube method*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Structure dimensions and IEC type designation

The structure of WB series glass beads is shown in Figure 1 and the dimensions are shown in Table 1.

Dimensions in millimetres




Figure 1 – Structure of WB series glass beads

Table 1 – Dimensions of WB series glass beads

NO	Type designation ^a	d	D^b	B^c (MIN)	C^d	Recommended applicable connector series ^e
		mm	mm	mm	mm	
1	WB0.23	$0,230 \pm 0,010$	-	-	-	SMPM , 1.85 and 2.4
2	WB0.3	$0,300 \pm 0,015$	-	-	-	SMP, 2.92, 2.4, SSMA and SMA
3	WB0.38	$0,380 \pm 0,015$	-	-	-	
4	WB0.45	$0,450 \pm 0,015$	-	-	-	2.92, SSMA and SMA
5	WB0.5	$0,500 \pm 0,015$	-	-	-	
6	WB0.9	$0,900 \pm 0,020$	-	-	-	SMA and TNC

^a Type designation is shown in Annex A.

^b The diameter is selected assuming that the dielectric constant of glass is 4,0, and a 50 Ω characteristic impedance can be obtained.

^c Size shall meet the requirements for electrical and mechanical performances.

^d Size and shape of the terminal are optional, and shall meet the requirements for electrical and mechanical performances.

^e Typical applications of WB glass beads with RF connector series are shown in Annex B.

5 Quality assessment procedure

5.1 General

Subclauses 5.2 to 5.4 provide glass beads' recommended ratings, performance and test conditions. They also provide an appropriate schedule of tests with minimum levels of conformance inspection sampling.

As WB series glass beads are the accessories of RF connectors, most of the test methods of IEC 61169-1 can be used when WB series glass beads are tested in the test fixture shown in Annex B.

5.2 Ratings and characteristics

The values indicated below are recommended for WB series glass beads. They are applicable for the glass beads when they are tested in the test fixture shown in Annex B. Ratings and characteristics are given in Table 2.

Certain tests are listed without any recommended values being given. These tests will usually not be required.

Table 2 – Ratings and characteristics

Ratings and characteristics	IEC61169-1:2013 Subclauses test method	Values	Remarks, deviations from standard test method
Electrical			
Nominal impedance		50 Ω	
Frequency range			
– WB0.23 – WB0.3 – WB0.38 – WB0.45 – WB0.5 – WB0.9		DC to 65 GHz DC to 40 GHz DC to 26,5 GHz DC to 18 GHz DC to 18 GHz DC to 6 GHz	
Return loss	9.2.1	DC to 6 GHz ≥ 25 dB 12,4 GHz to 18 GHz ≥ 19 dB 18 GHz to 26,5 GHz ≥ 18 dB 26,5 GHz to 40 GHz ≥ 16 dB 40 GHz to 65 GHz ≥ 14 dB	The test fixture shall be in accordance with Annex C
Centre contact resistance	9.2.3	na ^b	
Outer contact resistance	9.2.3	na ^b	
Rated voltage at sea level ^a	9.2.2	85 V 170 V 250 V 250 V 250 V 500 V	(86 to 106) kPa
Rated voltage at 4,4 kPa ^a		21 V 45 V 65 V 65 V 65 V 125 V	4,4 kPa approximately equivalent to 20 km
Insulation resistance	9.2.5		
– initial • WB0.23 • others – after conditioning • WB0.23 • others		≥ 1 000 MΩ ≥ 5 000 MΩ ≥ 1 000 MΩ ≥ 5 000 MΩ	

Ratings and characteristics	IEC61169-1:2013 Subclauses test method	Values	Remarks, deviations from standard test method
Proof voltage at sea level ^a	9.2.6		(86 to 106) kPa
– WB0.23 – WB0.3 – WB0.38 – WB0.45 – WB0.5 – WB0.9		500 V 500 V 750 V 750 V 750 V 1 500 V	
Proof voltage at 4,4 kPa ^a	9.2.6		4,4 kPa approximately equivalent to 20 km
– WB0.23 – WB0.3 – WB0.38 – WB0.45 – WB0.5 – WB0.9		65 V 170 V 250 V 250 V 250 V 500 V	
Proof voltage (after environmental test at sea level) ^a	9.2.6		(86 to 106) kPa
– WB0.23 – WB0.3 – WB0.38 – WB0.45 – WB0.5 – WB0.9		125 V 250 V 375 V 375 V 375 V 750 V	
Screening effectiveness	IEC 62153-4-7	na ^b	
Discharge test (corona effect)	9.2.8		Extinction voltage at 4,4 kPa
– WB0.23 – WB0.3 – WB0.38 – WB0.45 – WB0.5 – WB0.9		65 V 125 V 190 V 190 V 190 V 375 V	
Passive intermodulation level (PIM)	9.2.9	na ^b	
Mechanical			
Soldering	9.3.2		
– bit size			
Solderability	9.3.2.2	245 °C ± 5 °C, 5 S	
Resistance to soldering heat	9.2.3.3	2 605 °C ± 5 °C, 10 S	
Gauge retention force (resilient contacts)			
– centre contact	9.3.4	na ^b	
– outer contact		na ^b	

Ratings and characteristics	IEC61169-1:2013 Subclauses test method	Values	Remarks, deviations from standard test method
Centre contact captivation – axial force – permitted displacement, in each direction – torque	9.3.5	≥2,22 N displacement na ^b	
Engagement and separation	9.3.6	na ^b	
Strength of coupling mechanism	9.3.11	na ^b	
Effectiveness of cable fixing against – cable rotation – cable pulling – cable bending – cable torsion	9.3.7 9.3.8 9.3.9 9.3.10	na ^b na ^b na ^b na ^b	
Bending moment	9.3.12	na ^b	
Bump	9.3.13	200 m/s ²	
Vibration	9.3.3	200 m/s ² 10 Hz to 2 000 Hz	(20g _n , acceleration)
Shock	9.3.14	1 000 m/s ² 1/2 sine wave 6 ms	(100g _n , acceleration)
Endurance			
Mechanical endurance	9.3.15	na ^b	
High temperature endurance	9.4.5	250 h at 200 °C	
Low temperature endurance	9.4.6	250 h at -65 °C	
Environmental			
Climatic category	9.4.2	65/200/56	
Sealing non-hermetic	9.4.7	na ^b	
Hermetic	9.4.8	10 ⁻³ Pa·cm ³ /s	100 kPa to 110k Pa differential
Water immersion	9.4.9	na	
Salt mist	9.4.10	48 h	Duration of spraying
Chemical contamination			
Resistance to solvents and contaminating fluids to be used Applicable fluids	9.4.11	na ^b	
Sulphur dioxide	9.4.12	na ^b	
^a Voltages are RMS values from 50 Hz-to 60 Hz, unless otherwise specified. ^b na: not applicable.			

5.3 Test schedule and inspection requirements

5.3.1 Acceptance tests

Acceptance tests are shown in Table 3.

Table 3 – Acceptance tests

	IEC 61169-1: 2013 subclause	Assessment level M (higher)				Assessment level H (lower)			
		Test required	IL	AQL %	Period	Test required	IL	AQL %	Period
Group A1									
Visual examination	9.1.1	a	II	1		a	S3	1,5	
Group B1									
Outline dimensions	9.1.2	a	S4	0,4		a	S3	4,0	
Mechanical compatibility	9.1.2.2	na	II			na	S3		
Engagement and separation forces and torques	9.3.6	na	S4		Lot	na	S3		Lot
Gauge retention (resilient contacts)	9.3.5	na	II		by	na	S3		by
Insertion retention force (resilient contacts)	9.3.4								
Sealing					lot				lot
-non-hermetic	9.4.7	na	II			na	S3		
-hermetic	9.4.8	a	II	0,015		ia	S3	0,025	
Water immersion	9.4.9	ia	II	0,015		ia	S3	0,025	
Voltage proof	9.2.6	a	II	0,4		a	II	4,0	
Solderability (d)	9.3.2.2	ia	S4	0,4		ia	S3	4,0	
Insulation resistance	9.2.5	a	S4	0,4		a	S3	4,0	
Safety wire hole pullout	9.3.12	na	S4			na	S3		
<p>Key:</p> <p>a – suggested as applicable</p> <p>ia – test suggested (if technically applicable)</p> <p>na – not applicable</p> <p>IL – inspection level</p> <p>AQL – acceptable quality level</p> <p>(d) – destructive tests – specimens shall not be returned to stock</p>									

5.3.2 Periodic tests

Periodic tests are shown in Table 4. There are no group C tests for levels H and M.