

INTERNATIONAL STANDARD



This extended version of IEC 62271-204:2022 includes the content of the references made to IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2022

**High-voltage switchgear and controlgear –
Part 204: Rigid gas-insulated transmission lines for rated voltage above 52 kV**

[IEC 62271-204:2022](https://standards.iteh.ai/catalog/standards/sist/046c1be9-e5ee-4ecf-adeb-40b12445c2db/iec-62271-204-2022)

<https://standards.iteh.ai/catalog/standards/sist/046c1be9-e5ee-4ecf-adeb-40b12445c2db/iec-62271-204-2022>





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

[IEC 62271-204:2022](https://standards.iteh.ai/catalog/standards/sist/046c1be9-c5ee-4ecf-adeb-40612445c2d6/iec-62271-204-2022)

<https://standards.iteh.ai/catalog/standards/sist/046c1be9-c5ee-4ecf-adeb-40612445c2d6/iec-62271-204-2022>



IEC 62271-204 EXV

Edition 2.0 2022-09
EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 62271-204:2022 includes the content of the references made to IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2022

**High-voltage switchgear and controlgear –
Part 204: Rigid gas-insulated transmission lines for rated voltage above 52 kV**

[IEC 62271-204:2022](https://standards.iteh.ai/catalog/standards/sist/046c1be9-e5ee-4ecf-adeb-40b12445c2db/iec-62271-204-2022)

<https://standards.iteh.ai/catalog/standards/sist/046c1be9-e5ee-4ecf-adeb-40b12445c2db/iec-62271-204-2022>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.130.10

ISBN 978-2-8322-5677-0

Warning! Make sure that you obtained this publication from an authorized distributor.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 62271-1
Edition 2.0 2017-07

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

**Part 1: Common specifications for alternating
current switchgear and controlgear**

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 17: High-voltage switchgear and controlgear.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
17/1090/DISH	17/1095/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

Interpretation of 4.2.2 of IEC 62271-1:2017 regarding the altitude correction factor

Subclause 4.2.2 of IEC 62271-1:2017 contains two references for calculation of the required insulation withstand level at altitudes higher than 1 000 m, IEC 60071-2:1996 and IEC TR 62271-306. The two references are in conflict, as the altitude correction factor according to IEC 60071-2:1996 starts at sea level and that of IEC TR 62271-306 starts at an altitude of 1 000 m. This results in different altitude correction factors.

As already stated in 5.3 of IEC 62271-1:2017, the rated insulation levels refer to normal service conditions. Altitudes up to 1 000 m above sea level are covered and need no altitude correction.

For altitudes higher than 1 000 m the equation provided in 4.5.1.1 b) of IEC TR 62271-306:2012 and in H.3.4 of IEC 60071-2:2018 shall be used, i.e.

$$k_{\text{alt}} = e^{m \left(\frac{H-1000}{8150} \right)}$$

where

k_{alt} is the altitude correction factor;

H is the altitude in m above sea level;

m is an exponent.

Conservative values for the exponent m are provided in Table 4 of IEC TR 62271-306:2012. For further details about the exponent m , see H.4 of IEC 60071-2:2018.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62271-204:2022](https://standards.iteh.ai/catalog/standards/sist/046c1be9-e5ee-4ecf-adeb-40b12445c2db/iec-62271-204-2022)

<https://standards.iteh.ai/catalog/standards/sist/046c1be9-e5ee-4ecf-adeb-40b12445c2db/iec-62271-204-2022>

CONTENTS

FOREWORD	10
1 Scope	12
2 Normative references	12
3 Terms and definitions	15
3.1 General terms and definitions	15
3.2 Assemblies of switchgear and controlgear	18
3.3 Parts of assemblies	18
3.4 Switching devices	19
3.5 Parts of switchgear and controlgear	19
3.6 Operational characteristics of switchgear and controlgear	23
3.7 Characteristic quantities	26
3.8 Index of definitions	27
4 Normal and special service conditions	31
4.1 Normal service conditions	31
4.1.1 General	31
4.1.2 Indoor switchgear and controlgear	31
4.1.3 Outdoor switchgear and controlgear	31
4.2 Special service conditions	32
4.2.1 General	32
4.2.2 Altitude	32
4.2.3 Exposure to pollution	32
4.2.4 Temperature and humidity	33
4.2.5 Exposure to abnormal vibrations, shock or tilting	33
4.2.6 Wind speed	33
4.2.7 Other parameters	33
4.101 Installation in open air	33
4.102 Buried installation	33
4.103 Installation in tunnel, shaft or similar situation	34
5 Ratings	34
5.1 General	34
5.2 Rated voltage (U_r)	34
5.2.1 General	34
5.2.2 Range <i>I</i> for rated voltages of 245 kV and below	35
5.2.3 Range <i>II</i> for rated voltages above 245 kV	35
5.3 Rated insulation level (U_d , U_p , U_s)	35
5.4 Rated frequency (f_r)	39
5.5 Rated continuous current (I_r)	39
5.6 Rated short-time withstand current (I_k)	40
5.7 Rated peak withstand current (I_p)	40
5.8 Rated duration of short-circuit (t_k)	40
5.9 Rated supply voltage of auxiliary and control circuits (U_a)	41
5.9.1 General	41
5.9.2 Rated supply voltage (U_a)	41

5.10	Rated supply frequency of auxiliary and control circuits	41
5.11	Rated pressure of compressed gas supply for controlled pressure systems	41
6	Design and construction	42
6.1	Requirements for liquids in GIL	42
6.2	Requirements for gases in GIL	42
6.3	Earthing	42
6.3.101	Earthing of the main circuits	43
6.3.102	Earthing of the enclosure	43
6.4	Auxiliary and control equipment	43
6.4.1	General	43
6.4.2	Protection against electric shock	44
6.4.3	Components installed in enclosures	45
6.5	Dependent power operation	47
6.6	Stored energy operation	47
6.7	Independent manual or power operation (independent unlatched operation)	48
6.8	Manually operated actuators	48
6.9	Operation of releases	48
6.10	Pressure/level indication	48
6.10.1	Gas pressure	48
6.10.2	Liquid level	48
6.11	Nameplates	48
6.11.1	General	48
6.11.2	Application	49
6.12	Locking devices	49
6.13	Position indication	49
6.14	Degree of protection provided by enclosures	49
6.14.1	General	49
6.14.2	Protection of persons against access to hazardous parts and protection of the equipment against ingress of solid foreign objects (IP coding)	49
6.14.3	Protection against ingress of water (IP coding)	50
6.14.4	Protection against mechanical impact under normal service conditions (IK coding)	50
6.15	Creepage distances for outdoor insulators	50
6.16	Gas and vacuum tightness	50
6.16.1	General	50
6.16.2	Controlled pressure systems for gas	50
6.16.3	Closed pressure systems for gas	51
6.16.4	Sealed pressure systems	51
6.16.5	Internal partitions	52
6.17	Tightness of liquid systems	52
6.18	Fire hazard (flammability)	52
6.19	Electromagnetic compatibility (EMC)	52
6.20	X-ray emission	52
6.21	Corrosion	52
6.21.101	Corrosion protection for buried installations	52
6.21.102	Corrosion protection for not buried installations	52
6.22	Filling levels for insulation, switching and/or operation	52
6.101	Minimizing of internal fault effects	53

6.101.1	General.....	53
6.101.2	External effects of the arc.....	53
6.101.3	Internal fault location.....	53
6.102	Enclosures.....	54
6.102.1	General.....	54
6.102.2	Design of enclosures.....	54
6.103	Partitions and partitioning.....	55
6.104	Sections of a GIL system.....	55
6.105	Pressure relief.....	56
6.105.1	General.....	56
6.105.2	Limitation of maximum filling pressure.....	56
6.105.3	Pressure relief devices to limit pressure rise in the case of an internal fault...56	
6.106	Compensation of thermal expansion.....	56
6.107	External vibrations.....	57
6.108	Supporting structures for non-buried GIL.....	57
6.108.1	General.....	57
6.108.2	Conditions of the design.....	57
6.108.3	Types of supporting structures.....	57
7	Type tests.....	58
7.1	General.....	58
7.1.1	Basics.....	58
7.1.2	Information for identification of test objects.....	58
7.1.3	Information to be included in type-test reports.....	58
7.1.101	Mandatory type tests.....	59
7.1.102	Special type tests.....	59
7.2	Dielectric tests.....	60
7.2.1	General.....	60
7.2.2	Ambient air conditions during tests.....	60
7.2.3	Wet test procedure.....	60
7.2.4	Arrangement of the equipment.....	60
7.2.5	Criteria to pass the test.....	60
7.2.6	Application of test voltage and test conditions.....	61
7.2.7	Test of switchgear and controlgear of $U_r \leq 245$ kV.....	61
7.2.8	Test of switchgear and controlgear of $U_r > 245$ kV.....	61
7.2.9	Artificial pollution tests for outdoor insulators.....	62
7.2.10	Partial discharge tests.....	62
7.2.11	Dielectric tests on auxiliary and control circuits.....	63
7.2.12	Voltage test as condition check.....	63
7.3	Radio interference voltage (RIV) test.....	63
7.4	Measurement of the resistance of circuits.....	63
7.4.1	Measurement of the resistance of auxiliary contacts class 1 and class 2.....	64
7.4.2	Measurement of the resistance of auxiliary contacts class 3.....	64
7.4.3	Electrical continuity of earthed metallic parts test.....	64
7.4.4	Resistance measurement of contacts and connections in the main circuit as a condition check.....	64
7.5	Continuous current test.....	65
7.5.1	Condition of the test object.....	65
7.5.2	Arrangement of the equipment.....	65

7.5.3	Test current and duration.....	66
7.5.4	Temperature measurement during test.....	67
7.5.5	Resistance of the main circuit.....	68
7.5.6	Criteria to pass test.....	68
7.6	Short-time withstand current and peak withstand current tests.....	73
7.6.1	General.....	73
7.6.2	Arrangements of the GIL and of the test circuit.....	73
7.6.3	Test current and duration.....	73
7.6.4	Conditions of the GIL after test.....	74
7.7	Verification of the protection.....	74
7.7.1	Verification of the IP coding.....	74
7.7.2	Verification of the IK coding.....	75
7.8	Tightness tests.....	75
7.8.1	General.....	75
7.8.2	Controlled pressure systems for gas.....	76
7.8.3	Closed pressure systems for gas.....	77
7.8.4	Sealed pressure systems.....	77
7.8.5	Liquid tightness tests.....	77
7.9	Electromagnetic compatibility tests (EMC).....	78
7.10	Additional test on auxiliary and control circuits.....	78
7.11	X-radiation test procedure for vacuum interrupters.....	78
7.101	Proof tests for enclosures.....	78
7.101.1	General.....	78
7.101.2	Destructive pressure tests.....	78
7.101.3	Non-destructive pressure test.....	79
7.102	Pressure test on partitions.....	80
7.103	Passive corrosion protection tests for buried installation.....	80
7.103.1	Passive corrosion protection.....	80
7.103.2	Electrical testing.....	80
7.103.3	Mechanical testing.....	80
7.103.4	Thermal testing.....	80
7.104	Special mechanical test on sliding contacts.....	81
7.105	Test under conditions of arcing due to internal fault.....	81
7.106	Weatherproofing test.....	82
8	Routine tests.....	82
8.1	General.....	82
8.2	Dielectric test on the main circuit.....	83
8.3	Tests on auxiliary and control circuits.....	83
8.3.1	Inspection of auxiliary and control circuits, and verification of conformity to the circuit diagrams and wiring diagrams.....	83
8.3.2	Functional tests.....	84
8.3.3	Verification of protection against electrical shock.....	84
8.3.4	Dielectric tests.....	84
8.4	Measurement of the resistance of the main circuit.....	84
8.5	Tightness test.....	84
8.5.1	General.....	84
8.5.2	Controlled pressure systems for gas.....	84
8.5.3	Closed pressure systems for gas.....	85
8.5.4	Sealed pressure systems.....	85

8.5.5	Liquid tightness tests.....	85
8.6	Design and visual checks.....	85
8.101	Partial discharge measurement.....	85
8.102	Pressure tests of factory made enclosures	85
9	Guide to the selection of GIL (informative).....	86
9.1	General.....	86
9.2	Selection of rated values.....	86
9.3	Cable-interface considerations.....	86
9.4	Continuous or temporary overload due to changed service conditions	86
9.5	Environmental aspects.....	86
9.5.1	Service conditions	86
9.5.2	Clearances affected by service conditions.....	87
9.5.3	High humidity	87
9.5.4	Solar radiation.....	87
9.101	Short time overload capability	87
9.102	Forced cooling.....	87
10	Information to be given with enquiries, tenders and orders (informative)	87
10.101	Information with enquiries and orders.....	87
10.101.1	General.....	87
10.101.2	Particulars of the system	88
10.101.3	Environmental conditions.....	88
10.101.4	Service conditions.....	88
10.101.5	Particulars of the installation.....	88
10.101.6	Particulars of the auxiliary devices.....	88
10.101.7	Specific conditions.....	89
10.102	Information with tenders and contract documentation.....	89
10.102.1	General.....	89
10.102.2	Rated values and characteristics.....	89
10.102.3	Further particulars of the transmission line and its components.....	89
10.102.4	Type test certificate or reports	89
10.102.5	Particulars of the auxiliary devices.....	89
10.102.6	List of recommended essential spare parts.....	89
11	Transport, storage, installation, operating instructions and maintenance	89
11.1	General.....	89
11.2	Conditions during transport, storage and installation.....	90
11.3	Installation	90
11.3.1	General.....	90
11.3.2	Unpacking and lifting	91
11.3.3	Assembly	91
11.3.4	Mounting.....	91
11.3.5	Connections	91
11.3.6	Information about gas and gas mixtures for controlled and closed pressure systems	91
11.3.7	Final installation inspection.....	92
11.3.8	Basic input data by the user.....	92
11.3.9	Basic input data by the manufacturer	93
11.3.101	Constructional features.....	93
11.4	Operating instructions.....	93
11.4.101	Voltage test on the main circuits	94

11.4.102	Measurement of gas conditions.....	95
11.4.103	Measurement of the resistance of the main circuit	95
11.4.104	Tests on enclosures welded on site.....	96
11.4.105	Periodic testing of the enclosure	96
11.4.106	Checks and verifications.....	96
11.4.107	Tests on corrosion protection for directly buried GIL	96
11.5	Maintenance.....	97
11.5.1	General.....	97
11.5.2	Information about fluids and gas to be included in maintenance manual	97
11.5.3	Recommendations for the manufacturer	97
11.5.4	Recommendations for the user.....	98
11.5.5	Failure report	99
11.5.101	Maintenance of GIL	100
11.5.102	Gas handling.....	100
12	Safety.....	101
12.1	General.....	101
12.2	Precautions by manufacturers.....	101
12.3	Precautions by users	102
12.101	Mechanical aspects	102
12.102	Thermal aspects.....	103
12.103	Maintenance aspects.....	103
13	Influence of the product on the environment.....	103
Annex A	(normative) Identification of test objects	104
A.1	General.....	104
A.2	Data.....	104
A.3	Drawings.....	104
Annex B	(informative) Determination of the equivalent RMS value of a short-time current during a short-circuit of a given duration	106
Annex C	(normative) Method for the weatherproofing test for outdoor switchgear and controlgear	107
Annex D	(informative) References for auxiliary and control circuit components.....	110
Annex E	(normative) Tolerances on test quantities during tests	112
Annex F	(informative) Information and technical requirements to be given with enquiries, tenders and orders.....	115
F.1	General.....	115
F.2	Normal and special service conditions (refer to Clause 4)	115
F.3	Ratings (refer to Clause 5).....	116
F.4	Design and construction (refer to Clause 6).....	116
F.5	System information.....	117
F.6	Documentation for enquiries and tenders.....	117
Annex G	(informative) List of symbols.....	118
Annex H	(informative) Electromagnetic compatibility on site	120
Annex I	(informative) List of notes concerning certain countries.....	121
Annex J	(informative) Extension of validity of type tests.....	122
J.1	General.....	122

J.2	Dielectric tests.....	122
J.3	Short-time withstand current tests	122
J.4	Continuous current test.....	122
J.5	Electromagnetic immunity test on auxiliary and control circuits.....	123
J.6	Environmental tests on auxiliary and control circuits	123
Annex K (informative) Exposure to pollution		124
K.1	General.....	124
K.2	Pollution levels	124
K.3	Minimum requirements for switchgear	124
Annex A (informative) Estimation of continuous current.....		126
A.1	General.....	126
A.2	Symbols	126
A.3	Reference values.....	126
A.3.1	General.....	126
A.3.2	General type test values	127
A.3.3	AC resistances	127
A.3.4	Dissipation	127
A.3.5	Thermal resistances	128
A.3.6	Thermal coefficient.....	128
A.4	Estimation of current rating	128
A.4.1	General.....	128
A.4.2	Maximum temperature rise.....	128
A.4.3	Heat input	129
A.4.4	Thermal resistances	129
A.4.5	Estimated maximum temperature rise.....	129
A.4.6	Permissible temperature rises	130
A.4.7	Estimated continuous current.....	130
A.4.8	Informal documents	130
Annex B (informative) Earthing		131
B.1	General	131
B.2	Safe limits on potential rise	131
B.3	Enclosures	131
B.4	Earth electrodes	131
B.5	Conductors of earthing system.....	131
B.6	Earth continuity	132
B.7	Induced voltages	132
B.8	Transient enclosure voltage	132
B.9	Non-linear resistors	132
B.10	Bonding and earthing.....	133
B.10.1	General.....	133
B.10.2	Cross-bonding.....	133
B.11	Application to directly buried installations	133
B.12	Informal documents	134
Annex C (informative) Long-term testing of buried installations		135
C.1	Assessment of long-term behaviour.....	135
C.1.1	General.....	135

C.1.2	Thermomechanical performance	135
C.1.3	Corrosion protection of the enclosures	135
C.2	Summary of long-term tests	135
Annex D (normative)	Requirements for welds on pressurized parts	137
D.1	General	137
D.2	Process and personal qualifications	137
D.3	Non-destructive tests of welding.....	137
Bibliography.....		139
Figure 1	– Examples of classes of contacts	47
Figure B.1	– Determination of short-time current	106
Figure C.1	– Arrangement for weatherproofing test	108
Figure C.2	– Nozzle for weatherproofing test.....	109
Figure B.1	– Example of earthing system together with active anti-corrosion system in the case of solid bonding of the enclosure at both ends.....	134
Table 1	– Rated insulation levels for rated voltages of range <i>I</i> , series <i>I</i>	36
Table 2	– Rated insulation levels for rated voltages of range <i>I</i> , series <i>II</i> (based on current practice in some countries, including US).....	37
Table 3	– Rated insulation levels for rated voltages of range <i>II</i>	38
Table 4	– Additional rated insulation levels for range <i>II</i> , based on current practice in some countries, including US.....	39
Table 5	– Peak factors for rated peak withstand current	40
Table 6	– Direct current voltage.....	41
Table 7	– Alternating current voltage	41
Table 8	– Auxiliary contact classes	46
Table 1	– Second characteristic numeral of IP coding.....	50
Table 6	– Test voltage for measuring PD intensity.....	63
Table 14	– Limits of temperature and temperature rise for various parts, materials and dielectrics of high-voltage switchgear and controlgear	69
Table 15	– Permissible leakage rates for gas systems.....	76
Table D.1	– List of reference documents for auxiliary and control circuit components	110
Table E.1	– Tolerances on test quantities for type test.....	112
Table K.1	– Environmental examples by site pollution severity (SPS) class.....	125
Table K.2	– Minimum nominal specific creepage distance by pollution level	125
Table D.1	– Quantity of NDTs	137
Table D.2	– Acceptance criteria of imperfections	138

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

**Part 204: Rigid gas-insulated transmission lines
for rated voltage above 52 kV**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with a comprehensive content of the Standard.

IEC 62271-204:2022 EXV includes the content of the references made to IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2022.

Particular subclauses of IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2022 are displayed in the content on a blue background.

IEC 62271-204 has been prepared by subcommittee 17C: Assemblies, of IEC technical committee 17: High-voltage switchgear and controlgear. It is an International Standard.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update to be in line with IEC 62271-1:2017 and alignment of the voltage ratings and the test voltages.
- b) addition of new information for welds on pressurized parts and gas tightness.

The text of this document is based on the following documents:

Draft	Report on voting
17C/840/FDIS	17C/846/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This document is to be read in conjunction with IEC 62271-1:2017 and IEC 62271-203:2022, to which it refers and which are applicable unless otherwise specified. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1:2017 and IEC 62271-203:2022. Amendments to these clauses and subclauses are given under the same numbering, whilst additional subclauses are numbered from 101.

A list of all parts of the IEC 62271 series can be found, under the general title *High-voltage switchgear and controlgear*, on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.