

IEC TR 63449

Edition 1.0 2023-05

TECHNICAL REPORT



Dynamic metadata high dynamic range impacts on TV power consumption (standards.iteh.ai)

<u>IEC TR 63449:2023</u> https://standards.iteh.ai/catalog/standards/sist/54daa93b-0d40-4b76-83f7-ab70422c90fc/iec-tr-63449-2023





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 1.0 2023-05

TECHNICAL REPORT



Dynamic metadata high dynamic range impacts on TV power consumption (standards.iteh.ai)

IEC TR 63449:2023

https://standards.iteh.ai/catalog/standards/sist/54daa93b-0d40-4b76-83f7-ab70422c90fc/iec-tr-63449-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160.40

ISBN 978-2-8322-6849-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	.7
3 Terms, definitions and abbreviated terms	.7
3.1 Terms and definitions	.7
3.2 Abbreviated terms1	1
4 Dynamic metadata high dynamic range video1	2
4.1 Introduction to dynamic metadata HDR video1	2
4.1.1 Overview	2
4.1.2 Dolby Vision [®] 1	3
4.1.3 HDR10+1	3
4.2 Market relevance of dynamic metadata HDR video1	4
4.2.1 Dolby Vision [®] market snapshot1	4
4.2.2 HDR10+ market snapshot1	5
4.3 Consumer availability of dynamic metadata HDR video technologies in TVs1	5
5 Dynamic metadata HDR TV power consumption research1	6
5.1 Overview	6
5.2 Dynamic metadata test media1	6
5.3 Dynamic metadata laboratory tests2	'1 _
5.3.1 General	. T 5 4
5.3.2 General research method	:)つ
5.3.4 Phase II testing: next level of detail	.∠ אז
5.3.5 Phase III: in-depth testing with one TV	.0 30
6 Summary	32
Annex A (informative) Test material workflows	×4
Bibliography	26
Dibilography	0
Figure 1 – Occurrence of linear and non-linear signal encodings in context of a typical display processing pipeline and how they can be used to compute APL and APL'	.8
Figure 2 – Power use with dynamic metadata2	25
Figure 3 – Screen-average dynamic luminance with dynamic metadata vs static metadata	26
Figure 4 – Relative efficiency of TVs when playing different content formats	27
Figure 5 – Normalized comparison of LED TVs playing Table 1 UHD Dolby Vision® and HDR10+ 5 min test clips	29
Figure 6 – Phase III test results by content category	32

Table 1 – Static and dynamic metadata test media	17
Table 2 – HDR10+ test media metadata	18
Table 3 – Dolby Vision [®] test media metadata	19
Table 4 – Results of phase I testing	22
Table 5 – Summary of phase I testing	23
Table 6 – Characteristics of TV models used for the test media validation	23

IEC TR 63449:2023 © IEC 2023 - 3 -

Table 7 – 4K real-world content used for tests	24
Table 8 – Phase II: real world content (streamed movies/series)	24
Table 9 – Phase III: HDR10+ and SDR using non-test clips	30
Table 10 – Phase III: test clips only	30
Table 11 – Phase III test results	31
Table A.1 – Workflow details	35

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC TR 63449:2023

https://standards.iteh.ai/catalog/standards/sist/54daa93b-0d40-4b76-83f7-ab70422c90fc/iec-tr-63449-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DYNAMIC METADATA HIGH DYNAMIC RANGE IMPACTS ON TV POWER CONSUMPTION

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 63449 has been prepared by Technical Area 19: Environmental and energy aspects for multimedia systems and equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
100/3862/DTR	100/3886/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC TR 63449:2023</u>

https://standards.iteh.ai/catalog/standards/sist/54daa93b-0d40-4b76-83f7-ab70422c90fc/iec-tr-63449-2023

INTRODUCTION

HDR technologies affect the entire video ecosystem from production and processing, through to distribution and presentation. HDR-capable television sets typically have higher peak luminance and better low-luminance capabilities than non-HDR TVs and can take advantage of HDR video signals which typically represent scenes with much higher luminance and more detailed low-luminance levels than was possible in traditional analogue and digital non-HDR video systems.

As the luminance range of an HDR signal might not match the luminance range capabilities of the display device, the signal must be adjusted before being displayed. This luminance adjustment is called tone-mapping and is implemented as a processing step in the TV. The tone mapping process can be improved with metadata, which describes the properties of the content to be displayed.

Dynamic metadata based HDR tone-mapping approaches and behaviours are seeing an everincreasing application in consumer televisions; however, representative standardized test content for measurement of the power consumption impact of those technologies on televisions is not available. To prepare objective test materials (video clips), a study of power and luminance behaviour was conducted, the results of which are described in Clauses 5 and 6.

This document assesses the impact of dynamic HDR on TV luminance and power consumption using two technologies currently in deployment.

A small sample of TVs that supported the two technologies were studied using "representative" content prepared by PT100-24 members. Test results show that dynamic metadata HDR content, delivered to a dynamic metadata capable TV, can provide pictures with even greater dynamic range (higher peak luminance and more detailed luminance levels with wider colour gamut) than static HDR at the same or lower TV power consumption versus static HDR or SDR content delivered to that same TV.

https://standards.iteh.ai/catalog/standards/sist/54daa93b-0d40-4b76-83f7-ab70422c90fc/iec-tr-

63449-2023

DYNAMIC METADATA HIGH DYNAMIC RANGE IMPACTS ON TV POWER CONSUMPTION

1 Scope

This document presents a study of the impact of high dynamic range (HDR) technologies with "dynamic metadata" on TV luminance and power consumption. It compares the power consumption of content with dynamic metadata to the same content without dynamic metadata. Non-dynamic "static metadata" HDR technologies such as HDR10 and non-metadata HDR such as HLG, were previously studied in IEC TR 63274:2021.

This document also reviews the current HDR TV market and analyses existing HDR TV power measurement methods and considerations for any changes to those power measurement standards.

While this document studies the results of content that include Dolby Vision[®] and HDR10+ dynamic metadata, any comparison of these two technologies is outside of the scope of this document.

2 Normative references ANDARD PREVIEW

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1 Terms and definitions

3.1.1 average picture level APL average level of all the pixels of a single video signal frame in the linear luminance domain

EXAMPLE Display equipment such as television sets or computer monitors that internally use linear encoding after undoing the non-linearity of the input signal.

[SOURCE: IEC TR 63274:2021, 3.1.10]

3.1.2 average picture level based on non-linear input signal APL'

average level of all pixels of a single video signal frame in the non-linear luminance domain

- 8 -

EXAMPLE Display equipment such as television sets or computer monitor receive input signals that encode luminance in a non-linear way. Examples for such non-linear encoding are PQ or HLG EOTFs (ITU-R BT.2100).

Note 1 to entry: APL' is defined as a percentage of the range between reference black and reference white level.

Note 2 to entry: This is not a measure of the linear signal that might be available inside of some display equipment and delivered to the display device. The external and internal video signals are shown in Figure 1.

[SOURCE: IEC TR 63274:2021, 3.1.11]



Figure 1 – Occurrence of linear and non-linear signal encodings in context of a typical display processing pipeline and how they can be used to compute APL and APL'

3.1.3

(standards.iteh.ai)

maximum area of chromaticity reproducible by a display

IEC TR 63449:202

[SOURCE: IEC 62977-2-1:2021, 3.1.5, modified - "area" deleted from term] 0422c90 fc/iec-tr-

63449-2023

3.1.4

colour volume

colour gamut

three-dimensional space of all colours and intensities that a device or signal can reproduce or convey

[SOURCE: ISO/IEC TR 23091-4:2021, 3.6, modified – "three-dimensional" added to definition]

3.1.5 content light level CLL

integer static HDR metadata value defining the luminance of any single pixel within an encoded HDR video sequence

Note 1 to entry: The CLL is provided in candelas per square metre (cd/m²).

3.1.6 maximum content light level

MaxCLL

integer static HDR metadata value defining the maximum luminance of any single pixel within an encoded HDR video sequence

Note 1 to entry: The MaxCLL is provided in candelas per square metre (cd/m²).

Note 2 to entry: CTA-861 provides further explanation.

3.1.7

dynamic metadata

metadata that can be different for different portions of the image essence

[SOURCE: SMPTE ST 2094-1:2016, 4.6]

3.1.8 electro-optical transfer function EOTF

mathematical function for transferring an electrical signal into a desired optical signal

EXAMPLE EOTFs are typically non-linear and monotonic and aim to incorporate behaviour of the human visual system, e.g. on a display device. Some are absolute, addressing luminance values directly, while others are of relative nature.

[SOURCE: IEC TR 63274:2021, 3.1.1]

3.1.9 frame average light level FALL

integer static HDR metadata value defining the average luminance for all pixels of any single frame within an encoded HDR video sequence

Note 1 to entry: The FALL is provided in candelas per square metre (cd/m²).

3.1.10

maximum frame average light level

MaxFALL integer static HDR metadata value defining the maximum average luminance for all pixels of any single frame within an encoded HDR video sequence

Note 1 to entry: The MaxFALL is provided in candelas per square metre (cd/m²).83f7-ab70422c90fc/iec-tr-

Note 2 to entry: CTA-861 provides further explanation.

3.1.11 high definition HD spatial video resolution ranging from 1 280 × 720 to 1 920 × 1 080

[SOURCE: IEC TR 63274:2021, 3.1.6]

3.1.12 high dynamic range video HDR video

capability of components in a video pipeline to capture, process, transport or display luminance levels and tone gradations that exceed capabilities of conventional SDR imaging pipelines components

Note 1 to entry: An HDR video signal typically uses a greater bit depth, luminance and colour volume than standard dynamic range (SDR) video. It also typically utilizes different tone curves such as perceptual quantizer (PQ) as specified in SMPTE ST 2084 or hybrid log gamma (HLG) specified in ITU-R BT.2100 instead of gamma, as used with SDR. When the HDR video signal is rendered on an HDR display, it is possible to see greater luminance ranges and wider colour gamuts.

Note 2 to entry: HDR video can provide an enhanced viewer experience and can more accurately reproduce scenes that include, within the same image, dark areas and bright highlights, such as emissive light sources and reflections. The luminance range of an HDR image is typically constrained between $0,005 \text{ cd/m}^2$ to 4 000 cd/m².

[SOURCE: IEC TR 63274:2021, 3.1.2, modified – The last sentence of Note 2 to entry has been added.]

3.1.13 hybrid log-gamma HLG

one set of HDR transfer functions offering a degree of backwards compatibility to SDR by more closely matching the previously established television transfer curves

Note 1 to entry: Sets of transfer functions related to HDR signals are specified in Rec. ITU-R BT.2100-1.

Note 2 to entry: HLG is used both as a description of a dedicated transfer function and as a video format name.

[SOURCE: IEC 62087-2:2023, 3.1.9, modified - Added 'to SDR'.]

3.1.14

image-related metadata

identifiers describing intrinsic image properties in form of both static metadata valid throughout the content and dynamic metadata for frame-specific image parameters

EXAMPLE 1 Minimum and maximum luminance, average picture level, properties of the grading display.

EXAMPLE 2 HDR image related static metadata are MaxCLL and MaxFall as specified in CTA-861-G, section 6.9.1 and Appendix P, sections P.1 and P.2 for algorithms to calculate each.

EXAMPLE 3 Dynamic metadata is utilized by Dolby Vision® (SMPTE ST 2094-10) and HDR10+ (SMPTE ST 2094-40).

Note 1 to entry: They can be used as recommendations and guidance for image rendering and display.

[SOURCE: IEC TR 63274:2021, 3.1.9]

3.1.15 perceptual quantizer PQ

one set of HDR transfer functions addressing a very wide range of absolute luminance levels for a given bit depth using a non-linear transfer function that is finely tuned to match the sensitivity of the human visual system

Note 1 to entry: Sets of transfer functions related to HDR signals are specified in Rec. ITU-R BT.2100-1.

[SOURCE: ISO/IEC TR 23008-15:2018, 3.8, modified – In the definition, "brightness" has been replaced with "luminance".]

3.1.16 signal identification metadata

identifiers describing the properties of an image stream

EXAMPLE Format, resolution, colour space, chroma subsampling, bit-depth, image compression, image transport.

[SOURCE: IEC TR 63274:2021, 3.1.8]

3.1.17 standard dynamic range video SDR video

capability of components in a video pipeline to capture, process, transport or display luminance levels and tone gradations that can be characterized by the dynamic range, colour rendering and tone gradation capabilities essentially compatible with cathode ray tube (CRT) displays

EXAMPLE ITU-R BT.709 /BT.1886 and IEC 61966-2-1 (sRGB).

Note 1 to entry: The luminance range of an SDR image is typically constrained between 0,1 cd/m² to 100 cd/m².

[SOURCE: IEC TR 63274:2021, 3.1.3]

IEC TR 63449:2023 © IEC 2023

3.1.18 television set TV

equipment for the reception and display of television broadcast and similar services for terrestrial, cable, satellite and broadband network transmission of analogue and/or digital signals

- 11 -

Note 1 to entry: A television set can include additional functions that are not required for its primary function.

[SOURCE: IEC 62087-3:2023, 3.1.1]

3.1.19 ultra high definition UHD Ultra HD spatial video resolution above 1 920 × 1 080

[SOURCE: IEC TR 63274:2021, 3.1.7]

3.1.20 wide colour gamut WCG

colour space that covers a larger percentage of visible colours compared to the sRGB/Rec. ITU-R BT.709 colour space

EXAMPLE ITU-R BT.2020 is considered to provide WCG while BT.709 does not.

[SOURCE: IEC TR 63274:2021, 3.1.4]

3.2 Abbreviated terms IEC TR 63449:202

ARC s://standards audio return channel ls/sist/54daa93b-0d40-4b76-83f7-ab70422c90fc/iec-tr-

- ATSC Advanced Television Systems Committee
- BDP Blu-ray[™] disc player¹
- CIE International Commission on Illumination (Commission Internationale de l'Éclairage)
- CLASP non-profit organisation supporting the development and implementation of policies and programs to improve the energy and environmental performance of appliances and equipment we use every day (formally known as Collaborative Labelling and Standards Program)²
- CRT cathode ray tube
- CTA Consumer Technology Association (formerly Consumer Electronics Association)
- DV Dolby Vision^{®3}
- FPS frames per second

Blu-ray™, Blu-ray Disc™ and Ultra HD Blu-ray™ are trademarks of the Blu-ray Disc Association. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

² CLASP, https://www.clasp.ngo/

³ Dolby[®] and Dolby Vision[®] are trademarks of Dolby Laboratories, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.