



IEC 61139-2

Edition 1.0 2022-08

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Industrial networks – Single-drop digital communication interface –  
Part 2: Functional safety extensions

(standards.iteh.ai)

Réseaux industriels – Interface de communication numérique point à point –  
Partie 2: Extensions de sécurité fonctionnelle

<https://standards.iteh.ai/catalog/standards/sist/18436671-141f-44e4-8643-6aafa3af3169/iec-61139-2-2022>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)



IEC 61139-2

Edition 1.0 2022-08

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Industrial networks – Single-drop digital communication interface –  
Part 2: Functional safety extensions

([standards.iteh.ai](https://standards.iteh.ai))

Réseaux industriels – Interface de communication numérique point à point –  
Partie 2: Extensions de sécurité fonctionnelle

<https://standards.iteh.ai/catalog/standards/sist/18436671-141f-44e4-8643-6aafa3af3169/iec-61139-2-2022>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 25.040

ISBN 978-2-8322-3946-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|   |    |
|---|----|
| FOREWORD .....  | 12 |
| INTRODUCTION .....  | 14 |
| 1 Scope .....   | 17 |
| 2 Normative references .....  | 17 |
| 3 Terms, definitions, symbols, abbreviated terms, and conventions .....       | 18 |
| 3.1 Terms and definitions .....   | 18 |
| 3.2 Common terms and definitions .....  | 18 |
| 3.3 Terms and definitions related to SDCI-FS .....                            | 21 |
| 3.4 Symbols and abbreviated terms .....                                       | 23 |
| 3.5 Conventions .....   | 24 |
| 3.5.1 Behavioral descriptions .....   | 24 |
| 3.5.2 Memory and transmission octet order .....                               | 25 |
| 4 Overview of SDCI-FS .....   | 25 |
| 4.1 Purpose of the technology and feature levels .....                        | 25 |
| 4.1.1 Base SDCI-FS technology .....   | 25 |
| 4.1.2 From "analog" and "switching" to communication .....                    | 26 |
| 4.1.3 Minimized paradigm shift from FS-DI to FS-Master .....                  | 27 |
| 4.1.4 Following the SDCI paradigm (SIO vs. OSSDe) .....                       | 28 |
| 4.1.5 Port class B .....  | 30 |
| 4.1.6 "USB-Master" with safety parameterization .....                         | 31 |
| 4.1.7 Interoperability matrix of safety devices .....                         | 31 |
| 4.2 Positioning within the automation hierarchy .....                         | 32 |
| 4.3 Wiring, connectors, and power supply .....                                | 33 |
| 4.4 Relationship to SDCI .....  | 33 |
| 4.5 Communication features and interfaces .....                               | 34 |
| 4.6 Parameterization .....  | 34 |
| 4.7 Role of FS-Master and FS-Gateway .....                                    | 35 |
| 4.8 Mapping to upper-level systems .....                                      | 35 |
| 4.9 Structure of the document .....   | 35 |
| 5 Extensions to the Physical Layer (PL) .....                                 | 35 |
| 5.1 Overview .....  | 35 |
| 5.2 Extensions to PL services .....   | 36 |
| 5.2.1 PL_SetMode .....  | 36 |
| 5.2.2 PL_Ready .....  | 36 |
| 5.3 Transmitter/receiver .....  | 37 |
| 5.3.1 Assumptions for the expansion to OSSDe .....                            | 37 |
| 5.3.2 OSSDe specifics .....   | 37 |
| 5.3.3 Start-up of an FS-Device (Ready pulse) .....                            | 40 |
| 5.3.4 Electric characteristics of a receiver in FS-Device and FS-Master ..... | 41 |
| 5.4 Electric and dynamic characteristics of an FS-Device .....                | 41 |
| 5.5 Electric and dynamic characteristics of an FS-Master port (OSSDe) .....   | 44 |
| 5.6 FS-Master port FS-DI interface .....                                      | 45 |
| 5.7 Wake-up coordination .....  | 45 |
| 5.8 Fast start-up .....   | 46 |
| 5.9 Power supply .....  | 46 |
| 5.10 Medium .....   | 47 |

|        |  |    |
|--------|--|----|
| 5.10.1 | Constraints .....  | 47 |
| 5.10.2 | Connectors .....   | 47 |
| 5.10.3 | Cable characteristics .....                                  | 47 |
| 6      | Extensions to SIO .....                                      | 47 |
| 7      | Extensions to the data link layer (DL) .....                 | 47 |
| 7.1    | Overview .....   | 47 |
| 7.2    | State machine of the FS-Master DL-mode handler .....         | 47 |
| 7.3    | State machine of the FS-Device DL-mode handler .....         | 49 |
| 8      | Extensions to the Master Configuration Manager (CM) .....    | 51 |
| 9      | Extensions of the FS-Device .....                            | 52 |
| 9.1    | Principle architecture and models .....                      | 52 |
| 9.1.1  | FS-Device architecture .....                                 | 52 |
| 9.1.2  | FS-Device model .....  | 53 |
| 9.2    | Parameter Manager (PM) .....                                 | 54 |
| 9.3    | Process Data Exchange (PDE) .....                            | 54 |
| 9.4    | Data Storage (DS) .....                                      | 54 |
| 9.4.1  | General considerations and extensions including safety ..... | 54 |
| 9.4.2  | Backup levels .....  | 55 |
| 10     | Extensions of the FS-Master .....                            | 55 |
| 10.1   | Principle architecture .....                                 | 55 |
| 10.2   | SMI service extensions .....                                 | 56 |
| 10.2.1 | Overview .....   | 56 |
| 10.2.2 | SMI_FSMasterAccess .....                                     | 58 |
| 10.2.3 | SMI_SPDUIn .....   | 60 |
| 10.2.4 | SMI_SPDUOut .....  | 60 |
| 10.2.5 | SMI_FSPDInOut .....  | 60 |
| 10.3   | ArgBlock extensions .....                                    | 62 |
| 10.3.1 | Overview .....   | 62 |
| 10.3.2 | FSMasterAccess .....   | 62 |
| 10.3.3 | FSCPAuthenticity .....                                       | 63 |
| 10.3.4 | FSPortConfigList .....                                       | 63 |
| 10.3.5 | FSPortStatusList .....                                       | 66 |
| 10.3.6 | SPDUIn .....   | 67 |
| 10.3.7 | SPDUOut .....  | 67 |
| 10.3.8 | FSPDInOut .....  | 68 |
| 10.4   | Safety Layer Manager (SLM) .....                             | 69 |
| 10.4.1 | Purpose .....  | 69 |
| 10.4.2 | FS_PortModes .....   | 69 |
| 10.4.3 | FSP parameter .....  | 69 |
| 10.5   | Process Data Exchange (PDE) .....                            | 73 |
| 10.6   | Data Storage (DS) .....                                      | 74 |
| 11     | Safety communication layer (SCL) .....                       | 74 |
| 11.1   | Functional requirements .....                                | 74 |
| 11.2   | Communication errors and safety measures .....               | 74 |
| 11.3   | SCL services .....   | 75 |
| 11.3.1 | Positioning of safety communication layers (SCL) .....       | 75 |
| 11.3.2 | FS-Master SCL services .....                                 | 76 |
| 11.3.3 | FS-Device SCL services .....                                 | 77 |

|   |     |
|---|-----|
| 11.4 SCL protocol .....   | 79  |
| 11.4.1 Protocol phases to consider .....  | 79  |
| 11.4.2 FS-Device faults .....   | 80  |
| 11.4.3 Safety PDU (SPDU) .....  | 80  |
| 11.4.4 FS-Input and FS-Output data .....  | 81  |
| 11.4.5 Port number .....  | 81  |
| 11.4.6 Status and control .....   | 81  |
| 11.4.7 CRC signature .....  | 82  |
| 11.4.8 TADI safety considerations (informative) .....                           | 83  |
| 11.4.9 Data types for SDCI-FS .....   | 84  |
| 11.5 SCL behavior .....   | 85  |
| 11.5.1 General .....  | 85  |
| 11.5.2 SCL state machine of the FS-Master .....                                 | 85  |
| 11.5.3 SCL state machine of the FS-Device .....                                 | 88  |
| 11.5.4 Sequence charts for several use cases .....                              | 91  |
| 11.5.5 Monitoring of safety times .....   | 98  |
| 11.5.6 Reaction in the event of a malfunction .....                             | 99  |
| 11.5.7 Start-up (communication) .....   | 101 |
| 11.6 SCL management .....   | 101 |
| 11.6.1 Parameter overview (FSP and FST) .....                                   | 101 |
| 11.6.2 Parameterization approaches .....  | 103 |
| 11.7 Integrity measures .....   | 104 |
| 11.7.1 IODD integrity .....   | 104 |
| 11.7.2 Tool integrity .....   | 104 |
| 11.7.3 Transmission integrity .....   | 104 |
| 11.7.4 Verification record .....  | 104 |
| 11.7.5 Authentication .....   | 105 |
| 11.7.6 Storage integrity .....  | 105 |
| 11.7.7 FS I/O data structure integrity .....                                    | 106 |
| 11.7.8 Technology parameter (FST) based on IODD .....                           | 106 |
| 11.7.9 Technology parameter (FST) based on existing Dedicated Tool (IOPD) ..... | 107 |
| 11.8 Creation of FSP and FST parameters .....                                   | 108 |
| 11.9 Integration of Dedicated Tools (IOPD) .....                                | 109 |
| 11.9.1 IOPD interface .....   | 109 |
| 11.9.2 Standard interfaces .....  | 109 |
| 11.9.3 Backward channel .....   | 110 |
| 11.10 Validation .....  | 111 |
| 11.11 Passivation .....   | 111 |
| 11.11.1 Motivation and means .....  | 111 |
| 11.11.2 Port selective (FS-Master) .....  | 111 |
| 11.11.3 Signal selective (FS-Terminal) .....                                    | 112 |
| 11.11.4 Qualifier settings in case of communication .....                       | 112 |
| 11.11.5 Qualifier handling in case of OSSDe .....                               | 112 |
| 11.12 SCL diagnosis .....   | 113 |
| 12 Functional safe processing (FS-P) .....                                      | 114 |
| 12.1 Recommendations for efficient I/O mappings .....                           | 114 |
| 12.2 Embedded FS controller .....   | 114 |
| Annex A (normative) Extensions to parameters .....                              | 115 |
| A.1 Indices and parameters for SDCI-FS .....                                    | 115 |

|   |     |
|---|-----|
| A.2 Parameters in detail .....                            | 116 |
| A.2.1 FSP_Authenticity .....                              | 116 |
| A.2.2 FSP_Port .....                                      | 116 |
| A.2.3 FSP_AuthentCRC .....                                | 117 |
| A.2.4 FSP_ProtVersion .....                               | 117 |
| A.2.5 FSP_ProtMode .....                                  | 117 |
| A.2.6 FSP_Watchdog .....                                  | 117 |
| A.2.7 FSP_IO_StructCRC .....                              | 118 |
| A.2.8 FSP_TechParCRC .....                                | 119 |
| A.2.9 FSP_ProtParCRC .....                                | 119 |
| A.2.10 FSP_VerifyRecord .....                             | 119 |
| A.2.11 FSP_TimeToReady .....                              | 119 |
| A.2.12 FSP_MinShutDownTime .....                          | 120 |
| A.2.13 FSP_WCDT .....                                     | 120 |
| A.2.14 FSP_OFDT .....                                     | 120 |
| A.2.15 FSP_ParamDescCRC .....                             | 120 |
| Annex B (normative) Extensions to EventCodes .....        | 121 |
| B.1 Additional FS-Device EventCodes .....                 | 121 |
| B.2 Additional Port EventCodes .....                      | 121 |
| Annex C (normative) Extensions to Data Types .....        | 123 |
| C.1 Data types for SDCI-FS .....                          | 123 |
| C.2 BooleanT (bit) .....                                  | 123 |
| C.3 IntegerT (16) .....                                   | 124 |
| C.4 IntegerT (32) .....                                   | 124 |
| C.5 Safety Code .....                                     | 125 |
| Annex D (normative) CRC generator polynomials .....       | 126 |
| D.1 Overview of CRC generator polynomials .....           | 126 |
| D.2 Residual error probabilities .....                    | 126 |
| D.3 Implementation considerations .....                   | 128 |
| D.3.1 Overview .....                                      | 128 |
| D.3.2 Bit shift algorithm (16 bit) .....                  | 128 |
| D.3.3 Lookup table (16 bit) .....                         | 128 |
| D.3.4 Bit shift algorithm (32 bit) .....                  | 130 |
| D.3.5 Lookup table (32 bit) .....                         | 130 |
| D.3.6 Seed values .....                                   | 131 |
| D.3.7 Octet order for CRC calculation .....               | 132 |
| Annex E (normative) IODD extensions .....                 | 133 |
| E.1 General .....   | 133 |
| E.2 Schema .....  | 133 |
| E.3 IODD constraints .....                                | 133 |
| E.3.1 General rules .....                                 | 133 |
| E.3.2 Description of the IODD structure .....             | 133 |
| E.3.3 Behavior of "Reset" SystemCommands in SDCI-FS ..... | 140 |
| E.3.4 Profile Characteristic .....                        | 141 |
| E.3.5 ProcessDataInput and ProcessDataOutput .....        | 141 |
| E.4 IODD conventions .....                                | 141 |
| E.4.1 Naming .....  | 141 |
| E.4.2 Process Data (PD) .....                             | 141 |

|  |   |     |
|--|---|-----|
| E.4.3  | IODD conventions for user interface .....                   | 142 |
| E.4.4  | Master Tool features.....                                   | 142 |
| E.5  | Securing .....  | 142 |
| E.5.1  | General .....   | 142 |
| E.5.2  | DefaultValues for FSP .....                                 | 143 |
| E.5.3  | FSP_Authenticity .....                                      | 143 |
| E.5.4  | FSP_Protocol .....  | 143 |
| E.5.5  | FSP_IO_Description .....                                    | 144 |
| E.5.6  | Sample serialization for FSP_ParamDescCRC .....             | 144 |
| E.5.7  | FST and FSP parameters and Data Storage .....               | 145 |
| E.5.8  | Sample IODD of an FS-Device.....                            | 145 |
| Annex F (normative) Device Tool Interface (DTI) for SDCL ..... |   | 156 |
| F.1  | Purpose of DTI.....   | 156 |
| F.2  | Base model.....   | 156 |
| F.3  | Invocation interface.....                                   | 157 |
| F.3.1  | Overview .....  | 157 |
| F.3.2  | Detection of Device Tool.....                               | 158 |
| F.3.3  | Program Interface Description – PID.....                    | 161 |
| F.3.4  | Temporary Parameter File – TPF .....                        | 164 |
| F.3.5  | Temporary Backchannel File – TBF .....                      | 169 |
| F.3.6  | Temporary Acknowledgment File – TAF .....                   | 171 |
| F.3.7  | Invocation behavior .....                                   | 171 |
| F.4  | Device data objects (DDO).....                              | 172 |
| F.4.1  | General .....   | 172 |
| F.4.2  | Structure of DDO package .....                              | 173 |
| F.5  | Communication Interface.....                                | 173 |
| F.5.1  | General .....   | 173 |
| F.5.2  | Principle of DTI communications.....                        | 174 |
| F.5.3  | Gateways .....  | 175 |
| F.5.4  | Configuration of the Communication Server .....             | 175 |
| F.5.5  | Definition of the Communication Interface.....              | 176 |
| F.5.6  | Sequence for establishing a communication relation .....    | 176 |
| F.5.7  | Usage of the Communication Server in stand-alone mode ..... | 177 |
| F.5.8  | SDCL specifics .....  | 178 |
| F.5.9  | Changing communication settings.....                        | 178 |
| F.6  | Reaction on incorrect Tool behavior .....                   | 179 |
| F.7  | Compatibility .....   | 179 |
| F.7.1  | Schema validation .....                                     | 179 |
| F.7.2  | Version policy .....  | 180 |
| F.8  | Scalability .....   | 180 |
| F.8.1  | Scalability of a Device Tool.....                           | 180 |
| F.8.2  | Scalability of a Master Tool.....                           | 181 |
| F.8.3  | Interactions at conformance class combinations .....        | 181 |
| F.9  | Schema definitions.....                                     | 181 |
| F.9.1  | General .....   | 181 |
| F.9.2  | Schema of the PID.....                                      | 181 |
| F.9.3  | Schema of the TPF .....                                     | 183 |
| F.9.4  | Schema of the TBF .....                                     | 185 |
| F.9.5  | Schema of the TAF .....                                     | 186 |

|                       |   |     |
|-----------------------|---|-----|
| F.9.6                 | Schema of DTI primitives .....                                  | 187 |
| Annex G (normative)   | Main scenarios of SDCI-FS .....                                 | 189 |
| G.1                   | Overview .....  | 189 |
| G.2                   | Sequence chart of commissioning .....                           | 190 |
| G.3                   | Sequence chart of replacement .....                             | 191 |
| G.4                   | Sequence chart of misconnection .....                           | 192 |
| Annex H (normative)   | System requirements .....                                       | 193 |
| H.1                   | Indicators .....  | 193 |
| H.1.1                 | General .....   | 193 |
| H.1.2                 | OSSDe .....   | 193 |
| H.1.3                 | Safety communication .....                                      | 193 |
| H.1.4                 | Acknowledgment request .....                                    | 193 |
| H.2                   | Installation guidelines, electrical safety, and security .....  | 193 |
| H.3                   | Safety function response time .....                             | 194 |
| H.4                   | Duration of demands .....                                       | 194 |
| H.5                   | Maintenance and repair .....                                    | 194 |
| H.6                   | Safety manual .....   | 194 |
| Annex I (informative) | Information for test and assessment of SDCI-FS components ..... | 195 |
| Bibliography          | .....   | 196 |

|  |    |
|--|----|
| Figure 1 – Positioning of SDCI-FS in functional safety automation .....      | 14 |
| Figure 2 – Relationship of this document to standards .....                  | 16 |
| Figure 3 – Memory and transmission octet order .....                         | 25 |
| Figure 4 – SDCI-FS communication layer model .....                           | 25 |
| Figure 5 – Port interface extensions for SDCI-FS .....                       | 26 |
| Figure 6 – Migration to SDCI-FS .....  | 27 |
| Figure 7 – Minimized paradigm shift from FS-DI to FS-Master .....            | 28 |
| Figure 8 – FS-Master types and feature levels .....                          | 28 |
| Figure 9 – Original pin layout of SDCI (port class A) .....                  | 29 |
| Figure 10 – Optimized OSSDe commissioning with FS-Master .....               | 30 |
| Figure 11 – Level "d" of an FS-Master (Class B) .....                        | 31 |
| Figure 12 – Off-site configuration and parameterization .....                | 31 |
| Figure 13 – SDCI-FS within the automation hierarchy .....                    | 33 |
| Figure 14 – The SDCI physical layer of an FS-Master (class A) .....          | 36 |
| Figure 15 – The physical layer of an FS-Device (class A) .....               | 36 |
| Figure 16 – Cross compatibility OSSD and OSSDe .....                         | 37 |
| Figure 17 – Principle OSSDe function .....                                   | 38 |
| Figure 18 – Test pulses to detect cross connection faults .....              | 39 |
| Figure 19 – OSSD timings .....   | 40 |
| Figure 20 – Typical start-up of an OSSD sensor .....                         | 40 |
| Figure 21 – Start-up of an FS-Device .....                                   | 40 |
| Figure 22 – Switching thresholds for FS-Device and FS-Master receivers ..... | 41 |
| Figure 23 – Reference schematics (one OSSDe channel) .....                   | 42 |
| Figure 24 – Voltage level definitions .....                                  | 42 |
| Figure 25 – Charge capability at power-up .....                              | 45 |

|   |     |
|---|-----|
| Figure 26 – OSSDe input filter conflict resolution .....                      | 45  |
| Figure 27 – Start-up of an FS-Device .....                                    | 46  |
| Figure 28 – Required fast start-up timings .....                              | 46  |
| Figure 29 – State machine of the FS-Master DL-mode handler .....              | 48  |
| Figure 30 – State machine of the FS-Device DL-mode handler .....              | 50  |
| Figure 31 – Extension to the Configuration Manager (VerifyRecord) .....       | 51  |
| Figure 32 – Principle architecture of the FS-Device .....                     | 53  |
| Figure 33 – The FS-Device model .....   | 54  |
| Figure 34 – Principle architecture of the FS-Master .....                     | 56  |
| Figure 35 – SMI service extensions .....                                      | 58  |
| Figure 36 – FSP parameter use cases .....                                     | 70  |
| Figure 37 – PDE Splitter .....  | 73  |
| Figure 38 – PDE Composer .....  | 74  |
| Figure 39 – Positioning of the SDCI-FS Safety Communication Layer (SCL) ..... | 76  |
| Figure 40 – FS-Master Safety Communication Layer services .....               | 76  |
| Figure 41 – FS-Device Safety Communication Layer services .....               | 78  |
| Figure 42 – Protocol phases to consider .....                                 | 79  |
| Figure 43 – Safety PDUs of FS-Master and FS-Device .....                      | 80  |
| Figure 44 – The 1 % share rule of IEC 61784-3:2021 .....                      | 83  |
| Figure 45 – SCL state machine of the FS-Master .....                          | 86  |
| Figure 46 – SCL state machine of the FS-Device .....                          | 89  |
| Figure 47 – FS-Master and FS-Device both with power ON .....                  | 92  |
| Figure 48 – FS-Master power OFF → ON .....                                    | 93  |
| Figure 49 – FS-Device with delayed SCL start .....                            | 94  |
| Figure 50 – FS-Device with power OFF and ON .....                             | 95  |
| Figure 51 – FS-Master detects CRC signature error .....                       | 96  |
| Figure 52 – FS-Device detects CRC signature error .....                       | 97  |
| Figure 53 – Monitoring of the SCL cycle time .....                            | 98  |
| Figure 54 – Parameter types and assignments .....                             | 102 |
| Figure 55 – FSCP-Host-centric system .....                                    | 103 |
| Figure 56 – Structure of the FSP_VerifyRecord .....                           | 105 |
| Figure 57 – Start-up of SDCI-FS .....   | 106 |
| Figure 58 – Securing of FST parameters via dedicated tool .....               | 107 |
| Figure 59 – Modification of FST parameters via Device Tool .....              | 108 |
| Figure 60 – Creation of FSP and FST parameters .....                          | 109 |
| Figure 61 – Example of a communication hierarchy .....                        | 110 |
| Figure 62 – Motivation for Port selective passivation .....                   | 111 |
| Figure 63 – Qualifier handler (communication) .....                           | 112 |
| Figure 64 – Qualifier handler (OSSDe) .....                                   | 112 |
| Figure 65 – Qualifier behavior per FS-Master port .....                       | 113 |
| Figure 66 – Mapping efficiency issues .....                                   | 114 |
| Figure A.1 – Instance of an FS I/O data description .....                     | 118 |
| Figure A.2 – Example FS I/O data structure with non-safety data .....         | 119 |

|   |     |
|---|-----|
| Figure A.3 – Securing of safety parameters .....                                | 120 |
| Figure C.1 – Example of a BooleanT data structure .....                         | 124 |
| Figure C.2 – Safety Code of an output message .....                             | 125 |
| Figure C.3 – Safety Code of an input message .....                              | 125 |
| Figure D.1 – CRC-16 generator polynomial.....                                   | 127 |
| Figure D.2 – CRC-32 generator polynomial.....                                   | 127 |
| Figure D.3 – Bit shift algorithm in "C" language (16 bit).....                  | 128 |
| Figure D.4 – CRC-16 signature calculation using a lookup table .....            | 128 |
| Figure D.5 – Bit shift algorithm in "C" language (32 bit).....                  | 130 |
| Figure D.6 – CRC-32 signature calculation using a lookup table .....            | 130 |
| Figure E.1 – Algorithm to build the FSP parameter CRC signatures .....          | 143 |
| Figure F.1 – Principle of DTI invocation interface .....                        | 157 |
| Figure F.2 – Structure of the registry .....                                    | 158 |
| Figure F.3 – Example of a DTI registry.....                                     | 159 |
| Figure F.4 – Detection of a Device tool in registry .....                       | 161 |
| Figure F.5 – Menu for Device Tool invocation .....                              | 162 |
| Figure F.6 – Purpose of Device data objects (DDO).....                          | 173 |
| Figure F.7 – Communication routes between Device Tool and Device.....           | 174 |
| Figure F.8 – Routing across networks and SDCl .....                             | 174 |
| Figure F.9 – Communication Server .....   | 175 |
| Figure F.10 – Sequence chart for establishing communication .....               | 176 |
| Figure F.11 – Create Communication Server instance.....                         | 177 |
| Figure F.12 – Example of a Connect Request XML document for SDCl.....           | 178 |
| Figure F.13 – XML schema of the PID file.....                                   | 181 |
| Figure F.14 – XML schema of the TPF .....                                       | 183 |
| Figure F.15 – XML schema of a TBF.....  | 185 |
| Figure G.1 – Commissioning with test and armed operation .....                  | 191 |
| Figure G.2 – FS-Device replacement .....  | 192 |
| Figure G.3 – FS-Device misconnection .....                                      | 192 |
| <br>Table 1 – Operational modes of feature level "a" to "c" (port class A)..... | 30  |
| Table 2 – Interoperability matrix of safety devices.....                        | 32  |
| Table 3 – PL_Ready .....  | 36  |
| Table 4 – OSSD states and conditions .....                                      | 38  |
| Table 5 – Cross connection faults .....   | 39  |
| Table 6 – Electric characteristics of a receiver .....                          | 41  |
| Table 7 – Electric and dynamic characteristics of the FS-Device (OSSDe).....    | 43  |
| Table 8 – Electric and dynamic characteristics of the Port interface .....      | 44  |
| Table 9 – Cable characteristics .....   | 47  |
| Table 10 – State transition tables of the FS-Master DL-mode handler .....       | 49  |
| Table 11 – State transition tables of the FS-Device DL-mode handler .....       | 50  |
| Table 12 – State transition tables of the Configuration Manager .....           | 52  |
| Table 13 – Extension to Data Storage (DS) state machine .....                   | 55  |

|  |     |
|--|-----|
| Table 14 – Data Storage Backup Levels .....                                    | 55  |
| Table 15 – SMI services used for FS-Master.....                                | 57  |
| Table 16 – SMI_FSMasterAccess .....  | 59  |
| Table 17 – SMI_FSPDInOut.....  | 61  |
| Table 18 – ArgBlock types and ArgBlockIDs .....                                | 62  |
| Table 19 – FSMasterAccess .....  | 63  |
| Table 20 – FSCPAuthenticity .....  | 63  |
| Table 21 – FSPortConfigList .....  | 64  |
| Table 22 – FSPortStatusList .....  | 66  |
| Table 23 – SPDUIIn .....   | 67  |
| Table 24 – SPDUOut .....   | 68  |
| Table 25 – FSPDInOut.....  | 68  |
| Table 26 – Use case reference table.....                                       | 70  |
| Table 27 – Communication errors and safety measures .....                      | 75  |
| Table 28 – SCL services of FS-Master .....                                     | 77  |
| Table 29 – SCL services of FS-Device .....                                     | 78  |
| Table 30 – Protocol phases to consider .....                                   | 80  |
| Table 31 – Control and counting (Control&MCnt).....                            | 81  |
| Table 32 – Status and counting mirror (Status&DCnt) .....                      | 81  |
| Table 33 – MCount and DCount_i values .....                                    | 82  |
| Table 34 – FS process I/O data types .....                                     | 84  |
| Table 35 – Rules for the layout of values and qualifiers .....                 | 84  |
| Table 36 – Order of values and qualifier .....                                 | 85  |
| Table 37 – Definition of terms used in SCL state machine of the FS-Master..... | 86  |
| Table 38 – FS-Master SCL states and transitions .....                          | 87  |
| Table 39 – Definition of terms used in SCL state machine of the FS-Device..... | 89  |
| Table 40 – FS-Device SCL states and transitions .....                          | 90  |
| Table 41 – Timing constraints .....  | 98  |
| Table 42 – Qualifier bits "GOOD/BAD" .....                                     | 112 |
| Table 43 – State transition Table for the qualifier behavior.....              | 113 |
| Table A.1 – Indices for SDI-FS .....   | 115 |
| Table A.2 – Coding of protocol version .....                                   | 117 |
| Table A.3 – Coding of protocol mode .....                                      | 117 |
| Table A.4 – Generic FS I/O data structure description.....                     | 118 |
| Table B.1 – FS-Device SCL specific EventCodes.....                             | 121 |
| Table B.2 – FS-Master SCL specific EventCodes.....                             | 122 |
| Table C.1 – Data types for SDI-FS .....  | 123 |
| Table C.2 – BooleanT for SDI-FS .....  | 123 |
| Table C.3 – Example of BooleanT within a RecordT.....                          | 123 |
| Table C.4 – IntegerT(16).....  | 124 |
| Table C.5 – IntegerT(16) coding .....  | 124 |
| Table C.6 – IntegerT(32).....  | 125 |
| Table C.7 – IntegerT(32) coding .....  | 125 |

|  |     |
|--|-----|
| Table D.1 – CRC generator polynomials for SDCI-FS .....                                | 126 |
| Table D.2 – Definition of variables used in Figure D.3.....                            | 128 |
| Table D.3 – Definition of variables used in Figure D.4.....                            | 129 |
| Table D.4 – Lookup Table for CRC-16 signature calculation .....                        | 129 |
| Table D.5 – Definition of variables used in Figure D.5.....                            | 130 |
| Table D.6 – Definition of variables used in Figure D.4.....                            | 130 |
| Table D.7 – Lookup Table for CRC-32 signature calculation .....                        | 131 |
| Table E.1 – Specific behavior of FS-Device "Reset" SystemCommands .....                | 141 |
| Table E.2 – User actions to replace DefaultValues.....                                 | 143 |
| Table E.3 – RecordItems of FSP_Protocol where allowed values shall be serialized ..... | 144 |
| Table E.4 – Sample serialization for FSP_ParamDescCRC.....                             | 144 |
| Table F.1 – Description of PID file elements .....                                     | 162 |
| Table F.2 – Elements of a TPF .....  | 165 |
| Table F.3 – Elements of the TBF.....   | 170 |
| Table F.4 – Elements of the TAF.....   | 171 |
| Table F.5 – Invocation cases and behaviors .....                                       | 172 |
| Table F.6 – Communication Schema mapping .....   | 178 |
| Table F.7 – Reaction on incorrect Tool behavior .....                                  | 179 |
| Table F.8 – DTI conformance classes .....  | 180 |
| Table F.9 – DTI feature levels of Device Tools.....                                    | 180 |
| Table F.10 – Interactions at conformance class combinations .....                      | 181 |
| Table G.1 – Main scenarios of SDCI-FS.....   | 189 |

<https://standards.iteh.ai/catalog/standards/sist/18436671-141f-44e4-8643-6aafa3af3169/iec-61139-2-2022>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**INDUSTRIAL NETWORKS –  
SINGLE-DROP DIGITAL COMMUNICATION INTERFACE –****Part 2: Functional safety extensions****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61139-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee TC65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft         | Report on voting |
|---------------|------------------|
| 65C/1168/FDIS | 65C/1174/RVD     |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

A list of all parts in the IEC 61139 series, published under the general title *Industrial networks – Single-drop digital communication interface*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## The STANDARD PREVIEW ([standards.iteh.ai](http://standards.iteh.ai))

[IEC 61139-2:2022](http://IEC 61139-2:2022)

<https://standards.iteh.ai/catalog/standards/sist/18436671-141f-44e4-8643-6aafa3af3169/iec-61139-2-2022>