



Edition 2.0 2021-09 REDLINE VERSION

# INTERNATIONAL STANDARD



# Piezoelectric sensors – iTeh Standards Part 1: Generic specifications Document Preview

IEC 63041-1:2021

https://standards.iteh.ai/catalog/standards/iec/017ad52a-b71d-4d62-a988-365257399637/iec-63041-1-2021





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Central Office** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.







Edition 2.0 2021-09 REDLINE VERSION

# INTERNATIONAL STANDARD



## Piezoelectric sensors – iTeh Standards Part 1: Generic specifications (https://standards.iteh.ai) Document Preview

IEC 63041-1:2021

https://standards.iteh.ai/catalog/standards/iec/017ad52a-b71d-4d62-a988-365257399637/iec-63041-1-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.140

ISBN 978-2-8322-5486-8

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

F	OREW	ORD	5
1	Sco	ре	7
2	Nor	mative references	7
3	Teri	ms and definitions	7
	3.1	Piezoelectric sensors	8
	3.2	Types of chemical sensors	9
	3.3	Types of physical sensors	9
	3.4	Types of sensor modules	10
	3.5	Types of sensor systems	10
4	Syn	nbols of sensor elements	10
	4.1	General	10
	4.2	Symbol for sensor elements of BAW resonator type	10
	4.3	Symbol for sensor elements of SAW resonator type	11
	4.4	Symbol for sensor elements of SAW delay-line type	11
	4.5	Symbol for sensor elements of non-acoustic type	12
	4.6	Symbol for wireless SAW sensor element	12
	4.7	Symbols	14
5	Spe	cifications	14
	5.1	Sensor elements	14
	5.1.	1 General	14
	5.1.	2 Sensor elements of resonator and delay-line types	14
	5.1.	3 Sensor elements of non-acoustic type	15
	5.2	Frequency ranges	15
	5.3	Level of drive or input powerEC.630411.2021	15
	5.4 ar	Unwanted response	37/iec-63041- <b>15</b> 2021
	5.5	Analysis of measurements	
	5.6	Enclosure	
	5.7	Performance confirmation	
	5.8	Long-term and short-term stabilities	
6	5.9	I ransmission power	
0	iviea 5		
1	Deli	very conditions	
	7.1	Marking	
	7.2	Wrapping	
	7.3	Packaging	
8	Qua	ality and reliability	17
	8.1	Reuse	
	8.2	Validity of release	
	8.3	l est procedures	
	8.4	Screening requirements	
~	8.5 -	Unchecked parameters	
9	les	t and measurement procedures	17
	9.1	General	
	9.1.	1 Classification of tests Test classification	
	9.1.	2 Shipping test	17

9.1.3	Mechanical and environmental test	18
9.2 Te	st and measurement conditions	18
9.2.1	Standard conditions for testing	18
9.2.2	Equilibrium state	18
9.2.3	Power supply	18
9.2.4	Alternative test system	19
9.2.5	Visual inspection	19
9.3 Te	st conditions for shipment	19
9.3.1	Temperature dependence of frequency, phase, insertion loss/gain, motional resistance, and electric charge / voltage	19
9.3.2	Unwanted response	
9.3.3	Shunt capacitance	
9.3.4	Insulation resistance	20
Annex A (nor	mative) Measurement methods	
	neral	21
A.1 00	asurement methods using reflection and transmission characteristics	21 21
A 3 Me	asurement methods using reneetion and transmission endractemetics	22
A 4 Me	asurement method of non-acoustic type sensor elements and cells	23
A 5 Otl	per measurement methods	23
Annex B (nor	mative) Detection methods	24
B 1 Ge	neral iTeh Standards	24
B 2 De	tection methods	24 24
B.2 DC	Frequency difference measurement	24 24
B 2 2	Insertion loss/gain measurement	25
B 2 3	Phase difference measurement	26
B 2 4	Other detection methods	20 26
Annex C (nor	mative) Wireless SAW sensor	20
s://stCa1ardsGe	neralatalog/standards/jec/017ad52a-b71d-4d62-a988-365257399637/jec-636	)4.1 <b>-27</b> 202
C.2 De	tection methods	
C.2.1	General	
C.2.2	Conceptual diagrams of wireless SAW resonator type sensor system	27
C.2.3	Conceptual diagrams of wireless SAW reflective delay-line type sensor	27
C 2 4	Key points of detection mechanism	27 28
C 2 5	Technical documents	20 28
Bibliography		20
bibliography.		29
Figure 1 – Co	onceptual diagrams for sensor elements of BAW resonator type	11
Figure 2 – Sy	mbol for sensor elements of BAW resonator type	11
Figure 3 – Co	onceptual diagram of sensor elements of SAW resonator type	11
Figure 4 – Sy	mbol for sensor elements of SAW resonator type	11
Figure 5 – Co	onceptual diagram for sensor elements of SAW delay-line type	12
Figure 6 – Sv	mbol for sensor elements of SAW delay-line type	12
Figure $7 - Cc$	incentual diagrams for sensor elements of non-acoustic type	12
	mbol for concor elements of non-accustic type	10
	mbor for sensor elements of non-acoustic type	12
Figure 9 – Co resonator typ	e	13
Figure 10 – S	Symbol for basic sensor elements of wireless SAW resonator type	13

- 4 - IEC 63041-1:2021 RLV © IEC 2021

Figure 11 – Conceptual diagram for basic sensor elements of wireless SAW reflective delay-line type	13
Figure 12 – Symbol for basic sensor elements of wireless SAW reflective delay-line type	13
Figure A.1 – Measurement method using reflection characteristics of BAW resonator type sensor elements and cells	21
Figure A.2 – Measurement method using reflection characteristics of SAW resonator type sensor elements and cells	21
Figure A.3 – Measurement method using transmission characteristics of SAW delay- line type sensor elements and cells	22
Figure A.4 – Measurement method using oscillation circuit consisting of BAW resonator type sensor elements and cells	22
Figure A.5 – Measurement method using oscillation circuit consisting of SAW resonator type sensor elements and cells	22
Figure A.6 – Measurement method using oscillation circuit consisting of SAW delay- line type sensor elements and cells	23
Figure A.7 – Measurement method using amplifier consisting of non-acoustic type sensor elements and cells	23
Figure B.1 – Measurement of frequency difference using two oscillation circuits	24
Figure B.2 – Measurement of frequency difference using an oscillation circuit and frequency synthesizer	25
Figure B.3 – Conceptual diagram of piezoelectric dual mode sensor module	25
Figure B.4 – Measurement of insertion loss/gain difference using two oscillation circuits	26
Figure B.5 – Measurement of phase difference using signal generator and phase detector	26
Figure C.1 – Fundamental measurement system of wireless SAW resonator type sensor	27
Figure C.2 – Fundamental measurement system of wireless SAW reflective delay-line <sup>304</sup> type sensor	1-1-2 28

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### PIEZOELECTRIC SENSORS -

### Part 1: Generic specifications

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or 102

- ps/s members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
  - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
  - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 63041-1:2017. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 63041-1 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection. It is an International Standard.

This second edition cancels and replaces the first edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the new terms "piezoelectric sensor system" and "wireless SAW sensor system" and their definitions have been added;
- b) new types of sensor modules and sensor system have been added;
- c) some symbols of sensor elements are added in Clause 4;
- d) a new Figure B.3 has been added in Annex B;
- e) Annex C has been added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
49/1357/CDV	49/1364/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main\_document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 63041 series, published under the general title *Piezoelectric sensors*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### PIEZOELECTRIC SENSORS -

### Part 1: Generic specifications

### 1 Scope

This part of IEC 63041 applies to piezoelectric sensors of resonator, delay-line and nonacoustic types, which are used in physical and engineering sciences, chemistry and biochemistry, medical and environmental sciences, etc.

The purpose of this document is to specify the terms and definitions for piezoelectric sensors, and to make sure from a technological perspective that users understand the state-of-art piezoelectric sensors and how to use them correctly.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60050-561:2014, International Electrotechnical Vocabulary – Part 561: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection

### IEC 63041-1:2021

IEC 60122-2-1, Quartz crystal units for frequency control and selection – Part 2: Guide to the use of quartz crystal units for frequency control and selection – Section One: Quartz <del>crystal</del> units crystals for microprocessor clock supply

IEC 60444-9, Measurement of quartz crystal unit parameters – Part 9: Measurement of spurious resonances of piezoelectric crystal units

IEC 60617, Graphical symbols for diagrams, available at https://std.iec.ch/iec60617

IEC 63041-3:2020, Piezoelectric sensors – Part 3: Physical sensors

ISO 2859-1:1999, Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection

ISO 80000-1:2009, Quantities and units – Part 1: General

### 3 Terms and definitions

### 3.1 General

For the purposes of this document, the terms and definitions given in IEC 60027, IEC 60050-561, IEC 60617, ISO 80000-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

Units, letter symbols and terminology shall, wherever possible, be taken from the following standards: IEC 60027, IEC 60050-561, IEC 60617, and ISO 80000-1.

NOTE Piezoelectric sensors covered herein are those used for the detection and measurement of physical quantities, chemical substances or biological molecules.

### 3.1 Piezoelectric sensors

### 3.1.1

### piezoelectric sensor element

electronic component which is able to detect physical quantities as a change in its frequency, phase, delay, electrical charge, resistance, Q-value, bandwidth, etc.

Note 1 to entry: For chemical and biochemical sensor applications, the piezoelectric sensor element includes a sensitive or receptive layer (target recognition material).

### 3.1.2

### resonator type sensor element

piezoelectric sensor component using acoustic resonances

### 3.1.3

### delay-line type sensor element

piezoelectric sensor component using a delay-line of surface acoustic wave (SAW)-delay-line of transversal filter type

**Document Preview** 

### 3.1.4

### non-acoustic type sensor element

piezoelectric sensor component using the electrical charge induced by a quasi-static force, torque or the like

Note 1 to entry: Here, the term, "non-acoustic", represents "quasi-static piezoelectric". Accordingly, the (piezoelectric) non-acoustic type sensor element means a sensor element using the quasi-static piezoelectric effect.

### 3.1.5

### piezoelectric sensor cell

sensor element equipped with necessary mechanical accessories and attachments to correctly detect the parameters to be measured

### 3.1.6

### piezoelectric sensor module

sensor element or cell equipped with electronic accessories for interfacing to external data acquisitions

### 3.1.7

### piezoelectric sensor system

organized system including detection, amplification of detected value, communication with other equipment and analysis of detected value

Note 1 to entry: Here, these functions cooperate mutually.

### 3.1.8

### piezoelectric sensor

generic term that includes a sensor element, cell, module and system

### 3.1.9 QCM quartz crystal microbalance one of the families of chemical and biochemical sensors using crystal resonators

Note 1 to entry: A thickness share shear mode (TSM) sensor is identical with a QCM.

### 3.2 Types of chemical sensors

### 3.2.1

### piezoelectric chemical sensor element

piezoelectric sensor component including a sensitive layer (target recognition material), which is necessary for the practical measurement of simple non-biological molecules in quantity, and which works and detects chemical substances mainly in the gas phase

Note 1 to entry: A gas sensor element is one of the chemical sensor elements.

### 3.2.2

### piezoelectric biochemical sensor element

piezoelectric sensor component including a receptive layer (target recognition material), which is necessary for the practical measurement of complex biological molecules in quantity, and which works mainly in aqueous media and detects biomolecules therein

### 3.3 Types of physical sensors

### 3.3.1

### piezoelectric force sensor element

piezoelectric sensor component whose resonance frequency, delay or electrical charge/voltage is used for force measurement 3.1/ Stantual

## 3.3.2

### piezoelectric pressure sensor element

piezoelectric sensor component whose resonance frequency, delay or electrical charge/voltage is used for pressure measurement

3.3.3

### piezoelectric torque sensor element

piezoelectric sensor component whose resonance frequency, delay or electrical charge/voltage is used for torgue measurement

### 3.3.4

### piezoelectric viscosity sensor element

piezoelectric sensor component whose resonance frequency, delay or insertion loss/gain is used for viscosity measurement

### 3.3.5

### piezoelectric temperature sensor element

piezoelectric sensor component whose resonance frequency or delay is used for temperature measurement

### 3.3.6

### piezoelectric film-thickness sensor element

piezoelectric sensor component whose resonance frequency is used for film-thickness measurement

### 3.4 Types of sensor modules

### 3.4.1

### wireless SAW sensor module

piezoelectric sensor element or cell equipped with an antenna for wirelessly connecting with interrogation unit

Note 1 to entry: Here, the resonator and delay line type elements of the SAW are used for the piezoelectric sensor element or cell.

### 3.4.2

### dual mode sensor module

dual mode sensor element or cell equipped with circuit units for temperature compensation and electronic accessories for interfacing to external data acquisitions

Note 1 to entry: Dual mode sensor is a piezoelectric sensor which is able to detect physical quantities from a change in resonance frequencies of two independent modes on a single piezoelectric plate (see IEC 63041-3:2020, 3.1.5).

### 3.5 Types of sensor systems

### 3.5.1

### wireless SAW sensor system

generic term that includes wireless SAW sensors and reader unit for sending and receiving RF signals

SEE: Annex C.

## **iTeh Standards**

### 3.5.2

### dual mode sensor system ps://standards.iteh.ai)

generic term that includes dual mode quartz crystal sensor modules, electric device, PC, memory, wired or wireless devices, software, etc.

### 4 Symbols of sensor elements

### <u>EC 63041-1:2021</u>

https://jand Generalai/catalog/standards/iec/017ad52a-b71d-4d62-a988-365257399637/iec-63041-1-2021

Figures 1 to 6 show the conceptual diagrams and defined symbols for sensor elements of bulk acoustic wave (BAW) resonator, SAW resonator and SAW delay-line types. The symbols are essentially the same as those given in IEC 60122-1, IEC 61019-1 and IEC 60862-1.

Figure 7 and Figure 8 show the conceptual diagram and defined symbol for sensor elements of non-acoustic type.

Figures 9 to 12 show the conceptual diagram and defined symbol for sensor elements of wireless SAW resonator and SAW delay-line types. This is shown in Annex C.

NOTE 1 The diagonal line in Figure 2, Figure 4, Figure 6, Figure 8, Figure 10 and Figure 12 shows an emblem expressing changes in objects to be measured.

NOTE 2 For letter symbols (see 4.7) showing the types of sensors, these symbols are put should be defined in the circle at the upper right corner of Figure 2, Figure 4, Figure 6, Figure 8, Figure 10 and Figure 12, and for each sensor application.

### 4.2 Symbol for sensor elements of BAW resonator type

Figure 1 shows the conceptual diagrams for sensor elements of BAW resonator type from which a mounting portion is omitted. Figure 2 shows the symbol for sensor elements of BAW resonator type.



### Figure 1 – Conceptual diagrams for sensor elements of BAW resonator type

NOTE Figure 1 shows examples of disk type and tuning fork type sensor elements.



### Figure 2 – Symbol for sensor elements of BAW resonator type

### 4.3 Symbol for sensor elements of SAW resonator type

Figure 3 and Figure 4 show, respectively, the conceptual diagram and symbol for sensor elements of SAW resonator type.



### Figure 3 – Conceptual diagram of sensor elements of SAW resonator type



### Figure 4 – Symbol for sensor elements of SAW resonator type

### 4.4 Symbol for sensor elements of SAW delay-line type

Figure 5 and Figure 6 show, respectively, the conceptual diagram and symbol for sensor elements of SAW delay-line type.



Figure 5 – Conceptual diagram for sensor elements of SAW delay-line type



### Figure 6 – Symbol for sensor elements of SAW delay-line type

### 4.5 Symbol for sensor elements of non-acoustic type

Figure 7 shows the conceptual diagrams for sensor elements of non-acoustic type from which a mounting portion is omitted. Figure 8 shows the symbol for sensor elements of non-acoustic type.



Figure 7 – Conceptual diagrams for sensor elements of non-acoustic type

![](_page_13_Figure_9.jpeg)

### Figure 8 – Symbol for sensor elements of non-acoustic type

### 4.6 Symbol for wireless SAW sensor element

Figures 9 to 12 show, respectively, the conceptual diagram and symbol for sensor elements of wireless SAW resonator and delay-line type.