

Edition 3.0 2021-03

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-10: Tests – Crush and load resistance

Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures <del>-</del> 1300-2-10-2021 Partie 2-10: Essais – Résistance à la compression et à la charge





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once or a month by email.

https://standards.itch.ai/catalog/standards.itch.ai/c

#### IEC Customer Service Centre - webstore.iec.ch/csc7e7f/iec-6

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the international Electrotechnical Vocabulary (IEV) online

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

#### webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 3.0 2021-03

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures standards.iteh.ai)
Part 2-10: Tests – Crush and load resistance

IEC 61300-2-10:2021

Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mésures 4300-2-10-2021

Partie 2-10: Essais – Résistance à la compression et à la charge

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.180.20 ISBN 978-2-8322-9507-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FOREV	VORD	3
1 Sc	ope	5
2 No	ormative references	5
3 Te	erms and definitions	5
4 Ge	eneral description	6
5 Ap	pparatus	6
5.1	General	6
5.2	Plate or ground	
5.3	Pad	6
5.4	Force generator	6
5.5	Gauge	6
5.6	Temperature chamber	6
6 Pr	ocedure	10
6.1	DUT preparation	10
6.2	Pre-conditioning	
6.3	Initial examination and measurement	
6.4	Device mounting Conditioning 1eh STANDARD PREVIEW	10
6.5		
6.6	Recovery (standards.iteh.ai)	10
6.7	Final examination and measurement	
	everity	
8 De	etails to be specified dards.iteh.ai/catalog/standards/sist/15d61ff5-6953-4c46-8c3e- 31eac73d7e7f/iec-61300-2-10-2021	11
Figure	1 – Crush apparatus	7
	2 – Apparatus for an evenly distributed load applied to the top surface of a	
	cabinet – Front view	7
	3 – Apparatus for an evenly distributed load applied to the top surface of a cabinet – Top view	8
Figure	4 – Apparatus for load applied to a street cabinet door – Front view	9
Figure	5 – Apparatus for load applied to a street cabinet door – Top view	9
Table 1	L. Coverities	11

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

#### Part 2-10: Tests - Crush and load resistance

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. TANDARD PREVIEW
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity. CEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61300-2-10 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2012.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of testing an evenly distributed static load applied on the top surface of a street cabinet:
- b) addition of testing a static load applied to a street cabinet door;
- c) addition of descriptions to perform the test at a specified temperature other as specified in the standard atmospheric conditions and addition of test temperature(s) in Table 1;

d) update of the severities according to IEC 61753-1:2018.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86B/4405/FDIS	86B/4435/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, iTeh STANDARD PREVIEW
- replaced by a revised edition, or (standards.iteh.ai)
- amended.

IEC 61300-2-10:2021 https://standards.iteh.ai/catalog/standards/sist/15d61ff5-6953-4c46-8c3e-31eac73d7e7f/iec-61300-2-10-2021

# FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

#### Part 2-10: Tests - Crush and load resistance

#### 1 Scope

This part of IEC 61300 evaluates the effect of loads which is possible to occur when fibre optic devices are exposed to critical situations such as being stepped on, being run over by vehicle tyres, when an evenly-distributed static load is applied to the top surface of a street cabinet or when a load is applied to a street cabinet's open door.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

iTeh STANDARD PREVIEW

IEC 61300-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance

IEC 61300-2-38, Fibre optic interconnecting@devices2and passive components — Basic test and measurement procedures Part 2:38/Tests Sealing for pressurized fibre optic closures 31eac73d7e7ffiec-61300-2-10-2021

IEC 61300-3-1, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination

IEC 61300-3-4, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-4: Examinations and measurements – Attenuation

IEC 61300-3-6, Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss

IEC 61753-1, Fibre optic interconnecting devices and passive components – Performance standard – Part 1: General and guidance

#### 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

#### 4 General description

The device under test (DUT) is exposed to a static compressive load which is applied by a pad.

#### 5 Apparatus

#### 5.1 General

Depending on the DUT type, the apparatus consists of:

- for connectors, passive components, hardened connectors and closures (see Figure 1);
- for an evenly distributed static load applied to the top surface of a street cabinet (see Figure 2 and Figure 3);
- for a static load applied to a street cabinet door (see Figure 4 and Figure 5). The force shall be applied on top of an open door at the point which creates the highest moment on the hinge of the door.

#### 5.2 Plate or ground

For the crush apparatus shown in Figure 1, a minimum 10 mm thick plate using steel or material with comparable hardness, large enough for the whole DUT, or as specified in the relevant specification, is required. The plate is placed on a non-yielding surface. The plate has rounded edges. **iTeh STANDARD PREVIEW** 

For the apparatus for an eventy distributed static load applied to the top surface of a street cabinet shown in Figure 2 and Figure 3 and for a static load applied to a street cabinet door shown in Figure 4 and Figure 5, the street cabinet shall be fixed securely to firm ground.

#### 5.3 Pad

https://standards.iteh.ai/catalog/standards/sist/15d61ff5-6953-4c46-8c3e-31eac73d7e7ffiec-61300-2-10-2021

A pad with a minimum thickness of 10 mm, made of steel or a material with comparable hardness, and with rounded edges fixed to a non-yielding plate is required. The pad shall have a diameter of 5,6 cm (equals to a surface of 25 cm<sup>2</sup>) and contacts the DUT with its flat circular surface, except for the load test with an evenly distributed static load applied to the top surface of a street cabinet.

#### 5.4 Force generator


The force generator may be any device or apparatus capable of smoothly applying the specified load at the specified rate.

#### 5.5 Gauge

The gauge shall be a suitable instrument for measuring the load applied to the DUT.

#### 5.6 Temperature chamber


If the test has to be performed at another temperature than ambient, then a temperature chamber of appropriate size and a temperature sensing device shall be used. The temperature chamber shall be able to accommodate the DUT, the pad and the force generator, and maintain the specified temperature within  $\pm$  2 °C.



#### Key

- 1 force generator and gauge
- 2 pad
- 3 device under test
- 4 plate
- F direction of force


Figure 1 - Crush apparatus



#### Key

- 1 force generator and gauge
- 2 pad
- 3 device under test (example of a street cabinet with two doors)
- 4 ground
- F direction of force

Figure 2 – Apparatus for an evenly distributed load applied to the top surface of a street cabinet – Front view




#### Key

- force generator and gauge 1
- 2
- 3 device under test (example of a street cabinet with two doors)
- ground 4
- axis of force
- D depth (example of a street cabinet) TANDARD PREVIEW

width (example of a street cabinet) (standards.iteh.ai)

Figure 3 – Apparatus for an evenly distributed load applied to the top surface of a street cabinet – Top view

https://standards.iteh.ai/catalog/standards/sist/15d61ff5-6953-4c46-8c3e-31eac73d7e7f/iec-61300-2-10-2021




#### Key

- 1 force generator and gauge
- device under test (example of a street cabinet with two doors)
- open door of device under test (4a 90° open or 4b maximum opening in normal use or at 180° if no locking position) position)
- 5 ground
- direction of force

IEC 61300-2-10:2021

https://standards.iteh.ai/catalog/standards/sist/15d61ff5-6953-4c46-8c3e-Figure 4 – Apparatus for load applied to a street cabinet door – Front view



#### Key

- 1 force generator and gauge
- 2
- device under test (example of a street cabinet with two doors)
- open door of device under test (4a 90° open, or 4b maximum opening in normal use or at 180° if no locking position)
- 5 ground
- direction of force

Figure 5 - Apparatus for load applied to a street cabinet door - Top view