



Edition 10.0 2024-11 REDLINE VERSION

INTERNATIONAL STANDARD



Luminaires -

Part 1: General requirements and tests
(https://standards.iteh.ai)





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Tel.: +41 22 919 02 11

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 10.0 2024-11 REDLINE VERSION

INTERNATIONAL STANDARD



Part 1: General requirements and tests (nttps://standards.iteh.ai)

Document Preview

IEC 60598-1:2024

https://standards.jteh.ai/catalog/standards/jec/09e56ff0-e02c-47be-af61-786042d537d0/jec-60598-1-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.140.40 ISBN 978-2-8327-0020-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

Ε(DREWC	PRD	12
SI	40IT3	L0: INTRODUCTION	15
1	Scop	pe	16
2	Norn	native references	17
3	SEC	TION 1:Terms and definitions	21
4	Gene	eral requirements	47
•	4.1	General	
	4.2	General test requirements and verification	
	4.3	Components of luminaires	
	4.4	Information for luminaire design in light sources and controlgear standards	
5	SEC	TION 2: Classification of luminaires	
	5.1	General	50
	5.2	Classification according to the type of protection against electric shock	50
	5.3	Classification according to the degree of protection against ingress of dust, solid objects and moisture	51
	5.4	Classification according to the material of the mounting surface for which the luminaire is designed	51
	5.5	Classification according to the circumstances of use	51
6	SEC	TION 3: Marking	51
	6.1	General	51
	6.2	Marking on luminaires	51
	6.3	Information to be marked on luminaires	
	6.4	Additional information	62
	6.5	Test of marking	
7	SEC	TION 4: Construction IFC 60598-1:2024	
	st 7 .1daro	General catalog/standards/iec/09e56ff0-e02c-47be-af61-786042d537d0/iec-60	
	7.2	Replaceable components	68
	7.3	Wireways	68
	7.4	Lampholders	
	7.5	Starterholders	
	7.6	Terminal blocks	
	7.7	Terminals and supply connections	
	7.8	Switches	
	7.9	Insulating linings and sleeves	
	7.10	Double and reinforced insulation	
	7.11	Electrical connections and current-carrying parts	
	7.12	Screws, connections (mechanical) and glands	
	7.13	Mechanical strength	
	7.14 7.15	Suspensions, fixings and means of adjustment	
	7.15 7.16	Flammable materials Luminaires for mounting on normally flammable surfaces	
	7.10	Drain holes	
	7.17 7.18	Resistance to corrosion	
	7.10 7.19	Ignitors	
	7.19	Rough service luminaires—Vibration requirements	
	7.20	Protective shield	
	7.21	Attachments to lamps	96

	7.23	Semi-luminaires	97
	7.24	Photobiological hazards	97
	7.24.	.1 Actinic UV hazards for skin and eye (200 nm to 400 nm)	98
	7.24.	.2 UV-A hazard for the eye lens (315 nm to 400 nm)	98
	7.24.	.3 Retinal blue light hazard	98
	7.24.	.4 Retinal thermal hazard (380 nm to 1 400 nm)	100
	7.24.	.5 Infrared hazard for the eye (780 nm to 3 000 nm)	100
	7.24.	.6 Thermal hazard for the skin (380 nm to 3 000 nm)	100
	7.25	Mechanical hazard	100
	7.26	Short-circuit protection	100
	7.27	Terminal blocks with integrated screwless protective earthing contacts	101
	7.28	Fixing of thermal sensing controls	101
	7.29	Luminaires with non-replaceable light sources	102
	7.30	Luminaires with non-user replaceable light sources and non-user serviceable components	
	7.31	Insulation between circuits	
	-		
	7.31. 7.31.		
	7.31.		
	7.31.		105
	7.31.	providing SELV output(s)	
	7.32	Overvoltage protective devices external to controlgear	106
	7.32.		
	7.32.	.2 Surge protective devices (SPDs)	106
	7.32.	.3 Surge protective components (SPCs)	106
	7.33	Luminaire powered via information technology communication cabling	108
	7.34	Electromagnetic fields (EMF)	109
	7.35	Protection against moving fan blades	109
	7.36	Track-mounted luminaires	109
8	SEC	TION 5: External and internal wiring	109
	8.1	General	109
	8.2	Supply connection and other external wiring	109
	8.3	Internal wiring	
	8.4	Test to determine the suitability of conductors having a reduced cross-	
		sectional area	121
SI	ECTION	l 6: Void	
9	SEC.	TION 7: Provision for earthing	
	9.1	General	
	9.2	Provision for earthing	
10	SEC	TION 8: Protection against electric shock	126
	10.1	General	126
	10.2	Protection against electric shock	126
11	SEC	TION 9: Resistance to dust, solid objects and moisture	130
	11.1	General	130
	11.2	General conditions and tests for ingress of dust, solid objects and moisture IP classification	130
	11.2.		
	11.2.		
		· · · · · · · · · · · · · · · · ·	

11.2	.3 Tests for first characteristic IP numeral 5 and 6	132
11.2	.4 Drip-proof luminaires – Tests for second characteristic IP numeral 1	133
11.2	Drip-proof luminaires – Tests for second characteristic IP numeral 2	134
11.2	.6 Rain-proof luminaires – Tests for second characteristic IP numeral 3	134
11.2	.7 Splash-proof luminaires – Tests for second characteristic IP numeral 4	135
11.2	.8 Jet-proof luminaires – Tests for second characteristic IP numeral 5	135
11.2	.9 Powerful jet-proof luminaires – Tests for second characteristic IP	
	numeral 6	136
11.2	.10 Watertight luminaires – Tests for second characteristic IP numeral 7	136
11.2	.11 Pressure watertight luminaires – Tests for second characteristic IP numeral 8	137
11.2	High pressure and temperature water jet-proof luminaires – Tests for second characteristic IP numeral 9 (80 °C)	137
11.2	.13 High pressure and cold water jet-proof luminaires – Tests for second characteristic IP numeral 9 (15 °C)	137
11.3	Humidity test	
	TION 10: Insulation resistance and electric strength, touch current and	
	ective conductor current	138
12.1	General	138
12.2	Insulation resistance and electric strength	
12.2		
12.2		
12.2		
12.3	Touch current, protective conductor current and electric burn	
13 SEC	TION 11: Creepage distances and clearances	
13.1	General. Document Preview	
13.2	Requirements	
13.2	·	
	2 itel Creepage distances liec/09e56fffl-e02c-47he-af61-786042d537d0/iec-	
13.2		
_	TION 12: Endurance test and thermal test	
14.1	General Solostion of laws and balloots control years	
14.2 14.3	Selection of lamps and ballasts controlgear	
	Endurance test	
14.3		
14.3		
14.3	•	
14.4	Thermal test (normal operation)	
14.4		
14.4		
14.4	•	
14.5	Thermal test (abnormal operation)	
14.5		
14.5		
14.5	•	
14.6	Thermal test (failed windings in lamp controlgear)	
14.6		
14.6		
14.6	.3 Test for luminaires with temperature sensing controls	161

		Thermal test in regard to fault conditions in lamp controlgear or electronic devices incorporated in thermoplastic luminaires	162
	14.7.	·	
	14.7.2		
	14.7.3	•	102
	17.7.	external to the ballast controlgear or transformer	165
15	SECT	TON 13: Resistance to heat, fire and tracking	166
	15.1	General	166
		Resistance to heat	
		Resistance to flame and ignition	
		Resistance to tracking	
16		TON 14: Screw terminals	
	16.1	General	168
		General requirements and basic principles	
		Mechanical requirements and tests	
17		TON 15: Screwless terminals and electrical connections	
		General	
		General requirements	
		General instructions for tests	
	17.3.		
	17.3.2		
	17.3.3		
	17.3.4		
	17.3.		
	17.4	Terminal and connections for internal wiring	
	17.4.		
	17.4.2	2 Electrical tests	185
	17.5	Terminals and connections for external wiring	187
	17.5.		
	17.5.2	2 Mechanical tests	187
	17.5.3	B Electrical tests	188
		normative) Test to establish whether a conductive part can cause an electric	190
		General	
		Touch voltage limits	
		Touch current limits	
		Compliance	
		normative) Test lamps	
	•	General	
		Filament lamps within the scope of IEC 60432-1 and IEC 60432-2	
	B.2.1	Principal modes of heat transfer and lamps used for testing	
	B.2.2	·	
		Halogen lamps within the scope of IEC 60432-3	
		Tubular fluorescent and other discharge lamps	
		LED modules within the scope of IEC 62031	
		normative) Abnormal circuit conditions	
	,	normative) Thermal testing	
	•	Draught-proof enclosure	
		Mounting surface and test recess	
	<u>_</u>	mounting out took took took in the time to	100

	luminaire t_a rating(s)	201
D.3	2	
D.3		201
	on the luminaire is higher than the ambient temperature in the draught- proof enclosure	202
	(normative) Determination of winding temperature rises by the increase-in-	
	ce method	203
	(normative) Test for resistance to stress corrosion of copper and copper	204
F.1	Test cabinet	204
F.2	Test solution	204
F.3	Test piece	204
F.4	Test procedure	205
Annex G	G (normative) Measurement of touch current and protective conductor current	
G.1	General	206
G.2	Test conditions	
G.3	Test procedures	
G.4	Test measurements	
G.5	Test sequence	
	l (xxx) (Void)	
	(xxx) (Void)	
	I (informative) Explanation of IP numbers for degrees of protection	
	(informative) Temperature measurements	
I.1	Temperature measurements of the luminaire	
1.2	Temperature measurement of the insulation parts of lampholders	
	(informative) Guidelines for good practice in luminaire design	91/
J.1	General	
1.0		217
J.2	Plastics in luminaires	217
J.3	Plastics in luminaires Rust resistance	217 217 218
_	Plastics in luminaires Rust resistance Corrosion resistance	217 217 218 218
J.3	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres	217 217 218 218
J.3 J.4 J.5 J.6	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design	217 217 218 218 219
J.3 J.4 J.5	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires	217 217 218 218 219
J.3 J.4 J.5 J.6	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life	217 217 218 219 219 220
J.3 J.4 J.5 J.6 J.7	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps	217 218 218 219 219 220
J.3 J.4 J.5 J.6 J.7 J.8	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration	217 218 218 219 220
J.3 J.4 J.5 J.6 J.7 J.8	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components	217218218219219220220220
J.3 J.4 J.5 J.6 J.7 J.8 J.9 J.10	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components Permanent magnets	217218218219220220221
J.3 J.4 J.5 J.6 J.7 J.8 J.9 J.10 J.11 Annex K	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components Permanent magnets (normative) Determination of creepage distances and clearances (informative) Explanation of marking for luminaires that are not suitable for	217218218219220220221221
J.3 J.4 J.5 J.6 J.7 J.8 J.9 J.10 J.11 Annex K Annex L mountin	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components Permanent magnets (informative) Determination of creepage distances and clearances (informative) Explanation of marking for luminaires that are not suitable for gon normally flammable surfaces and covering with insulation materials	217218218219220220221221221
J.3 J.4 J.5 J.6 J.7 J.8 J.9 J.10 J.11 Annex K Annex L mountin L.1	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components Permanent magnets (informative) Determination of creepage distances and clearances (informative) Explanation of marking for luminaires that are not suitable for g on normally flammable surfaces and covering with insulation materials General	217218218219220220221221223
J.3 J.4 J.5 J.6 J.7 J.8 J.9 J.10 J.11 Annex K Annex L mountin L.1 L.2	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components Permanent magnets (normative) Determination of creepage distances and clearances (informative) Explanation of marking for luminaires that are not suitable for g on normally flammable surfaces and covering with insulation materials General Protection against flame	217218219220220221221223
J.3 J.4 J.5 J.6 J.7 J.8 J.9 J.10 J.11 Annex K Annex L mountin L.1	Plastics in luminaires Rust resistance Corrosion resistance Chemically corrosive atmospheres Reflector design Components in different kinds of luminaires Recommendations for electromagnetic ballast protection for end of life phenomenon of HID lamps Resistance against the effects of vibration Flammability of components Permanent magnets (Informative) Determination of creepage distances and clearances (Informative) Explanation of marking for luminaires that are not suitable for gon normally flammable surfaces and covering with insulation materials General Protection against flame Protection against heat	217218218219220220221221223224224

L.3.3	Temperature measurements of mounting surface under abnormal or failed ballast conditions	225
L.4	Thermal protectors	
L.4 L.5	Deletion of the F mark requirements	221
_	(normative) Absorption requirements for the protective shield to be fitted to	220
	s designed for metal halide lamps which emit a high level of UV radiation	230
M.1	General	
M.2	Procedure A	
M.3	Procedure B	
Annex N	(informative) Conformity testing during manufacture	
N.1	General	
N.2	Testing	
	(xxx) (Void)	
Annex O	(normative) Schedule of amended subclauses containing more serious or quirements which call for products to be retested	234
	(normative) Requirements for the identification of a family or range of s for type testing	236
P.1	General	
P.2	Range or family of luminaires	
	(informative) Additional requirements for luminaires where a higher degree of	200
availabilit	ry (impulse withstand overvoltage category III) may be requested	238
Q.1	General	
Q.2	Requirements for impulse withstand overvoltage category III	238
screwless	(normative) Additional test requirements for terminal blocks with integrated s protective earthing contact for direct connection to the luminaire housing or if the body	240
R.1	Additional requirements to 9.2.1	
R.1.		
s://standarg	de italia di lantala alla detandarda liga (100-56ff) (200-47ha, af61-786042d527d0/iga 60-	
R.1.3	-	
R.2	Additional requirements to 9.2.3	
	(normative) Alternative thermal test for thermoplastic luminaires	242
S.1	General	
S.2	Thermal test in regard to fault conditions in lamp controlgear or electronic devices without temperature sensing controls in thermoplastic luminaires for fluorescent lamps ≤ 70 W	
Annex T	(xxx) (Void)	
Annex T	(normative) Requirements for insulation between active live parts of circuits ssible conductive parts	244
	(informative) Information regarding power sourcing equipment powering	
	uminaires via information technology communication cabling	
U.1	General	
U.2	Insulation of the mains supply	
U.3	Electrical limits of a PSE	
Annex V	(informative) Cross-references to the previous edition of IEC 60598-1	248
Annex W	(normative) Battery/EDLC-operated luminaires	251
W.1	General	251
W.2	General test requirements and verification	251
\// 3	Marking	253

VV.3.1	General	253
W.3.2	Luminaires with replaceable battery	253
W.3.3	Coin and button batteries	253
W.3.4	Other standardized batteries (e.g. AAA or AA)	254
W.3.5	Luminaires with non-standardized replaceable rechargeable battery	255
W.3.6	Luminaires with non-user replaceable battery/EDLC	255
W.3.7	Luminaires with non-replaceable battery/EDLC	256
W.3.8	Luminaires supplied by external dedicated power supply units	256
W.3.9	Rechargeable luminaires other than ordinary	
W.3.10	Conditions for charging	256
W.4 Co	nstruction	
W.4.1	General	
W.4.2	Small batteries (coins, button and other non-standardized batteries)	257
W.4.3	Battery compartment fasteners for small batteries and other standardized batteries (e.g. AAA or AA)	
W.4.4	Battery/EDLC chargers incorporated in luminaires	258
W.4.5	Short-circuit protection	258
W.4.6	Electrical parameters of the batteries operation	259
W.4.7	Protection against overpressure for Li-ion batteries used in luminaires	
W.4.8	Protection against the consequence of failure of cells or EDLCs	
W.5 Pro	otection against electric shock	261
W.6 En	durance test and thermal test	261
W.6.1	Endurance test	261
W.6.2	Thermal test (normal operation)	261
W.6.3	Thermal test (abnormal operation)	
W.6.4	Lithium-ion charging systems – Fault conditions	
Bibliography	IEC 60598-1.2024	265
Figure 1 – Ex	cample of "looping-in" (feed through)	31
Figure 2 – Ex	camples of "through wiring"	33
	cample of electro-mechanical contact system with plug or socket	35
	C supply	
•	C supply	
•		
_	C and AC supply	
_	ass II	
Figure 8 – Cl	ass III	54
Figure 9 – Lu	ıminaire not suitable for direct mounting on normally flammable surfaces	56
Figure 10 – F	High-pressure sodium lamps that require an external ignitor (to the lamp)	56
Figure 11 – F	High-pressure sodium lamps having an internal starting device	56
Figure 12 - V	Varning against the use of cool-beam lamps	57
	Functional earthing	
•	Protective earthing	
_		
_	Minimum distance from lighted objects (metres)	
· ·	Rough service	
Figure 17 – E	Bowl mirror lamp	58
Figure 18 – F	Replace any cracked protective shield	59

Figure 19 – Test circuit for safety during insertion	59
Figure 20 – Self-shielded lamp	60
Figure 21 – Luminaires with internal fuses	60
Figure 22 – Do not stare at the operating light source	61
Figure 23 – Caution, risk of electric shock	62
Figure 24 – Use of heat resistant supply cables, interconnecting cables or external wiring	63
Figure 25 – Pictogram for non-replaceable light source	65
Figure 26 – Pictogram for non-user replaceable light source	65
Figure 27 – Pictogram for replaceable light source	65
Figure 28 – Pictogram for non-replaceable controlgear	67
Figure 29 – Pictogram for non-user replaceable controlgear	67
Figure 30 – Pictogram for replaceable controlgear	68
Figure 31 – Terminal block arrangement for installation test for luminaires with connecting leads (tails)	71
Figure 32 – Examples of self-tapping, thread-cutting and thread-forming screws-(from ISO 1891)	
Figure 33 – Illustration of the requirements of 7.15.1	90
Figure 34 – Apparatus for ball impact tests	95
Figure 35 – Test chain	
Figure 36 – Example of permitted degree of soldering	116
Figure 37 – Circuit for checking electrical contact between socket-outlet and plug	117
Figure 38 – Test to determine the suitability of conductors having a reduced cross-sectional area	122
Figure 39 – Example of a thread-forming screw used in a groove of a metallic material	l 124
https:Figure 40 – Apparatus for proving protection against dust	6.0.5.0133
Figure 41 – Apparatus for testing protection against rain and splashing	134
Figure 42 – Nozzle for spray test	136
Figure 43 – Illustration of creepage and clearance measurements at a supply terminal	145
Figure 44 – Test circuit for luminaires incorporating fluorescent lamp ≤ 70 W	163
Figure 45 – Ball-pressure apparatus	166
Figure 46 – Pillar terminals	169
Figure 47 – Screw terminals and stud terminals	171
Figure 48 – Saddle terminals	172
Figure 49 – Lug terminals	173
Figure 50 – Mantle terminals	174
Figure 51 – Construction of electrical connections	180
Figure 52 – Examples of spring-type screwless terminals	181
Figure 53 – Further examples of screwless terminals	182
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only)	196
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps)	197
Figure C.3 – Circuit for testing rectifying effect of some high-pressure sodium and some metal halide lamps	197
Figure G.1 – Test configuration: single-phase equipment on star TN or TT system	208

Figure G.2 – Measuring network, touch current weighted for perception or reaction	209
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires)	209
Figure G.4 – Measuring network, weighted for high frequency	209
Figure I.1 – Placing of thermocouples on a typical lampholder	216
Figure L.1 – Relation between winding temperature and mounting surface temperature.	226
Figure L.2 – Ignition temperatures of wood as a function of time	227
Figure R.1 – Arrangement for voltage drop test	241
Figure T.1 – Declaration of $LV_{\mbox{supply}}$ and $U_{\mbox{out}}$ and the insulation barriers between the light source and accessible parts	244
Table 1 – Marking	52
Table 2 – IP numbers for degree of protection against ingress of dust, solid objects and moisture	
Table 3 – Identification of extra-low-voltage DC leads and terminations	57
Table 4 – Overview of required Y capacitors	
Table 5 – Torque tests on screws	
Table 6 – Torque tests on cable glands	
Table 7 – Impact energy and spring compression	83
Table 8 – Test on semi-luminaires	87
Table 9 – Test on adjusting devices	88
Table 10 – Nominal discharge current (used in the combination wave test)	
Table 11 – Supply cord	111
Table 12 – Wiring dimension	112
Table 13 – Tests for cord anchorageIFC 60598-1:2024	115
Table 14 – Solid-object-proof luminaire test	132
Table 15 – Minimum insulation resistance	139
Table 16 – Electric strength	142
Table 17 – Limits of touch current or protective conductor current and electric burn	143
Table 18 – Minimum creepage distances for AC sinusoidal voltages up to 30 kHz (to be used in conjunction with Annex K)	
Table 19 – Minimum clearances for working voltages (to be used in conjunction with Annex K)	147
Table 20 – Minimum distances for ignition pulse voltages or equivalent transformed peak voltage U_{p}	148
Table 21 – Maximum temperatures under the test conditions of 14.4.3, for principal parts	154
Table 22 – Maximum temperatures under the test conditions of 14.4.3, for common materials used in luminaires	155
Table 23 – Maximum temperatures under the test conditions of 14.5.2	158
Table 24 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp controlgear	159
Table 25 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp controlgear marked "D6"	160
Table 26 – Temperature overshoot time limitation	162
Table 27 – Nominal cross-sectional areas of conductors according to terminal sizes	175

Table 28 – Nominal cross-sectional areas of conductors according to maximum current.	176
Table 29 – Composition of conductors	177
Table 30 – Torque to be applied to screws and nuts	178
Table 31 – Pull to be applied to conductor	179
Table 32 – Conductor rating	187
Table 33 – Conductor pull force	188
Table F.1 – pH value of the test solution	204
Table G.1 – Position of switches e, n and p for the measurements of the different classes of luminaires	208
Table H.1 – Degrees of protection indicated by the first characteristic numeral	212
Table H.2 – Degrees of protection indicated by the second characteristic numeral	213
Table J.1 – Damaging influences	217
Table K.1 – Determination of creepage distances and clearances (see Table 18, Table 19 and Table 20)	223
Table L.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire	224
Table L.2 – Thermal protection operation	228
Table N.1 – Minimum values for electrical tests	233
Table Q.1 – Minimum clearance distances for AC sinusoidal working voltages impulse withstand overvoltage category III	238
Table Q.2 – Overview of required Y capacitors	239
Table Q.3 – Nominal discharge current (used in the combination wave test)	239
Table T.1 – Insulation requirements between active live parts and accessible conductive parts	245
Table U.1 – Limits for the electrical parameters of a PSE	246
Table U.2 – Electrical parameters for communication cables or connectors	247
Table V.1 – Cross-references	248
Table W.1 – Artificial source characteristics	252
Table W.2 – Total area of openings for Li-ion cells	260
Table W.3 – Volume of air injected at 2 070 kPa	260

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LUMINAIRES -

Part 1: General requirements and tests

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60598-1:2020. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.