



Edition 1.0 2022-05

INTERNATIONAL STANDARD

Internet of things (IoT) <u>iTeh STANDARD</u> IoT applications for electronic label system (ELS)

(standards.iteh.ai)

ISO/IEC 30169:2022

https://standards.iteh.ai/catalog/standards/sist/b954e6fe-a2bc-4cad-8d21-df6925d31723/iso-iec-30169-2022





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Tel.: +41 22 919 02 11

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

(standards.iteh.ai)

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

ISO/IEC 30169:2022

https://standards.iteh.ai/catalog/standards/sist/b954e6fe-a2bc-4cad-8d21-df6925d31723/iso-iec-30169-2022



ISO/IEC 30169

Edition 1.0 2022-05

INTERNATIONAL STANDARD

iTeh STANDARD

Internet of things (IoT) –
IoT applications for electronic label system (ELS)

(standards.iteh.ai)

ISO/IEC 30169:2022

https://standards.iteh.ai/catalog/standards/sist/b954e6fe-a2bc-4cad-8d21-df6925d31723/iso-iec-30169-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.020 ISBN 978-2-8322-1700-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FΟ	REWO	RD	4	
IN٦	RODU	CTION	5	
1	Scop	e	6	
2	Norm	ative references	6	
3	Term	s and definitions	6	
4	Abbre	eviated terms	7	
5	Motivation			
	5.1	Background		
	5.2	Purpose and significance		
6	_	em framework and IoT application model		
	6.1	General		
	6.2	System framework		
	6.3	loT application model		
	6.3.1	General		
	6.3.2			
	6.3.3			
	6.3.4	Database TANDADD	11	
	6.3.5	loT gateway	11	
	6.3.6		12	
	6.3.7	Perception objects	12	
7	Gene	Perception objects	12	
	7.1	General		
	7.2	Function requirementsISO/IEC 30169:2022		
	7.2.1	ELS hackend system iteh:ai/catalog/standards/sist/b954e6fe-	12	
	7.2.2		14	
	7.2.3			
	7.2.4	ELs	14	
	7.3	Interface requirements	15	
	7.3.1	ELS backend system	15	
	7.3.2	Database	15	
	7.3.3	IoT gateway	16	
	7.3.4	ELs	16	
	7.3.5	System scalability	16	
	7.4	Performance requirements	16	
	7.4.1	ELS backend system	16	
	7.4.2			
	7.4.3			
	7.4.4			
An	nex A (normative) Reference testing requirements		
	A.1	General		
	A.2	Mechanical testing of display devices		
	A.3	System performance testing		
An	nex B (informative) Application scenarios, and use cases of ELS		
	B.1	Application scenarios		
	B.1.1	•		
	B.1.2	Staff-oriented representation of merchandise management information	20	

B.1.3	P2P delivery and self pick-up oriented merchandise collection	21		
B.2 Us	e cases	21		
B.2.1	Grocery store	21		
B.2.2	Cosmetics shop	21		
B.2.3	Fashion shop	21		
B.2.4	Industry factory	22		
Bibliography				
Figure 1 – Sy	ystem framework of the IoT applications for ELS	8		
Figure 2 – Io	T application model of the IoT applications for ELS	9		

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 30169:2022 https://standards.iteh.ai/catalog/standards/sist/b954e6fe-a2bc-4cad-8d21-df6925d31723/iso-iec-30169-2022

INTERNET OF THINGS (IOT) – IOT APPLICATIONS FOR ELECTRONIC LABEL SYSTEM (ELS)

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document/standards/sist/b954e6fe-
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC document may be the subject of patent rights. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 30169 has been prepared by subcommittee 41: Internet of Things and Digital Twin, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC41/277/FDIS	JTC1-SC41/287/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at www.iec.ch/members_experts/refdocs and www.iso.org/directives.

INTRODUCTION

The development of information technology has brought a lot of changes in daily life, especially with the invention and emergence of IoT technology. IoT technology makes things connected with each other, in order to enhance the efficiency, provide effective monitoring and reduce the cost for all the regular management, maintenance, and other business events for those things.

Because of the information explosion era, there is rapid replacement of information, along with the rich variety of the information and the extremely short life cycle of the information. It is very difficult for traditional labels (the paper labels) to adapt to such a quick pace of information updates. Affected by the IoT technology, traditional labels began the process of becoming digitalized and interconnected.

However, the process of promotion and distribution of the electronic label system (ELS) is much faster than the formation of the worldwide marketing regulation system for such a newly emerging IoT application. To help the marketing maintain the operation under a healthy, sustainable, and controllable condition, it is urgent to develop the ELS focused standard(s) to accelerate standardization for the ELS design and distribution. At the same time, the ELS focused standard(s) will actually support the relevant global marketing regulation.

This document is in response to the demand described above. To achieve this goal, the first step is to provide a general design guide, and the overall technical requirements. This document briefly defines the system framework and IoT application model for ELS, which will firstly specify the components of ELS, duties of each component, regulations for business access logic and data flow between adjacent components. Then, the overall requirements in terms of system functions, system interfaces and system performances are specified in this document to simplify and unify the design of ELS. In conclusion, the purpose of this document is to help ensure the quality of service (QoS) and design conformance of ELS in the retail industry.

In order to avoid some unnecessary confusion regarding this document and to distinguish this document from other publications, the core concepts of this document are focused only on the overview and general requirements (discussed above) of the ELS itself of the concepts of the ELS itself of the concepts of the ELS itself of the concepts of the con

a2bc-4cad-8d21-df6925d31723/iso-iec-30169-2022

For example, typical things out of the scope of this document include, but are not limited to,

- a) electronic product labelling,
- b) RFID-specified applications, and
- c) health informatics.

INTERNET OF THINGS (IoT) -**IOT APPLICATIONS FOR ELECTRONIC LABEL SYSTEM (ELS)**

Scope

This document specifies the system framework, IoT application model and overall technical requirements for electronic label system (ELS).

This document applies to the design and development of the IoT applications for ELS.

The IoT applications for ELS specified in this document are mainly applicable to the retail industry, and can also provide reference for the design and development of the IoT applications for ELS in other industries.

Normative references 2

There are no normative references in this document.

Геh STANDARD

Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following

ISO/IEC 30169·202 IEC Electropedia; available at http://www.electropedia.org/sist/b954e6fe-

ISO Online browsing platform; available at http://www.iso.ong/obp.022

3.1

electronic label

addresses:

<in retail industry> IoT device which attaches to a physical item having a display for the information about the item and its perceived environment and also having information transmission via an RF data link

Note 1 to entry: Examples of the information about the item and its perceived environment include, but are not limited to, prices, stock status, promotional advertisement, barcode, two-dimensional code, temperature, humidity, ambient light conditions.

3.2

electronic label system

<in retail industry> system with a few to a large number of electronic labels designed for IoT applications

3.3

ELS backend system

subsystem intended to realize the business service functions and the equipment control functions of ELS

Note 1 to entry: The ELS backend system provides unified planning and management services for business activities that utilize the ELS, and it also provides a centralized equipment monitoring service.

3.4

IoT gateway

entity of an IoT system that connects one or more proximity networks and the IoT devices on those networks to each other and to one or more access networks

[SOURCE: ISO/IEC 20924:2021, 3.2.8]

4 Abbreviated terms

AES advanced encryption standard

GUI graphic user interface

IoT Internet of Things

LAN local area network

MRC machine-readable code

NFC near field communication

QoS quality of service

SSL secure socket layer

Background

attention from the retail industry.

TLS transport layer security

5 Motivation

5.1

iTeh STANDARD PREVIEW

In the retail industry, paper labels have a long history of being used to show consumers key information about merchandise. Obviously, with paper labels, all the maintenance work (including, but not limited to, information update, label inspection, label replacement) will be done by humans. In addition, in traditional retail activities, there are many other tasks that need to be done manually besides the maintenance of labels, including, but not limited to, inventory inspection, replenishment of goods, payment and settlement. The drawbacks of using paper labels include, but are not limited to, rising labour costs, inefficient business activities, errorprone, service and management is not timely. Such drawbacks are attracting more and more

To address these issues, the retail industry needed to introduce an innovative business mode. Therefore, the ELS was invented, which has been adopted by the retail industry since 1993. According to relevant research, ELS has a global market size of over \$15 billion and market penetration of over 10 %; in other words, more than 100 retail chains in more than 55 countries are covered (with more than 12 000 stores in total). Annex B gives some information about the application scenarios and use cases of ELS.

At present, the display technology of electronic label in the global market is at a mature stage, mainly using two display technologies: liquid crystal display (LCD) and electronic paper (including monochrome display and multi-colour display). In terms of system related technologies, ELS manufacturers are actively developing and distributing the system to promote its popularity in the global market.

In recent years, with the rapid evolution and iteration of IoT technology, the application of IoT has been gradually promoted and adopted in various industries. At the same time, this means that the ELS also coincided with a good opportunity – its advantages include, but are not limited to, convenient template design for display contents, fully automatic data update mode, the highly effective operation management, lightweight devices, low power consumption, support for the sensing and monitoring of target object. The application of ELS is being gradually accepted by and popularized in other industries besides the retail industry (the core application field), including, but not limited to, health services, public transportation, logistics, financial transactions, advertising. In terms of the core application field, ELS has been globally and widely used in places including, but not limited to, mainstream shopping malls, supermarkets.

- 8 -

In terms of other application fields, the application of ELS in global markets shows a quick growth trend. Therefore, ELS has great market potential, and ELS is the mainstream of future development.

5.2 Purpose and significance

At present, ELS has rapidly and globally penetrated into our daily life. When an innovative technology is rapidly promoted and deployed, the problems and potential risks are revealed gradually. These problems and potential risks are mainly raised from the technical level and business consistency level.

- a) In terms of technology, the technologies to realize the ELS have diversified forms. The problems caused by the lack of standardization and uniformity will mainly focus on the following four points:
 - 1) uncertainty of ELS system framework and IoT application model;
 - 2) uncertainty of ELS functions;
 - 3) uncertainty of the necessary interfaces;
 - 4) uncertainty of ELS performance.
- b) In terms of business consistency, when some businesses need to extend ELS in parallel to integrate two or more ELSs (ELSs are from different manufacturers or different series) into a larger ELS, a unified requirement for ELS design and distribution is the key.

In conclusion, normalization and standardization are the optimal solution to address the above problems. Therefore, applications for ELS has been proposed as the subject of a future International Standard. The follow-up development of this standard project will be researched and reviewed closely related to the above issues, in order to make this International Standard implementable. In addition, this solution will also contribute to the standardization of ELS product acceptance and ensure the QoS for consumers.

6 System framework and IoT application model

https://standards.iteh.ai/catalog/standards/sist/b954e6fe-a2bc-4cad-8d21-df6925d31723/iso-iec-30169-2022

Clause 6 specifies the system framework and IoT application model for ELS.

6.2 System framework

General

6.1




Figure 1 - System framework of the IoT applications for ELS

As shown in Figure 1, the system framework of the IoT applications for ELS shall be based on a complete ELS. It shall be able to extend with a single ELS or multiple ELSs in parallel (via third-party bridging service or services) according to the actual business requirements.

Each complete ELS shall be composed of ELS backend system, database, IoT gateway and ELs.

- a) The backend system shall include two functions: business service, equipment management and control.
- b) The data categories in the database shall include business data and equipment data.

6.3 IoT application model

6.3.1 General




Figure 2 – IoT application model of the IoT applications for ELS

As shown in Figure 2, the IoT application model of the IoT applications for ELS shall be able to be divided into five levels. The order of authority from top to bottom is user, ELS backend system and database, IoT gateway, ELs, perception objects.

The data flow direction and business access logic in Figure 2 have been marked with solid arrows and dash arrows, respectively.

Access between all levels shall be performed downward/upward level-by-level; no cross-level access(s) is allowed, except from the user to the ELs.

Subclauses 6.3.2 to 6.3.7 provide the description how each part relates to the domain-based reference model in the IoT Reference Architecture.

6.3.2 User

This level relates to the user domain of the domain-based reference model, but more focuses on human user.