

INTERNATIONAL STANDARD

Coaxial communication cables –
**Part 7: Sectional specification for cables for BCT cabling in accordance with
ISO/IEC 11801-4 – Indoor drop cables for systems operating at
5 MHz – 6 000 MHz**

[IEC 61196-7:2021](https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

[IEC 61196-7:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/ca59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021>

INTERNATIONAL STANDARD

**Coaxial communication cables –
Part 7: Sectional specification for cables for BCT cabling in accordance with
ISO/IEC 11801-4 – Indoor drop cables for systems operating at
5 MHz – 6 000 MHz**

[IEC 61196-7:2021](https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.10

ISBN 978-2-8322-1015-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	7
4 Requirements for cable construction	7
4.1 General.....	7
4.2 Inner conductor.....	7
4.3 Dielectric	7
4.4 Outer conductor or screen	7
4.5 Filling compounds	8
4.6 Moisture barriers.....	8
4.7 Wrapping layers	8
4.8 Sheath.....	8
4.9 Metallic protection.....	8
4.10 Cable integral suspension strand (messenger wire).....	8
4.11 Oversheath	8
4.12 Fauna proofing.....	8
4.13 Chemical and/or environmental proofing	8
4.14 Cable identification.....	8
4.14.1 General	8
4.14.2 Sheath marking.....	8
4.14.3 Labelling.....	9
5 Tests for completed cables	9
5.1 Electrical tests	9
5.1.1 Low-frequency and DC electrical measurements.....	9
5.1.2 High-frequency electrical and transmission measurements.....	10
5.2 Environmental testing of the finished cable	11
5.3 Mechanical tests	11
5.4 Fire performance test methods (FFS).....	13
Annex A (normative) Cable identification and marking	14
A.1 Cable identification.....	14
A.1.1 Type name.....	14
A.1.2 Variants	14
A.1.3 Screening classes.....	14
A.2 Cable marking.....	15
Annex B (informative) Cable types	16
Bibliography	17
Table 1 – Low-frequency and DC electrical measurements	10
Table 2 – High-frequency electrical and transmission measurements	10
Table 3 – Environmental tests	11
Table 4 – Mechanical tests.....	12
Table B.1 – 61196-7 cable types – Preferred nominal dimensions and ratings.....	16

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COAXIAL COMMUNICATION CABLES –

**Part 7: Sectional specification for cables for BCT cabling
in accordance with ISO/IEC 11801-4 – Indoor drop cables
for systems operating at 5 MHz – 6 000 MHz**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61196-7 has been prepared by subcommittee 46A: Coaxial cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) extension of frequency range up to 6 GHz,
- b) revised sheath marking and labelling,
- c) a table with typical cable characteristics was added as Annex B.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
46A/1499/FDIS	46A/1516/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

It is to be used in conjunction with IEC 61196-1:2005.

A list of all parts of IEC 61196 series, published under the general title *Coaxial communication cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or [IEC 61196-7:2021](http://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021)
- amended.

ITEH STANDARD PREVIEW

(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021>

COAXIAL COMMUNICATION CABLES –

Part 7: Sectional specification for cables for BCT cabling in accordance with ISO/IEC 11801-4 – Indoor drop cables for systems operating at 5 MHz – 6 000 MHz

1 Scope

This part of IEC 61196 applies to coaxial communications cables. It specifies the requirements for cables for broadcast and communications technologies (BCT) cabling in accordance with ISO/IEC 11801-4 for use in cabled television distribution networks operating at temperature between -40 °C and $+70\text{ °C}$ and in the frequency range from 5 MHz to 6 000 MHz.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60096-0-1, *Radio frequency cables – Part 0-1: Guide to the design of detail specifications – Coaxial cables*

IEC 61196-1:2005, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC 61196-1-101, *Coaxial communication cables – Part 1-101: Electrical test methods – Test for conductor d.c. resistance of cable*

IEC 61196-1-102, *Coaxial communication cables – Part 1-102: Electrical test methods – Test for insulation resistance of cable dielectric*

IEC 61196-1-103, *Coaxial communication cables – Part 1-103: Electrical test methods – Test for capacitance of cable*

IEC 61196-1-105, *Coaxial communication cables – Part 1-105: Electrical test methods – Test for withstand voltage of cable dielectric*

IEC 61196-1-106, *Coaxial communication cables – Part 1-106: Electrical test methods – Test for withstand voltage of cable sheath*

IEC 61196-1-108, *Coaxial communication cables – Part 1-108: Electrical test methods – Test for characteristic impedance, phase and group delay, electrical length and propagation velocity*

IEC 61196-1-112, *Coaxial communication cables – Part 1-112: Electrical test methods – Test for return loss (uniformity of impedance)*

IEC 61196-1-113, *Coaxial communication cables – Part 1-113: Electrical test methods – Test for attenuation constant*

IEC 61196-1-115, *Coaxial communication cables – Part 1-115: Electrical test methods – Test for regularity of impedance (pulse/step function return loss)*

IEC 61196-1-201:2009, *Coaxial communication cables – Part 1-201: Environmental test methods – Test for cold bend performance of cable*

IEC 61196-1-203, *Coaxial communication cables – Part 1-203: Environmental test methods – Test for water penetration of cable*

IEC 61196-1-206, *Coaxial communication cables – Part 1-206: Environmental test methods – Climatic sequence*

IEC 61196-1-212, *Coaxial communication cables – Part 1-206: Environmental test methods – UV stability*

IEC 61196-1-304, *Coaxial communication cables – Part 1-304: Mechanical test methods – Impact resistance*

IEC 61196-1-308, *Coaxial communication cables – Part 1-308: Mechanical test methods – Test for tensile strength and elongation for copper-clad metals*

IEC 61196-1-313, *Coaxial communication cables – Part 1-313: Mechanical test methods – Adhesion of dielectric and sheath*

IEC 61196-1-314:2015, *Coaxial communication cables – Part 1-314: Mechanical test methods – Test for bending*

IEC 61196-1-316, *Coaxial communication cables – Part 1-316: Mechanical test methods – Test of maximum pulling force of cable*

IEC 61196-1-317, *Coaxial communication cables – Part 1-317: Mechanical test methods – Test for crush resistance of cable*

IEC 61196-1-324, *Coaxial communication cables – Part 1-324: Mechanical test methods – Test for abrasion resistance of cable*

IEC 62153-1-1, *Metallic communication cables test methods – Part 1-1: Electrical – Measurement of the pulse/step return loss in the frequency domain using the Inverse Discrete Fourier Transformation (IDFT)*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-4, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Test method for measuring of the screening attenuation as up to and above 3 GHz, triaxial method*

IEC 62230, *Electric cables – Spark-test method*

ISO/IEC 11801-4, *Information technology – Generic cabling for customer premises – Part 4: Single-tenant homes*

ISO/IEC TR 29106:2007, *Information technology – Generic cabling – Introduction to the MICE environmental classification*

3 Terms and definitions

For the purposes of this document, the terms and definitions of IEC 61196-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Requirements for cable construction

4.1 General

When designing the cable, consideration should be paid to the maximum admissible current stated in the detail specification. The mechanical and electrical properties of the cable should be maintained across the specified operating temperatures.

This specification covers standard applications, other cables may be designed with respect to the MICE tables respectively to harsh environment depending upon agreement between customer and supplier.

A list of different cable types which indicates typical cable properties for informative purposes (for cables with copper inner conductors) is given in Annex B.

NOTE MICE tables: The so-called MICE tables describe the environmental classifications within the industrial premises, and the parameters for each kind (level) of environment (see ISO/IEC TR 29106:2007).

4.2 Inner conductor

The conductor shall meet the requirements of IEC 61196-1:2005, Subclause 4.4.1, and shall be solid or tube. Individual wires can be plain or metal coated. Dimensions shall be $\geq 0,6$ mm and $\leq 1,2$ mm and specified in the detail specification.

Any joint made during the final cable production should not affect the mechanical or electrical performance.

4.3 Dielectric

The dielectric shall be in accordance with IEC 61196-1:2005, Subclause 4.5.

The dielectric material(s) shall be in accordance with IEC 61196-1:2005, Subclause 4.5 and shall consist of polyolefin materials, (e.g. polyethylene or polypropylene).

The diameter of the dielectric shall be $\geq 2,7$ mm and $\leq 7,3$ mm and shall be specified in the detail specification.

4.4 Outer conductor or screen

The construction and material of the outer conductor and/or screen shall meet the requirements of IEC 61196-1:2005, Subclause 4.6.1 b), c), f) or g). Where option b) is used, a double braid layer is required.

For braid constructions or helically wound wires, the braid angle shall be between 15° and 45° . The coverage factor shall be greater than or equal to 65 %, or, when the cable is provided with a metal foil, greater than or equal to 25 %. These values are also valid for cables with two bi-directional layers of helically wound wires.

The diameter over the outer conductor shall be $\geq 3,2$ mm and $\leq 8,0$ mm and specified in the detail specification.

4.5 Filling compounds

Not applicable.

4.6 Moisture barriers

Not applicable.

4.7 Wrapping layers

Not applicable.

4.8 Sheath

The sheath shall meet the requirements of IEC 61196-1:2005, Subclause 4.7.

The diameter of the outer sheath shall be $\leq 11,0$ mm and shall be specified in the detail specification.

4.9 Metallic protection

Not applicable.

4.10 Cable integral suspension strand (messenger wire)

Not applicable.

4.11 Oversheath

Not applicable.

4.12 Fauna proofing

Not applicable.

4.13 Chemical and/or environmental proofing

Not applicable.

4.14 Cable identification

4.14.1 General

IEC 61196-1:2005, Subclause 6.1 applies.

4.14.2 Sheath marking

Unless otherwise specified in the detail specification, sheath marking shall be achieved as a non-degradable print containing the minimum information:

- a number giving the nominal characteristic impedance of the cable in ohms, "75",
- a number that corresponds to the approximate dielectric outer diameter in mm; for example, the nominal dielectric diameter 3,66 mm shall be expressed by "4",
- a letter that corresponds to the different outer conductor construction types,
- a letter that corresponds to the different inner conductor types,

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61196-7:2021](https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/ea59986c-5a33-4c7c-81c4-a2346998c79e/iec-61196-7-2021>

- a letter that corresponds to the different outer conductor construction types,
- letters that correspond to the different outer conductor materials,
- a number that corresponds to the different screening classes,
- the number of the IEC standard (61196-7),
- the name of supplier.
- the length of cable.

EXAMPLE: 75-4T-BC-ALT/BC/ALT-A – <xxx> – IEC 61196-7

More detailed information is given in Annex A.

4.14.3 Labelling

Unless otherwise specified in the detail specification, drums or coils shall be provided with a label with a non-degradable print containing the following minimum information:

- a number giving the nominal characteristic impedance of the cable in ohms, "75",
- a number that corresponds to the approximate dielectric outer diameter in mm; for example, the nominal dielectric diameter 3,66 mm shall be expressed by "4",
- a letter that corresponds to the different outer conductor construction types, see A.1.2,
- letters that correspond to the different inner conductor types, see A.1.2,
- letters that correspond to the different outer conductor construction types, see A.1.2,
- letters that correspond to the different outer conductor materials, see A.1.2,
- a designation of the different screening classes, see A.1.2,
- the name of supplier,
- the number of the IEC standard (61196-7),
- the batch part number.

More detailed information is given in Annex A.

EXAMPLE: 75-4T-BC-ALT/BC/ALT-A – <xxx> – IEC 61196-7 – 03/04 543 m

5 Tests for completed cables

5.1 Electrical tests

5.1.1 Low-frequency and DC electrical measurements

Low-frequency and DC electrical measurements are described in Table 1.