

# IEC 60335-2-40 EXV

Edition 7.0 2022-09 EXTENDED VERSION

# INTERNATIONAL STANDARD



This extended version of IEC 60335-2-40:2022 includes the content of the references made to IEC 60335-1:2010+AMD1:2013+AMD2:2016 CSV

Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

IEC 60335-2-40:2022

https://standards.iteh.ai/catalog/standards/sist/bb9fcf5c-c00d-4c77-b370-35837ccded81/iec-60335-2-40-2022





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC** Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 7.0 2022-09 EXTENDED VERSION

# INTERNATIONAL STANDARD



This extended version of IEC 60335-2-40 includes the content of the references made to IEC 60335-1:2010+AMD1:2013+AMD2:2016 CSV

Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

IEC 60335-2-40:2022

https://standards.iteh.ai/catalog/standards/sist/bb9fcf5c-c00d-4c77-b370-35837ccded81/iec-60335-2-40-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 23.120

ISBN 978-2-8322-5674-9

Warning! Make sure that you obtained this publication from an authorized distributor.

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### IEC 60335-1 Edition 5.0 2010-05 Amendment 2: 2016-05

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 1: General requirements

### **INTERPRETATION SHEET 1**

This interpretation sheet has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this interpretation sheet is based on the following documents:

(Standard	Report on voting
61/5999/DISH	61/6009/RVDISH
IEC 60335-2-40:2022	

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

#### TC 61 interpretation sheet on: Detachable power supply parts of IEC 60335-1:2010/ AMD2:2016

#### Introduction

Amendment 2 of IEC 60335-1:2010 defines and introduces requirements for a detachable power supply part of an appliance. In this amendment, 24.2 prohibits the use of a power supply in a flexible cord.

#### QUESTION:

Does Subclause 24.2 prohibit the use of a detachable power supply part?

#### ANSWER

No, a "detachable power supply part" is a defined term and is not captured by term "power supply" as used in Subclause 24.2.

NOTE A detachable power supply part is captured by the defined term when the output of the power supply part is detachable from the class III construction part of the appliance at:

- the power supply part, or
- the class III construction part of the appliance.

However, the supply cord (if any) does not have to be detachable from the detachable power supply part.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60335-2-40:2022

https://standards.iteh.ai/catalog/standards/sist/bb9fcf5c-c00d-4c77-b370-35837ccded81/iec-60335-2-40-2022

# CONTENTS

FOF	REWORD	7
INTI	INTRODUCTION	
1	Scope	11
2	Normative references	12
3	Terms and definitions	17
4	General requirement	32
5	General conditions for the tests	32
6	Classification	
7	Marking and instructions	
8	Protection against access to live parts	49
9	Starting of motor-operated appliances	51
10	Power input and current	51
11	Heating	53
12	Void	60
13	Leakage current and electric strength at operating temperature	60
14	Transient overvoltages	62
15	Moisture resistance	63
16	Leakage current and electric strength033552.40.2022	64
17 b	Overload protection of transformers and associated circuits	ded81/iec66
18	Endurance	66
19	Abnormal operation	66
20	Stability and mechanical hazards	80
21	Mechanical strength	81
22	Construction	83
23	Internal wiring	
24	Components	
25	Supply connection and external flexible cords	114
26	Terminals for external conductors	
27	Provision for earthing	
28	Screws and connections	
29	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	142
32	Radiation, toxicity and similar hazards	142
Ann	ex A (informative) Routine tests	

Annex B (normative) Appliances powered by rechargeable batteries that are recharged	
in the appliance	164
Annex C (normative) Ageing test on motors	169

# IEC 60335-2-40:2022 EXV © IEC 2022 - 3 -

Annex D (normative) Thermal motor protectors	170
Annex E (normative) Needle-flame test	171
Annex F (normative) Capacitors	172
Annex G (normative) Safety isolating transformers	174
Annex H (normative) Switches	175
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	177
Annex J (normative) Coated printed circuit boards	178
Annex K (normative) Overvoltage categories	179
Annex L (informative) Guidance for the measurement of clearances and creepage distances	180
Annex M (normative) Pollution degree	184
Annex N (normative) Proof tracking test	185
Annex O (informative) Selection and sequence of the tests of Clause 30	186
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates	192
Annex Q (informative) Sequence of tests for the evaluation of electronic circuits	194
Annex R (normative) Software evaluation	196
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance	210
Annex T (normative) UV-C radiation effect on non-metallic materials	213
Annex AA (informative) Examples for operating temperatures of the appliance	216
Annex CC (informative) Transportation, marking and storage for units that employ flammable refrigerants	221
Annex DD (normative) Requirements for installation, service, maintenance and repair, and decommissioning manuals of appliances using flammable refrigerants	ec- 222
Annex EE (normative) Pressure tests	231
Annex FF (normative) Leak simulation tests	233
Annex GG (normative) Charge limits, ventilation requirements and requirements for secondary circuits	235
Annex HH (informative) Competence of service personnel	268
Annex II (Void)	270
Annex JJ (normative) Allowable openings of relays and similar components to prevent ignition of A2L refrigerants	271
Annex KK (normative) Test method for hot surface ignition temperature for A2L	273
Annex LL (normative) Refrigerant detection systems for flammable refrigerants	277
Annex MM (normative) Refrigerant sensor location confirmation test	288
Annex NN (normative) Flame arrest enclosure verification test for A2L refrigerants	291
Annex OO (Void)	293
Annex PP (normative) Leak detection system confirmation test for flammable refrigerants	294
Annex QQ (normative) Methods for determining releasable charge	300
Bibliography	308
Index of defined terms	308

Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction14	.4
Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction14	-5
Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction	-6
Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II	7
Figure 5 Small part	2
Figure 6 – Example of an electronic circuit with low-power points	a
Figure 7 – Test finger nail	0
Figure 8 – Elexing test apparatus	51
Figure 9 – Constructions of cord anchorages	52
Figure 10 – An example of parts of an earthing terminal	53
Figure 11 – Examples of clearances	54
Figure 12 – Example of the placement of the cylinder	55
Figure 13 – Small parts cylinder	6
Figure 101 – Example of label for field charged units	57
Figure 102 – Arrangement for heating test of appliances with supplementary air heater 15	;9
Figure 103 – Supply circuit for locked-rotor test of a motor of the single-phase type – Revise as needed for three-phase test	50
Figure 104 – Power spectral density profile for vibration test in 21.101	0
Figure 105 – Dimensional details for the weight in the area of the pressure ball	0
Figure 106 – Measurement before and after the test	51
Figure B.1 – Examples of forms of constructions for appliances covered by Annex B	57
Figure L.1 – Sequence for the determination of clearances	31
Figure L.2 – Sequence for the determination of creepage distances	3
Figure O.1 – Tests for resistance to heat	6
Figure O.2 – Selection and sequence of tests for resistance to fire in hand-held appliances	57
Figure O.3 – Selection and sequence of tests for resistance to fire in attended appliances .18	8
Figure O.4 – Selection and sequence of tests for resistance to fire in unattended appliances	9
Figure O.5 – Some applications of the term "within a distance of 3 mm"	)1
Figure S.1 – Examples of battery marking representing three batteries	2
Figure GG.1 – Unventilated area	5
Figure GG.2 – Mechanical ventilation	5
Figure GG.3 – Relevant heights $h_{inst}$ , $h_0$ and $h_{rel}$ for calculation of $A_{min}$ and $m_{max}$	6
Figure GG.4 – Airflow direction	57
- Figure KK.1 – Front view of test apparatus labels27	'3
Figure KK.2 – Test apparatus with dimensions	'4
Figure KK.3 – Top view of test apparatus	′5
Figure LL.1 – Example of test chamber design28	3

Table 1 – Power Input deviation	51
Table 2 – Current deviation	52
Table 3 – Maximum normal temperature rises	56
Table 4 – Voltage for electric strength test	62
Table 5 – Characteristics of high-voltage sources	62
Table 6 – Impulse test voltage	63
Table 7 – Test voltages	65
Table 8 – Maximum winding temperature	69
Table 9 – Maximum abnormal temperature rise	75
Table 10 – Dimensions of cables and conduits	115
Table 11 – Minimum cross-sectional area of conductors	117
Table 12 – Pull force and torque	119
Table 13 – Nominal cross-sectional area of conductors	123
Table 14 – Torque for testing screws and nuts	128
Table 15 – Rated impulse voltage	130
Table 16 – Minimum clearances	130
Table 17 – Minimum creepage distances for basic insulation	134
Table 18 – Minimum creepage distances for functional insulation	135
Table 19 – Minimum thickness for accessible parts of reinforced insulation consisting o	of
	137
Table 101 – Power spectral density profile for vibration test	83
Table 102 – UV-C spectral irradiance measurement location	143
1DC 00000-2-40.2022	
Table A.1 – Test voltages.	163 / <u>iec</u> -
Table A.1 – Test voltages   Table C.1 – Test conditions	163 //ec- 169
Table A.1 – Test voltages   Table C.1 – Test conditions   Table R.1 – General fault/error conditions	163 169 198
Table A.1 – Test voltages. Incc 000300-22-002022   Table C.1 – Test conditions 0000000-22-002022   Table R.1 – General fault/error conditions 0000000-22-002022   Table R.2 – Specific fault/error conditions 0000000-22-002022	163 169 198 201
Table A.1 – Test voltages	163 169 198 201 207
Table A.1 – Test voltages.   Table C.1 – Test conditions   Table R.1 – General fault/error conditions   Table R.2 – Specific fault/error conditions   Table R.3 – Semi-formal methods   Table R.4 – Software architecture specification	163 169 198 201 207 207
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification.   Table R.5 – Module design specification.	163 //ec
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification   Table R.5 – Module design specification   Table R.6 – Design and coding standards	163 169 198 201 207 207 208 208
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification.   Table R.5 – Module design specification.   Table R.6 – Design and coding standards.   Table R.7 – Software safety validation.	163 169 201 207 207 208 208 208 209
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification.   Table R.5 – Module design specification.   Table R.7 – Software safety validation.   Table R.7 – Battery source impedance.	163 169 198 201 207 207 208 208 208 209 211
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification.   Table R.5 – Module design specification.   Table R.7 – Software safety validation.   Table R.7 – Software safety validation.   Table R.7 – Minimum property retention limits after UV-C exposure	163 169 198 201 207 207 208 208 208 209 211 214
Table A.1 – Test voltages. Table C.1 – Test conditions.   Table R.1 – General fault/error conditions. Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods. Table R.4 – Software architecture specification.   Table R.5 – Module design specification . Table R.6 – Design and coding standards.   Table R.7 – Software safety validation. Table R.7 – Software safety validation.   Table T.1 – Minimum property retention limits after UV-C exposure Table T.2 – Minimum electric strength for internal wiring after UV-C exposure	163 169 198 201 207 207 208 208 208 209 211 214 215
Table A.1 – Test voltages   Table C.1 – Test conditions   Table R.1 – General fault/error conditions   Table R.2 – Specific fault/error conditions   Table R.3 – Semi-formal methods   Table R.4 – Software architecture specification   Table R.5 – Module design specification   Table R.6 – Design and coding standards   Table R.7 – Software safety validation   Table S.101 – Battery source impedance   Table T.1 – Minimum property retention limits after UV-C exposure   Table T.2 – Minimum electric strength for internal wiring after UV-C exposure   Table A.1 – Examples for operating temperatures of the appliance	163 169 198 201 207 207 208 208 208 208 211 214 215 216
Table A.1 – Test voltages. Table C.1 – Test conditions.   Table C.1 – Test conditions. Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions. Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification. Table R.5 – Module design specification.   Table R.7 – Software safety validation. Table R.7 – Software safety validation.   Table S.101 – Battery source impedance. Table T.1 – Minimum property retention limits after UV-C exposure.   Table T.2 – Minimum electric strength for internal wiring after UV-C exposure. Table A.1 – Examples for operating temperatures of the appliance.   Table BB.1 – Selected information about refrigerants. Set of the appliance.	163 169 198 201 207 207 208 208 208 211 211 215 216 217
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification.   Table R.5 – Module design specification.   Table R.7 – Software safety validation.   Table S.101 – Battery source impedance.   Table T.2 – Minimum property retention limits after UV-C exposure .   Table T.2 – Minimum electric strength for internal wiring after UV-C exposure .   Table AA.1 – Examples for operating temperatures of the appliance .   Table BB.1 – Selected information about refrigerants .	163 169 198 201 207 207 208 208 208 208 211 214 215 216 217 222
Table A.1 – Test voltages   Table C.1 – Test conditions   Table R.1 – General fault/error conditions   Table R.2 – Specific fault/error conditions   Table R.3 – Semi-formal methods   Table R.4 – Software architecture specification   Table R.5 – Module design specification   Table R.7 – Software safety validation   Table S.101 – Battery source impedance   Table T.2 – Minimum property retention limits after UV-C exposure   Table A.1 – Examples for operating temperatures of the appliance   Table BB.1 – Selected information about refrigerants   Table DD.1 – Mandatory clauses in each manual	163 169 198 201 207 207 207 208 208 208 214 214 215 216 217 222 236
Table A.1 – Test voltages.   Table C.1 – Test conditions   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification   Table R.5 – Module design specification   Table R.7 – Software safety validation   Table S.101 – Battery source impedance   Table T.1 – Minimum property retention limits after UV-C exposure   Table T.2 – Minimum electric strength for internal wiring after UV-C exposure   Table B.1 – Selected information about refrigerants   Table B.1 – Outline of Annex GG (informative)   Table GG.2 – Circulation airflow	163 169 198 201 207 207 208 208 208 208 211 214 215 216 217 222 236 241
Table A.1 – Test voltages Intervention of the second activity of the	163 169 198 201 207 207 207 208 208 208 214 214 215 216 217 222 236 241 248
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification   Table R.5 – Module design specification   Table R.7 – Software safety validation   Table S.101 – Battery source impedance   Table T.2 – Minimum property retention limits after UV-C exposure   Table A.1 – Examples for operating temperatures of the appliance   Table B.1 – Selected information about refrigerants   Table GG.2 – Circulation airflow   Table GG.4 – Appliance without packaging	163 169 198 201 207 207 208 208 208 208 211 214 215 216 217 222 236 241 248 248
Table A.1 – Test voltages.   Table C.1 – Test conditions.   Table R.1 – General fault/error conditions.   Table R.2 – Specific fault/error conditions.   Table R.3 – Semi-formal methods.   Table R.4 – Software architecture specification   Table R.5 – Module design specification   Table R.7 – Software safety validation   Table S.101 – Battery source impedance.   Table T.1 – Minimum property retention limits after UV-C exposure   Table A.1 – Examples for operating temperatures of the appliance   Table BB.1 – Selected information about refrigerants   Table GG.2 – Circulation airflow   Table GG.3 – Appliance without packaging   Table GG.5 – Minimum air velocity	163 169 198 201 207 207 207 208 208 208 209 211 214 215 216 217 222 236 221 236 241 248 248 248 260

- 6 - IEC 60335-2-40:2022 EXV © IEC 2022

Table LL.1 – Relationship among alarm set point, tolerance and test gas (informative)	279
Table LL.2 – Gas and vapour concentrations	281
Table LL.3 – Example of the test chamber design	284

# iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60335-2-40:2022

https://standards.iteh.ai/catalog/standards/sist/bb9fcf5c-c00d-4c77-b370-35837ccded81/iec-60335-2-40-2022

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES - SAFETY -

# Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

# This extended version (EXV) of the official IEC Standard provides the user with a comprehensive content of the Standard.

IEC 60335-2-40:2022 EXV includes the content of the references made to IEC 60335-1:2010, its Amendment 1:2013 and its Amendment 2:2016.

Particular subclauses of IEC 60335-1:2010+AMD1:2013+AMD2:2016 CSV are displayed in the content on a blue background.

IEC 60335 has been prepared by subcommittee 61D: Appliances for air-conditioning for household and similar purposes, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This seventh edition cancels and replaces the sixth edition published in 2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Clause 1 added thermoelectric heat pumps to the scope and increased maximum rated voltage to 300 V for single phase appliances;
- Clause 7 revised requirements for marking on the appliance and packaging, including a symbol for minimum floor area and modifying the symbol for flammable refrigerants to include the safety group per ISO 817;
- Clause 11 and Clause 19 restructured for alignment with Part 1 and added requirements for supplementary air heaters;
- Clause 13 and Clause 16 revised requirement for leakage current for stationary class I motor-operated appliances;
- Clause 21 added requirements for particle foam material and revised requirements for transport testing;
- Clause 22 removed limit on the sum of refrigerant charges for appliances with multiple refrigerating systems, and revised requirements for avoiding ignition sources, leak detection systems, safety shut-off valves, and particle foam material;
- Clause 23 added requirements to avoid contact between wires and refrigerant piping;
- Clause 24 revised requirements for motor-compressors;
- Clause 30 added requirements for resistance to heat of particle foam material;
- Annex BB revised Table BB.1 with refrigerant information and added a link to ISO 817 refrigerant data;
- Annex DD revised requirements for information in the manual for appliances with flammable refrigerants;
- Annex EE revised requirements for pressure testing;
- Annex FF revised requirements for leak simulation tests;
- Annex GG added requirements for applying releasable charge, added additional coverage for A2 and A3 refrigerants, including new charge limits for appliances with circulation airflow and for enhanced tightness refrigerating systems, and revised requirements for enhanced tightness refrigerating systems using A2L refrigerant;
- Annex LL revised requirements for refrigerant detection systems;
- Annex MM revised simulated leak rate;
- Annex OO deleted annex for conditioning internal wiring using UV light.
- Annex PP new coverage of leak detection system confirmation test;
- Annex QQ new coverage of method for determining releasable charge.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61D/491/FDIS	61D/493/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

IEC 60335-2-40:2022 EXV © IEC 2022 - 9 -

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This part 2-40 is to be used in conjunction with IEC 60335-1:2010, its Amendment 1:2013 and its Amendment 2:2016.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2-40 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical heat pumps, air-conditioners and dehumidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used: 02005.1001.20

- requirements: in roman type;
- *test specifications: in italic type;* <u>IEC 60335-2-402022</u>
- notes: in small roman type. atalog/standards/sist/bb9fcf5c-c00d-4c77-b370-35837ccded81/iec-

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

The following differences exist in the countries indicated below:

- 6.1: Class 0I appliances are allowed (Japan).
- 11.8: The temperature of the wooden walls in the test casing is limited to 85 °C (Sweden).

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

#### https://www.iec.ch/tc61/supportingdocuments

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

https://standards.iteh.ai/catalog/standards/sist/bb9fcf5c-c00d-4c77-b370-35837ccded81/iec-

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

#### 1 Scope

This part of IEC 60335 deals with the safety of electric **heat pumps**, **sanitary hot water heat pumps** and **air conditioners**, incorporating motor-compressors as well as **hydronic fan coils units**, **dehumidifiers** (with or without motor-compressors), **thermoelectric heat pumps** and **partial units**. Their maximum **rated voltage** being not more than 300 V for single phase appliances and 600 V for multi-phase appliances.

Appliances not intended for normal household use but which nevertheless can be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

The appliances referenced above can consist of one or more factory-made assemblies. If provided in more than one assembly, the separate assemblies are used together, and the requirements are based on the use of matched assemblies.

NOTE 101 A definition of 'motor-compressor' is given in IEC 60335-2-34, which includes the statement that the term motor-compressor is used to designate either a hermetic motor-compressor or semi-hermetic motor-compressor.

NOTE 102 Requirements for containers intended for storage of the heated water included in **sanitary hot water heat pumps** are, in addition, covered by IEC 60335-2-21.

This standard does not take into account refrigerants other than group A1, A2L, A2 and A3 as defined by ISO 817. **Flammable refrigerants** are limited to those of a molar mass of more than or equal to 42 kg/kmol based on WCF (worst case formulation) as specified in ISO 817.

As far as practical, this standard deals with common hazards presented by appliances that are encountered in normal use and assumes that installation, servicing, decommissioning, and disposal are safely handled by competent persons and accidental release of refrigerants is avoided. However, it does not prescribe the criteria to ensure competence of persons during installation, servicing and disposal. Safety requirements during disposal are not specified in this standard.

NOTE 103 Annex HH provides informative requirements on competence of persons. Criteria for competence of personnel for the purpose of certification schemes can be found in ISO 22712<sup>1</sup>.

Unless specifications are covered by this standard, including the annexes, requirements for refrigerating safety are covered by:

- ISO 5149-1:2014, ISO 5149-1:2014/AMD1:2015, and ISO 5149-1:2014/AMD2:2021,
- ISO 5149-2:2014 and ISO 5149-2:2014/AMD1:2020,
- ISO 5149-3:2014 and ISO 5149-3:2014/AMD1:2021.

**Supplementary heaters**, or a provision for their separate installation, are within the scope of this standard, but only heaters which are designed as a part of the appliance package, the controls being incorporated in the appliance.

<sup>&</sup>lt;sup>1</sup> Under preparation. Stage at the time of publication: ISO FDIS 22712:2022