

Edition 1.0 2024-08

# INTERNATIONAL STANDARD

Multicore and symmetrical pair/ quad cables for digital communications – Part 15: Symmetrical pair/quad cables for horizontal floor wiring with transmission characteristics up to 1 000 MHz and resistance to fire performance characteristics – Sectional specification

IEC 61156-15:2024

https://standards.iteh.ai/catalog/standards/jec/a3c99553-ad84-4ca0-a0a2-3734f8ddc4c6/jec-61156-15-2024





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 1.0 2024-08

# INTERNATIONAL STANDARD

Multicore and symmetrical pair/ quad cables for digital communications – Part 15: Symmetrical pair/quad cables for horizontal floor wiring with transmission characteristics up to 1 000 MHz and resistance to fire performance characteristics – Sectional specification

IEC 61156-15:2024

https://standards.iteh.ai/catalog/standards/iec/a3c99553-ad84-4ca0-a0a2-3734f8ddc4c6/iec-61156-15-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.120.20 ISBN 978-2-8322-9555-7

Warning! Make sure that you obtained this publication from an authorized distributor.

## CONTENTS

FO	REWO	RD	4
INT	RODU	JCTION	6
1	Scop	e	7
2	Norm	native references	7
3	Term	is and definitions	8
4	Insta	llation considerations	8
5		rials and cable construction	
6			
-		acteristics and requirements	
	6.1	General remarks	
	6.2	Electrical characteristics and tests	
	6.2.1		
	6.2.2		
	6.2.3	3	
	6.2.4		
	6.2.5	···	
	6.2.6	- 1	
	6.2.7		
	6.2.8	' ' Clarification of the control of	9
	6.2.9	Transmission characteristics	9
	6.3 6.3.1		
	6.3.1	, 1 3 (1	
	6.3.3		
	6.3.4		
	6.3.5	186 67 156 15:20027	
	6.3.6	s.1ten.a1/cata10g/standards}1ec/a3cyy553-ad84-4caU-aUa2-3/34t8ddc4cb/1ec	7-01156-15-20
	6.3.7		
	6.3.8		
	6.3.9	( - /	
	6.3.1	( 3 /	
	6.3.1	•	
	6.4	Mechanical and dimensional characteristics and requirements	
	6.4.1	•	
	6.4.2		
	6.4.3	5	
	6.4.4	•	
	6.4.5	3	
	6.4.6		
	6.4.7	•	
	6.4.8	-	
	6.4.9		
	6.4.1	·	
	6.4.1	•	
	6.4.1	,	
	6.4.1	·	
	6.4.1	·	

	6.4.15	Vibration-test requirements of a cable	12
6	6.5 Env	rironmental characteristics	12
	6.5.1	Shrinkage of insulation	12
	6.5.2	Wrapping test of insulation after thermal ageing	12
	6.5.3	Bending test of insulation at low temperature	12
	6.5.4	Elongation at break of the sheath after ageing	12
	6.5.5	Tensile strength of the sheath after ageing	12
	6.5.6	Sheath pressure test at high temperature	12
	6.5.7	Cold bend test of the cable	12
	6.5.8	Heat shock test	12
	6.5.9	Damp heat steady state	12
	6.5.10	Solar radiation (UV test)	12
	6.5.11	Solvents and contaminating fluids	12
	6.5.12	Salt mist and sulphur dioxide	12
	6.5.13	Water immersion	12
	6.5.14	Hygroscopicity	13
	6.5.15	Wicking	13
	6.5.16	Flame propagation characteristics of a single cable	13
	6.5.17	Flame propagation characteristics of bunched cables	13
	6.5.18	Halogen gas evolution	
	6.5.19	Smoke generation	13
	6.5.20	Toxic gas emission	
	6.5.21	Integrated fire test	13
7		tance/resistance to fire	
7	7.1 Tes	t of sample 1 – Circuit integrity	13
7		t of sample 2 – Transmission integrity	
	7.2.1	General remarksIEC.61156.15:2024	
	7.2.2 itel	Sample preparation (hep/h3c/99553-hd/84-4ca0-ha0h2-3734f8ddc4c6	/iec-61.156- <b>14</b> -202
	7.2.3	Checking arrangement	
	7.2.4	Measurements of the transmission characteristics under fire	14
	7.2.5	Performance requirement	15
	7.2.6	Retest procedure	16
8	Test repo	ort	16
9	Bundled	cables requirements	16
10		ion to the blank detail specification	
		rmative) Blank detail specification	
	•	,	
RIDI	liograpny		22
Tah	ile 1 – nara	ameters	15

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## MULTICORE AND SYMMETRICAL PAIR/ QUAD CABLES FOR DIGITAL COMMUNICATIONS –

# Part 15: Symmetrical pair/quad cables for horizontal floor wiring with transmission characteristics up to 1 000 MHz and resistance to fire performance characteristics – Sectional specification

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61156-15 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46C/1272/CDV	46C/1290/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

A list of all parts in the IEC 61156 series, published under the general title *Multicore and symmetrical pair/quad cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.

## iTeh Standards (https://standards.iteh.ai) Document Preview

EC 61156-15:2024

https://standards.iteh.ai/catalog/standards/iec/a3c99553-ad84-4ca0-a0a2-3734f8ddc4c6/iec-61156-15-2024

#### INTRODUCTION

The demand for applications using cables maintaining power and data transmission under fire attack is rising. Current installation standards address mainly the "short circuit" protection issue, and some electrical parameters. Data transmission information is limited and further important parameters are not addressed.

For the evaluation of the circuit integrity (both short circuit protection and maintaining data transmission capability), two different samples and two different tests should be performed. The cable should pass the test as per IEC 60331-23:1999 and only then be evaluated to its data transmission integrity under flame attack as per IEC 60331-23:1999 by the definitions and instructions stated in this document.

Compliance with this document is not an indication that the cable will suite all types of applications or attack by any fire scenario. It only ensures that the circuit integrity, as defined, is maintained using the test procedures and flame application described.

## iTeh Standards (https://standards.iteh.ai) Document Preview

EC 61156-15:2024

https://standards.iteh.ai/catalog/standards/iec/a3c99553-ad84-4ca0-a0a2-3734f8ddc4c6/iec-61156-15-2024

## MULTICORE AND SYMMETRICAL PAIR/ QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 15: Symmetrical pair/quad cables for horizontal floor wiring with transmission characteristics up to 1 000 MHz and resistance to fire performance characteristics – Sectional specification

#### 1 Scope

This part of IEC 61156 refers to cables as described in IEC 61156-5:2020 or cables containing element(s) from cables as described in IEC 61156-5 which are required to maintain both circuit integrity and data transmission capability before, during and after flame application under specified conditions.

In addition to the basic cable construction, it describes the means of sample preparation, checking arrangements and gives the performance requirements, means to evaluate the data transmission capability during and after subjecting to fire, and gives means for evaluating test results and the parameters that are specified in the detail specification.

The cables covered by this document are intended to operate with voltages and currents normally encountered in communication systems. While these cables are not intended to be used in conjunction with low impedance sources, for example the electric power supplies of public utility mains, they are intended to be used to support the delivery of low voltage remote powering applications and have no rated voltage and are used for extra low voltage circuits.

For the purpose of this document, fire conditions as currently listed in IEC 60331-23:1999 and basic test apparatus as per IEC 60331-11:1999 apply.

As the test method according to IEC 60331-23:1999 will not be developed further, other test methods could be used or added in future editions of this document.

IEC 60331-1 and IEC 60331-2 will be added in a future revision as the standard tests for circuit integrity and the test rig to be used for all testing.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60331-11:1999, Tests for electric cables under fire conditions – Circuit integrity – Part 11: Apparatus – Fire alone at a flame temperature of at least 750 °C

IEC 60331-23:1999, Tests for electric cables under fire conditions – Circuit integrity – Part 23: Procedures and requirements – Electric data cables

IEC 61156 (all parts), Multicore and symmetrical pair/quad cables for digital communications

IEC 61156-1:2023, Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification

IEC 61156-5:2020, Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification

ISO/IEC 11801-1:2017, Information technology – Generic cabling for customer premises – Part 1: General requirements

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61156-5 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

#### 3.1

#### sample 1

#### sample one

finished cable used to achieve the circuit integrity test as per IEC 60331-23:1999

#### 3.2

#### sample 2

#### sample two

finished cable, used for the transmission characteristic test during and after flame application

#### 3.3

#### resistance to fire

#### fire resistance

ability to continue to operate in the designated manner, both in terms of circuit integrity and transmission integrity, whilst subjected to a specified flame source for a specified period of time under specified conditions

#### 3.4

#### circuit integrity

ability to continue to operate without short circuit between elements or wire breaks whilst subjected to a specified flame source for a specified period of time

Note 1 to entry: There shall be no short circuits during and after the flame attack.

#### 3.5

#### transmission integrity

ability to maintain a level of data transmission capability according to the transmission characteristics defined in the IEC 61156 series during and after the flame attack as per IEC 60331-23:1999 fire conditions

Note 1 to entry: The designation "fire resistant" given to a cable implies that it fulfils the requirements of the relevant fire resistance test.

#### 4 Installation considerations

For the purposes of this document, the respective requirements of IEC 61156-5:2020, Clause 4 apply.