



Edition 2.0 2022-06 REDLINE VERSION

INTERNATIONAL STANDARD



High-voltage switchgear and controlgear – 12 11 12 Part 212: Compact Equipment Assembly for Distribution Substation (CEADS) for AC voltages up to 52 kV

Document Preview

IEC 62271-212:2022

https://standards.iteh.ai/catalog/standards/jec/347443h3-c0hc-430c-h2d5-a40180a8e77e/jec-62271-212-2022





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Tel.: +41 22 919 02 11

info@iec.ch

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20

www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 2.0 2022-06 REDLINE VERSION

INTERNATIONAL STANDARD



High-voltage switchgear and controlgear – 12 10 S
Part 212: Compact Equipment Assembly for Distribution Substation (CEADS) for AC voltages up to 52 kV

Document Preview

IEC 62271-212:2022

https://standards.iteh.ai/catalog/standards/iec/347443b3-c0bc-430c-b2d5-a40180a8e77e/iec-62271-212-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.130.10 ISBN 978-2-8322-3962-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

4	Car	eral			
1					
1		De			
2					
3		ns and definitions			
	3.1	General terms and definitions			
	3.2	Assemblies of switchgear and controlgear			
	3.3	Parts of assemblies			
	3.4	Switching devices			
	3.5	Parts of switchgear and controlgear			
	3.6	Operational characteristics of switchgear and controlgear			
	3.7	Characteristic quantities			
	3.8	Index of definitions			
4		nal and special service conditions			
	4.1	Normal service conditions			
	4.2	Special service conditions			
5		ngs			
	5.1	General	1		
	5.2	Rated voltage	1		
	5.3	Rated insulation level	1		
	5.4	Rated frequency (f_{r})	1		
	5.5	Rated normal continuous current $(I_r - I_{nA})$			
	4.4.2	-Temperature rise			
	5.6	Rated short-time withstand current $(I_k, -I_{ke}, -I_{cw})$	2		
	5.7	Rated peak withstand current (I_p, I_{pe}, I_{pk})	2		
	5.8	Rated duration of short circuit (t_k, t_{ke}, t_{cw})	2		
	4.8—	Rated supply voltage of closing and opening devices and of auxiliary and			
	4.9	control circuits Rated supply frequency of closing and opening devices and of auxiliary			
	4.0	circuits			
	5.9	Rated supply voltage of auxiliary and control circuits ($U_{\mathbf{a}}$)			
	5.10	Rated supply frequency of auxiliary and control circuits	2		
	5.11	Rated pressure of compressed gas supply for controlled pressure systems	2		
	5.101	Rated power and total losses of CEADS	2		
	5.102	Ratings of the internal arc classification (IAC)	2		
6	Desi	gn and construction	2		
	6.1	Requirements for liquids in switchgear and controlgear	2		
	6.2	Requirements for gases in switchgear and controlgear	2		
	6.3	Earthing of switchgear and controlgear	2		
	6.4	Auxiliary and control equipment and circuits	2		
	6.5	Dependent power operation	2		

	6.8	Manually operated actuators	25
	6.9	Operation of releases	25
	6.10	Low- and high-pressure interlocking and monitoring devices Pressure/level indication	26
	6.11	Nameplates	
	6.12	Interlocking Locking devices	
	6.13	Position indication	
	6.14	Degrees of protection provided by enclosures	
	6.15	Creepage distances for outdoor insulators	
	6.16		
		Gas and vacuum tightness	
	6.17 6.18	Liquid tightness Tightness for liquid systems	
		Fire hazard (flammability)	
	6.19	Electromagnetic compatibility (EMC)	
	6.20	X-ray emission	
	6.21	Corrosion	
	6.22	Filling levels for insulation, switching and/or operation	
	6.101	Protection against mechanical stresses	
	6.102	Protection of the environment due to internal defects	
	6.103	Internal arc fault	
	6.104	Enclosures	
	6.105	Sound emission	
	6.106	Electromagnetic fields	
	6.107		
7	Туре	e tests	30
	7.1	General Preview	
	7.2	Dielectric tests	31
	7.3	Radio interference voltage (RIV) test	35
	7.4ards	Measurement of the resistance of circuits Resistance measurement	35_
	7.5	Continuous current tests	36
	7.6	Short-time withstand current and peak withstand current tests	36
	7.7	Verification of the protection	37
	7.8	Tightness tests	38
	7.9	Electromagnetic compatibility tests (EMC)	38
	7.10	Additional tests on auxiliary and control circuits	38
	7.11	X-radiation test -procedure for vacuum interrupters	39
	7.101	Temperature-rise tests	39
	7.102	Internal arc test	48
	7.103	Verification of making and breaking capacities of high-voltage functional unit	51
	7.104	Mechanical operation tests	52
	7.105	Mechanical stability test	52
	7.106	Pressure withstand test for gas-filled compartments	52
	7.107	Measurements of leakage currents of non-metallic enclosures	52
	7.108	Weatherproofing test	53
	7.109	Tightness and mechanical strength for liquid filled compartments	53
	7.110	Measurement or calculation of electromagnetic fields	53
8	Rout	ine tests	53
	8.1	General	53
	8.2	Dielectric tests on the main circuit	
	83	Tests on auxiliary and control circuits	55

	8.4	Measurement of the resistance of the main circuit	55
	8.5	Tightness test	55
	8.6	Design and visual checks	55
	8.101	Mechanical operation tests on high-voltage functional unit	55
	8.102	Pressure tests of gas-filled compartments	55
	8.103	Tests of auxiliary electrical, pneumatic and hydraulic devices	56
	8.104	Measurement of the winding resistance	56
	8.105	Measurement of the voltage ratio and check of phase displacement	56
	8.106	Measurement of the short circuit impedance and load losses	
	8.107	Measurement of no-load loss and current	56
	8.108	Inspection of the low-voltage functional unit, including inspection of wiring and, if necessary, electrical operation test, operational performance and function	56
	8.109	Checking of protective measures and of the electrical continuity of the protective circuits of the low-voltage functional unit	56
	8.110	Tests after CEADS assembly on site	56
9	Guid	e to the selection of CEADS (informative)	56
	9.1	General	56
	9.2	Selection of rated values	57
	9.3	Cable-interface considerations	57
	9.4	Continuous or temporary overload due to changed service conditions	
	9.5	Environmental aspects	57
	9.101	Selection of internal arc classification	
	9.102	Information Summary of technical requirements and ratings for CEADS	60
10		mation to be given with enquiries, tenders and orders (informative)	
	10.1	General	65
	10.2	Information with enquiries and orders	
	10.3	Information with tenders	
https://st 11	Rule	s for Transport, storage, installation, operation operating instructions and tenance	
	11.1	General	67
	11.2	Conditions during transport, storage and installation	
	11.3	Installation	
	11.4	Operation Operating instructions	
	11.5	Maintenance	
		Dismantling, recycling and disposal at the end of service life	
12		ty	
	12.1	General	
		Electrical aspects	
		Mechanical aspects	
		Thermal aspects	
		Internal arc aspects	
13		ence of the product on the environment	
_			70
		(normative) Method for testing CEADS under conditions of arcing due to an rc fault	71
	A.1	General	
	A.2	Room simulation	71
	A.3	Indicators (for assessing the thermal effects of the gases)	
	A.4	Tolerances for geometrical dimensions of test arrangements	73

73
75
89
89
89
89
89
89
90
90
90
94
42
43
45
46
76
76
77
78
79
271-280-20
82
84
86
88
91
92
92
93
59
59

Table 4 – Summary of technical requirements, ratings for CEADS – Ratings of the CEADS	61
Table 5 – Summary of technical requirements, ratings for CEADS – Design and construction of the CEADS	64

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 212: Compact Equipment Assembly for Distribution Substation (CEADS) for AC voltages up to 52 kV

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62271-212:2016. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62271-212 has been prepared by subcommittee 17C: Assemblies, of IEC technical committee 17: High-voltage switchgear and controlgear. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) clause numbering aligned with IEC 62271-1:2017,
- b) rewording of title and scope of the document,
- c) implement changes on internal arc definition and testing following the evolution of prefabricated substation concept according to IEC 62271-202,
- d) general review of main test procedures such as temperature rise or dielectric test on interconnections, considering control equipment, communication, smart grid devices and integration of components.
- e) general review of installation, operation, safety and maintenance requirements.

The text of this International Standard is based on the following documents:

Draft	Report on voting		
17C/845/FDIS	17C/850/RVD		
Hen Standards			

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This International Standard should be read in conjunction with IEC 62271-1:2017, to which it refers and which is applicable unless otherwise specified. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1:2017. Amendments to these clauses and subclauses are given under the same numbering, whilst additional subclauses, are numbered from 101.

A list of all parts of the IEC 62271 series can be found, under the general title *High-voltage* switchgear and controlgear, on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62271-212:2022

https://standards.iteh.ai/catalog/standards/iec/347443b3-c0bc-430c-b2d5-a40180a8e77e/iec-62271-212-2022

INTRODUCTION

Traditionally a high-voltage/low-voltage distribution substation has been constructed by installing the main electrical components – high-voltage switchgear and controlgear, distribution power transformer(s) and the corresponding low-voltage-distribution panel(s) switchgear and controlgear-within a closed electrical operating area. It can be a room within a building intended for other usages (non electrical uses) or a separated housing (prefabricated or not) designed specifically to contain the electrical equipment of the substation or an open area limited by fences.

Some years ago in the search for a more standardized and compact substation, the concept of prefabricated substation was developed. IEC 62271-202 covers this type of substation. According to this document, the main electrical components (high-voltage switchgear and controlgear, power transformer and low-voltage switchgear and controlgear) are fully in compliance with their respective product standard, and the whole substation, including interconnections and enclosure is designed and type tested and later manufactured and routine tested in the factory. Correspondingly the quality of the substation is assured by the manufacturer.

Moreover, also other types of assemblies have been introduced in the market. These are assemblies comprising the main electrical active components of the substation and their interconnections, delivered as a single product. The product can therefore be type tested, manufactured, routine tested in the factory, transported and then installed in a closed electrical operating area.

This type of factory assembled and type-tested product is covered by this document receiving the generic name CEADS from Compact Equipment Assembly for Distribution Substation. Numerous arrangements are possible and this document provides guidance on basic types of assemblies, which might be envisaged.

A CEADS is not covered by IEC 61936-1. However, CEADS is intended to become part of a distribution substation.

Taking into account the closer proximity of the main electrical components that even can share some parts (enclosure, solid or fluid insulation...), it is very relevant to take notice of the potential interaction between them. Therefore, to cover CEADS is neither sufficient nor always applicable to refer to the relevant product standards. This document covers any additional design and construction requirements and test methods applicable to the different types of CEADS. In addition to the specified characteristics, particular attention has been paid to the specification concerning the protection of persons, both operators and general public.

The CEADS is also of interest to committee TC 14: Power transformers, and committee TC 121: Switchgear and controlgear and their assemblies for low voltage.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 212: Compact Equipment Assembly for Distribution Substation (CEADS) for AC voltages up to 52 kV

1 General

1 Scope

This part of IEC 62271 specifies the service conditions, rated characteristics, general structural requirements and test methods of the assemblies of the main electrical functional units of a high-voltage/low-voltage distribution high-voltage transformer substation, duly interconnected, for AC-of-rated operating voltages above 1 kV and up to and including 52 kV on the high-voltage side and service frequency 50 Hz or 60 Hz. This assembly is to be cable-connected to the network, and intended for installation within an indoor or outdoor closed electrical operating area. The CEADS is cable-connected to the high-voltage network for indoor and outdoor applications of restricted access.

A CEADS as defined in this document is designed and tested to be a single product with a single serial number and one set of documentation.

The functions of a CEADS are:

- switching and control for the operation of the high-voltage circuit(s);
- protection of the high-voltage/low-voltage transformer functional unit;
- high-voltage/low-voltage transformation;
- switching and control for the operation and protection of the low-voltage feeders.

However relevant provisions of this document are also applicable to designs where not all of these functions exist (e.g. equipment comprising only high-voltage/low-voltage transformation and switching and control for the operation and protection of the low-voltage feeder functions or equipment without switching and control for the operation of the high-voltage circuit(s)).

high-voltage/high-voltage or high-voltage/low-voltage transformation;

and some or all the following:

- switching and control for the operation of the high-voltage circuit(s);
- switching and control for the operation of the low-voltage circuit(s);
- protection of the power transformer functional unit.

The main functions are integrated in the following functional units:

- high-voltage functional unit;
- power transformer functional unit;
- low-voltage functional unit.

NOTE For the purpose of this document a self-protected transformer is not considered as a CEADS, but as a functional unit, designed and type tested to its own product standard IEC 60076-13:2006.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-441:1984, International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses (available at www.electropedia.org)

IEC 60050-461:2008, International Electrotechnical Vocabulary (IEV) – Part 461: Electric cables (available at www.electropedia.org)

IEC 60076 (all parts), Power transformers

IEC 60076-1:2011, Power transformers – Part 1: General

IEC 60076-2:2011, Power transformers – Part 2: Temperature rise for liquid-immersed transformers

IEC 60076-3:2013, Power transformers – Part 3: Insulation levels, dielectric tests and external clearances in air

IEC 60076-3:2013/AMD1:2018

IEC 60076-5:2006, Power transformers – Part 5: Ability to withstand short circuit

IEC 60076-7:2018, Power transformers – Part 7: Loading guide for mineral-oil-immersed power transformers

IEC 60076-10:2016, Power transformers - Part 10: Determination of sound levels

IEC 60076-11:20042018, Power transformers – Part 11: Dry-type transformers

IEC 60076-12:2008, Power transformers – Part 12: Loading guide for dry-type power transformers

IEC 60076-15:2015, Power transformers – Part 15: Gas-filled power transformers

IEC 60243-1:2013, Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies

IEC 60364-4-41:2005, Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock

IEC 60364-4-41:2005/AMD1:2017

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60721-1:1990, Classification of environmental conditions – Part 1: Environmental parameters and their severities

IEC 60721-1:1990/AMD1:1992 IEC 60721-1:1990/AMD2:1995