

Edition 1.0 2023-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial facility energy management system (FEMS) – Functions and information flows

Système de gestion d'énergie des installations industrielles (FEMS) – Fonctions et flux d'informations





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IFC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues Egalement appelé additionnelles. Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 1.0 2023-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial facility energy management system (FEMS) – Functions and information flows

Système de gestion d'énergie des installations industrielles (FEMS) – Fonctions et flux d'informations

https://standards.iteh.ai/catalog/standards/sist/c8f3ef7e-c1e5-49bf-8176-24931ea38ae6/iec-63376-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 03.100.70

ISBN 978-2-8322-7112-4

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FC	DREWO	RD	6	
IN	TRODU	CTION	8	
1	Scop	e	10	
2	Norm	Normative references		
3 Terms, definitions, and abbreviated terms			10	
	3.1	Terms and definitions	11	
	3.2	Abbreviated terms	12	
4	Gene	ral	13	
	4.1	Energy management activities in Industrial Facilities	13	
	4.2	Hierarchical structure of enterprise manufacturing system		
	4.2.1	Levels of manufacturing enterprises and the activities		
	4.3	Energy management system in a manufacturing enterprise	15	
	4.4	Role of FEMS and its expansion	16	
	4.4.1	Role of FEMS	16	
	4.4.2	Expansion of the role of FEMS	16	
	4.4.3	International standardization	17	
	4.5	Relation between FEMS and other systems	18	
	4.5.1	Relation between FEMS and other systems FEMS and production system	18	
	4.5.2	FEMS and production system	18	
	4.5.3	Management and optimization	21	
	4.6	Information exchange	21	
	4.6.1	System boundary		
	4.6.2			
	4.7	Data confidentiality 09/standards/sist/c8/Bef7e-c1e5-49bf-8176-24931ea38ae6/iec		
	4.7.1	General		
	4.7.2			
5	Desc	ription of functions of FEMS		
	5.1	Category of functions of FEMS		
	5.2	Monitoring Data Flows		
	5.2.1	General		
	5.2.2	Collection of actual and reference data		
	5.2.3	Collection of manufacturing planning information and facility status		
	5.3	Analysis Data Flows		
	5.3.1	General		
	5.3.2	Assumption for unmeasured parameters		
	5.3.3	6 671		
	5.3.4	Estimation of causality		
	5.3.5			
	5.4	Optimization Data Flows		
	5.4.1	General		
	5.4.2 5.4.3	1 05		
	5.4.3 5.5	Derivation of operation strategy Instruction Data Flows		
	5.5	General		
	5.5.1			
	5.5.2	Output operation strategies to other systems		
	5.5.0			

6 Classification of FEMS	
7 FEMS Demand Response	43
7.1 Demand Response	
7.2 FEMS and Incentive-based Demand Response	
7.3 FEMS and Price-based Demand Response	
Annex A (informative) FEMS Use Cases	
A.1 FEMS Actors A.2 Use cases of FEMS	
A.2 Use cases of FEMS	
A.2.2 Selection of Use cases	
A.2.3 Measurement and analysis of energy data (Visualization)	
A.2.4 Optimization of each unit	
A.2.5 Optimization of each facility	53
A.2.6 Optimization of energy supply facility	
A.2.7 Overall optimization	
A.2.8 Energy Source optimization – Economics/renewables	
A.2.9 Energy Profile	
Annex B (informative) Interface to exchange information for FEMS	
B.1 Energy Storage System (ESS)B.2 Peak shift	
B 3 Peak shaving	68
B.4 Other Functions	
B.4.1 General	
B.4.2 Battery operating time forecast	69
B.4.3 Battery life monitoring	
B.4.4 Function update	a38ae6/1ec69
Bibliography	70
Figure 1 – Characteristic feature of HEMS, BEMS, and FEMS	
Figure 2 – Functional hierarchy	
Figure 3 – Extension to the role-based equipment hierarchy model	
Figure 4 – System configuration of integration of multiple FEMS	
Figure 5 – Expansion of role of FEMS	
Figure 6 – Relationship between FEMS and other systems	18
Figure 7 – Hierarchical model of production system	20
Figure 8 – Multiple-input, Multiple-output controller	20
Figure 9 – Hierarchical structure of integrated enterprise-production system	22
Figure 10 – Example of Information exchange with inside and outside of the faci	ility23
Figure 11 – IEC 62443 Security for industrial automation and control systems standards	24
Figure 12 – Categories of FEMS functions and improvement cycle of energy performance	25
Figure 13 – Relationship among functions of FEMS and other systems	
Figure 14 – Functions categorized under "Monitoring" and FEMS related data flo	
Figure 15 – Functions categorized under "Analysis" and FEMS related data flow	
Figure 16 – Functions categorized under "Optimization" and FEMS related data	

Figure 17 – Functions categorized under "Instruction" and FEMS related data flow	37
Figure 18 – Three-dimensional map of FEMS	40
Figure 19 – General approach common today for grid management of demand response	44
Figure 20 – Correspondence relationship among these seven FCs and FEMS functions	45
Figure A.1 – Generic communication diagram between the smart grid and the FEMS	47
Figure A.2 – Use Case representation on three-dimensional FEMS model	49
Figure A.3 – Relationship between IEC 62264 (ISA 95) model and FEMS use-cases	50
Figure A.4 – Measurement and analysis of energy data	50
Figure A.5 – Sequence diagram of measurement and analysis of energy data	51
Figure A.6 – Optimization of each unit (invertor control of compressor)	52
Figure A.7 – Sequence diagram of Optimization of each unit (invertor control of compressor)	53
Figure A.8 – Optimization of each facility (quantity control of compressor)	54
Figure A.9 – Sequence diagram of optimization of each facility (quantity control of compressor)	55
Figure A.10 – Optimization of energy supply facility (supply-side RENKEI)	56
Figure A.11 – Sequence diagram of optimization of energy supply facility (supply-side RENKEI)	57
Figure A.12 – Overall optimization (demand and supply RENKEI)	58
Figure A.13 – Sequence diagram of overall optimization (demand and supply RENKEI)	59
Figure A.14 – Alternative energy sources	61
Figure A.15 – Sequence diagram for energy source optimization	62
Figure A.16 – Alternative energy profiles	64
Figure A.17 – Sequence diagram for energy profile optimization	65
Figure B.1 – Signal exchange diagram of the ESS and FEMS	67
Figure B.2 – Energy flow during peak shift	68
Figure B.3 – Peak shaving energy flow	68
Table 1 – Description for FEMS function categories	25
Table 2 – Data input and output of FEMS functions categorized into "Monitoring"	27
Table 3 – Data input and output of FEMS functions categorized into "Analysis"	30
Table 4 – Data input and output of FEMS functions categorized into "Optimization"	34
Table 5 – Data input and output of FEMS functions categorized into "Instruction"	
Table 6 – Description of "Automation levels"	
Table 7 – Relation between the level of automation and function	41
Table 8 – Relationship between the FCs in IEC 62872-2 [2] and the functions of FEMS	
Table A.1 – Actors and roles	47
Table A.2 – Functions included in a Process (Measurement and analysis of energy data)	51
Table A.3 – Functions included in a Process (optimization of each unit (invertor control of compressor)	53
Table A.4 – Functions included in a process (optimization of each facility (quantity control of compressor)	55
Table A.5 – Functions included in a process (optimization of energy supply facility (Supply-side RENKEI)) Function	57

Table A.6 – Functions included in a process (overall optimization (demand and supply	
RENKEI))	. 60
Table A.7 – Functions included in an energy optimization process	.62
Table A.8 – Functions included in an Energy Profiles Optimization Process	65

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 63376:202

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL FACILITY ENERGY MANAGEMENT SYSTEM (FEMS) – FUNCTIONS AND INFORMATION FLOWS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental, and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants, or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63376 has been prepared by IEC technical committee TC 65: Industrial-process measurement, control and automation.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65/995/FDIS	65/1014/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 63376:2023

INTRODUCTION

The world's energy use has been increasing along with economic growth. Energy use by Organization for Economic Co-operation and Development (OECD) countries is no longer increasing. According to World Energy Outlook 2020 [3], energy demand in OECD countries has been on a declining trend since 2007 with continued increase of their gross domestic product. On the other hand, energy use in developing countries has been increasing in both growth rate and value. Energy use by the industry sector is more than 50 % of the total consumption and it is forecast to increase by about 10% between 2018 and 2030. Although the rate of increasing energy demand is lower than the rate in the report published in 2012, this increase causes serious concerns for environmental impact and presents opportunities for energy management. To control global warming, the energy from renewable resources will be increasing globally. It is expected that the share of renewable energy to total demand will increase from about 30 % in 2019 to about 40 % in 2030. Outputs of renewable energy resources such as solar photovoltaics and wind etc. require power regulation to manage integration with the overall grid. Industrial facilities are major energy consumers and, also major energy generators. Therefore, the industrial sector is expected to play a significant role to satisfy the power regulations for the smart grid using renewable energy for decarbonization. Consequently, it is quite urgent for the industrial sector to deploy energy management systems to improve the energy efficiency to support the decarbonization of society.

Energy management in the manufacturing industries is linked to production and depending on the industry it can have a very wide range of requirements. To date, energy management systems have been custom developed for/by each company and then enhanced based on practical experiences thus further customizing them. Therefore, there are many different EMS for each organization. As coordination between related organizations becomes necessary for the optimal operation of each facility, the functions of an industrial Facility Energy Management System (FEMS) are required to be standardized to realize the benefits of making better use of the available energy within and across enterprises and organizations.

C 63376·2023

Production systems have a hierarchical layered structure such as Enterprise Resource Planning (ERP), Manufacturing Operations Management (MOM) / Manufacturing Execution Systems (MES) and Control. FEMS may have been installed parallel to each layer of the production system to communicate with them. As the production system is integrated for overall optimization, expanding the boundary of FEMS for the horizontal and/or vertical integration of FEMS is also required to have an input to that integrated production system structure.

For overall optimization, the production system executes under the multiple constraints such as safety, cost, quality of products, production schedule, market requirement, energy, and others particular to the industry and application. These multiple constraints are prioritized according to the business situation and used as the objective functions for optimization. Due to the complexity and continuous variability of practical operation conditions, the objective functions for optimization, in most cases, are set to the production system manually by an experienced engineer or operator who has deep knowledge of the operation. FEMS have been supporting those people by providing necessary information for their decision-making processes during the operation.

As a FEMS needs to collect energy related information from many kinds of production systems, MOM/MES and ERP, the volume of information has been increasing extensively. It is necessary to clarify the necessary information and functions for energy management. It is also necessary to automate the execution processes of functions of FEMS including the decision-making processes for optimization as possible.

Automation technologies including modelling, simulation, Artificial Intelligence (AI), and others enable automating the process for optimization thus reducing manual operation / intervention. FEMS provide necessary functions and information for the above-mentioned optimization.

IEC 63376:2023 © IEC 2023

FEMS functions need to be defined as an international standard to improve interconnectivity between the FEMS and other related systems. This document proposes to define the functions, information flows and classification of FEMS based on the level of achievement of FEMS capabilities. The level of automation of FEMS functions will be one factor to define the classification. The level will provide management with a motivation and path for a stepwise progression through the classification. The resulting FEMS standard increases the sophistication of control in industrial complexes and processes so that improved optimization of facility operations can be obtained. Furthermore, the information exchange among FEMS and other systems such as MOM/MES and ERP will be defined for the integration.

International standardization will benefit both end users and suppliers of FEMS.

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 63376:2023

INDUSTRIAL FACILITY ENERGY MANAGEMENT SYSTEM (FEMS) – FUNCTIONS AND INFORMATION FLOWS

1 Scope

This International Standard specifies the functions and the information flows of industrial Facility Energy Management System (FEMS). Generic functions are defined for the FEMS, to enable upgrading traditional Energy Management System (EMS) from visualization of the status of energy consumption to automation of energy management defining a closer relation with other management and control systems. A generic method to classify the FEMS functions will be explained. The information exchange between the FEMS and other systems such as Manufacturing Operations Management (MOM), Manufacturing Execution System (MES) and Enterprise Resource Planning (ERP) will be outlined.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62264 (all parts), Enterprise-control system integration

IEC/TS 62872-1:2019, Industrial-process measurement, control and automation – Part 1: System interface between industrial facilities and the smart grid

IEC/TR 62837:2013, Energy efficiency through automation systems

ISO 22400-1:2014, Automation systems and integration – Key performance indicators (KPIs) for manufacturing operations management – Part 1: Overview, concepts and terminology

ISO 22400-2:2014/AMD1:2017, Automation systems and integration – Key performance indicators (KPIs) for manufacturing operations management – Part 2: Definitions and descriptions – Amendment 1: Key performance indicators for energy management

3 Terms, definitions, and abbreviated terms

For the purposes of this document, the following terms, definitions, and abbreviated terms apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1 Terms and definitions

3.1.1

device

independent physical entity capable of performing one or more specified functions in a particular context and delimited by its interfaces

Note 1 to entry: A device can form part of a larger device.

[SOURCE: IEC 61804-2:2017, 3.1.18, modified – addition of note from IEC 80004-9:2017, 3.1.1]

3.1.2

equipment

component or arrangement of components, built for specific function(s)

[SOURCE: ISO 19901-5:2016 (en), 3.17, modified – deletion of: Notes 1 & 2]

3.1.3

enterprise

one or more organizations sharing a definite mission, goals and objectives which provides an output such as product or service

[SOURCE: IEC 62264-1:2013, 3.1.10] DARD PREVIEW

3.1.4

facility

site, or area within a site, that includes the resources within the site or area and includes the activities associated with the use of the resources

EC 63376:2023

[SOURCE: IEC 62264-1:2013, 3.1.20] ards/sist/c8f3ef7e-c1e5-49bf-8176-24931ea38ae6/iec-

63376-2023

3.1.5

operator

entity responsible for the minute-by-minute execution and safe functioning of a facility

3.1.6

organization

company, corporation, firm, authority or institution, or part or combination thereof, whether incorporated or not, public, or private, that has its own functions and administration

Note 1 to entry: For organizations with more than one operating unit, a single operating unit may be defined as an organization.

[SOURCE: ISO 14001:2004, 3.16, modified – reference to enterprise removed.]

3.1.7

plant

physical unit for a comprehensive process including the dedicated functional unit(s) for control

EXAMPLE: Heating plant, ventilating plant, air conditioning plant, chiller plant, sanitary installation, or electrical installation.

Note 1 to entry: A plant can consist of several partial plants that are assembled from equipment, units, or aggregates (e.g., boiler), devices, modules, components, and elements.

[SOURCE: ISO 16484-2:2004, 3.149, modified – Note 2 deleted, addition of (s) to "unit"]

– 11 –

3.1.8

site

identified physical, geographical, and/or logical component grouping of a manufacturing enterprise under a single management

[SOURCE: IEC 62264-1:2013, 3.1.39, modified – addition of "under a single management" after "enterprise"]

3.1.9

unit

lowest level of equipment typically scheduled by the Level 4 or Level 3 functions for continuous manufacturing processes


3.2 Abbreviated terms

APO	Advanced Planning and Optimization
BEMS	Building Energy Management System
CMM	Capability Maturity Model
DER	Distributed Energy Resource
EMS	Energy Management System
ERP	Enterprise Resource Planning
FC	Functional Component
FDREM	Facility Demand Response Energy Management
FEMS	Facility Energy Management System
HEMS	Home Energy Management System
IP	Intellectual Property
KPI	Key Performance Indicator
LIMS	Laboratory Information Management System
MES	Manufacturing Execution System
MIMO	Multiple Input Multiple Output
МОМ	Manufacturing Operations Management
MPC	Model Predictive Control
OECD	Organisation for Economic Co-operation and Development
MV	Manipulated Variable
PV	Process Variable
PCS	Process Control System
PID	Proportional Integral Derivative
SISO	Single Input Single Output
SV	Setpoint Value
WMS	Warehouse Management System

4 General

4.1 Energy management activities in Industrial Facilities

In the customer domains of energy such as Home, Building/Commercial and Industry, energy management systems: Home Energy Management System (HEMS), Building Energy Management System (BEMS) and FEMS respectively have been deployed depending on the characteristics of energy consumption. Figure 1 depicts the characteristic features of FEMS, BEMS, and HEMS. Key factors are the energy usage and number of entities in each domain. Arrows show energy distribution. Up-down-double arrows show energy trading between Home, building and Industry through the energy distribution.



63376-2023

Figure 1 – Characteristic feature of HEMS, BEMS, and FEMS

The energy consumption of users of FEMS is generally larger than that of BEMS and HEMS, the effect of a single industrial entity's energy efficiency improvement is significant. The profile of energy demand varies among entities as a function of the different types of energy sources in a manufacturing facility. Typical energy sources are electricity, fuel, steam, hydro, and distributed energy resources (DER) such as renewable energy, combined heating and power stations, and storage systems to provide useful energy in the form of power, heat, steam, heating or cooling water, compressed air and similar. FEMS is usually provided as a made-to-order product. BEMS has a larger number of target entities and is readily available as a ready-made product. HEMS, which deals with a larger number of smaller entities, is a readily available mass product. Each system and associated complexity / degree of customization has a corresponding price.

Energy management in a manufacturing enterprise is performed with consideration for harmonizing many conflicting requirements such as productivity, quality, delivery, production scheduling, manufacturing cost, profit, safety, environmental and related requirements. Those requirements are prioritized depending on the corporate objectives and regulations at the time the energy management decisions are made.